# AUTHOR INDEX VOLUMES 140–143


A

**Abbe, P.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.

**Abbondanza, C., Rossi, V., Roscigno, A., Gallo, L., Belsito, A., Piluso, G., Medici, N., Nigro, V., Molinari, A.M., Moncharmont, B., and Puca, G.A.** Interaction of vault particles with estrogen receptor in the MCF-7 breast cancer cell. 141:1301.

**Abe, E.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.

**Aberle, H.** *See* White, Aberle, and Vincent.

**Abrami, L., Fivaz, M., Glauser, P.-E., Parton, R.G., and van der Goot, F.G.** A pore-forming toxin interacts with a GPI-anchored protein and causes vacuolation of the endoplasmic reticulum. 140:525.

**Abramson, T.** *See* Verhey, Lizotte, Abramson, Barenboim, Schnapp, and Rapoport.

**Abranches, R., Beven, A.F., Aragón-Alcaide, L., and Shaw, P.J.** Transcription sites are not correlated with chromosome territories in wheat nuclei. 143:5.

**Abrieu, A.** *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.

**Acakpo-Satchivi, L.** *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.

**Acharya, R.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.

**Adachi, E.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.

**Adachi, M.** *See* Naora, Takai, Adachi, and Naora.

**Adams, C.L., Chen, Y.-T., Smith, S.J., and Nelson, W.J.** Mechanisms of epithelial cell–cell adhesion and cell compaction revealed by high-resolution tracking of E-cadherin–green fluorescent protein. 142:1105.

**Adams, C.M., Anderson, M.G., Motto, D.G., Price, M.P., Johnson, W.A., and Welsh, M.J.** Ripped pocket and pickpocket, novel *Drosophila* DEG/ENaC subunits expressed in early development and in mechanosensory neurons. 140:143.

**Adams, J.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.

**Adams, R.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.

**Adamson, E.D.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.

**Addicks, K.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.

**Adebanjo, O.A., Moonga, B.S., Yamate, T., Sun, L., Minkin, C., Abe, E., and Zaidi, M.** Mode of action of interleukin-6 on mature osteoclasts. Novel interactions with extracellular $Ca^{2+}$ sensing in the regulation of osteoclastic bone resorption. 142:1347.

**Aebi, M.** *See* Jakob, Burda, Roth, and Aebi.

**Aebi, U.** *See* Fahrenkrog, Hurt, Aebi, and Panté.

**Agard, D.A.** *See* Fung, Marshall, Dernburg, Agard, and Sedat.

**Agbunag, C.** *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.

**Aghajanian, J.** *See* Kong, Tung, Aghajanian, and Xu.

**Ahmad, F.J., Echeverri, C.J., Vallee, R.B., and Baas, P.W.** Cytoplasmic dynein and dynactin are required for the transport of microtubules into the axon. 140:391.

**Ahn, N.G.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.

**Ai, H.** *See* Ploug, van Deurs, Ai, Cushman, and Ralston.

**Ainsztein, A.M., Kandels-Lewis, S.E., Mackay, A.M., and Earnshaw, W.C.** INCENP centromere and spindle targeting: Identification of essential conserved motifs and involvement of heterochromatin protein HP1. 143:1763.

**Ainsztein, A.M.** *See* Mackay, Ainsztein, Eckley, and Earnshaw.

**Aissouni, Y.** *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.

**Aitchison, J.D.** *See* Marelli, Aitchison, and Wozniak.

**Aizawa, S.** *See* Ilić, Almeida, Schlaepfer, Dazin, Aizawa, and Damsky.

**Albertinazzi, C., Gilardelli, D., Paris, S., Longhi, R., and de Curtis, I.** Overexpression of a neural-specific Rho family GTPase, cRac1B, selectively induces enhanced neuritogenesis and neurite branching in primary neurons. 142:815.

**Albertini, M., Pemberton, L.F., Rosenblum, J.S., and Blobel, G.** A novel nuclear import pathway for the transcription factor TFIIS. 143:1447.

— *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.

**Alberts, B.M.** *See* Moritz, Zheng, Alberts, and Oegema.

**Alblas, J.** *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.

**Alfranca, A.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.

**Alimonti, J.** *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.

**Alitalo, K.** *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.

**Allchin, E.H.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.

— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.

**Allen, P.D.** *See* Moore, Nguyen, Galceran, Pessah, and Allen.

— *See* Protasi, Franzini-Armstrong, and Allen.

**Allen, T.StC.** *See* McArdle, Allen, and Bucher.

**Allen, W.E., Zicha, D., Ridley, A.J., and Jones, G.E.** A role for Cdc42 in macrophage chemotaxis. 141:1147.

**Almeida, E.A.C.** *See* Ilić, Almeida, Schlaepfer, Dazin, Aizawa, and Damsky.

**Almeida, F., Saffrich, R., Ansorge, W., and Carmo-Fonseca, M.** Microinjection of anti-coilin antibodies affects the structure of coiled bodies. 142:899.

**Almeida, M.** *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.

**Almouzni, G.** *See* Martini, Roche, Marheineke, Verreault, and Almouzni.

— *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.

**Aloyz, R.** *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.

**Aloyz, R.S., Bamji, S.X., Pozniak, C.D., Toma, J.G., Atwal, J., Kaplan, D.R., and Miller, F.D.** P53 is essential for developmental neuron death as regulated by the TrkA and p75 neurotrophin receptors. 143:1691.

**Altman, R.** *See* Carroll, Altman, Schieltz, Yates, and Kellogg.

**Altschuler, Y., Barbas, S.M., Terlecky, L.J., Tang, K., Hardy, S., Mostov, K.E., and Schmid, S.L.** Redundant and distinct functions for dynamin-1 and dynamin-2 isoforms. 143:1871.

**Alvarez, C.** *See* Nelson, Alvarez, Gao, García-Mata, Fialkowski, and Sztul.

**Alzhanova-Ericsson, A.T.** *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.

**Amano, M.** *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.

— *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.

**Ambesi-Impiombato, F.S.** *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.

**Amicone, L.** *See* Spagnoli, Amicone, Tripodi, and Weiss.

**Amigorena, S.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.

**Anderson, B.L., Boldogh, I., Evangelista, M., Boone, C., Greene, L.A., and Pon, L.A.** The Src homology domain 3 (SH3) of a yeast type I myosin, Myo5p, binds to verprolin and is required for targeting to sites of actin polarization. 141:1357.

**Anderson, J.M.** *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.

**Anderson, M.G.** *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.

**Anderson, R.G.W.** *See* Kamal, Ying, and Anderson.

— *See* Kibbey, Rizo, Gierasch, and Anderson.

— *See* Mineo, Ying, Chapline, Jaken, and Anderson.
**Andone, S.** *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Andreassen, P.R., Lacroix, F.B., Villa-Moruzzi, E., and Margolis, R.L.** Differential subcellular localization of protein phosphatase-1 α, γ1, and δ isoforms during both interphase and mitosis in mammalian cells. 141:1207.
**Andrew, D.J.** *See* Machado, Sunkel, and Andrew.
**Ansorge, W.** *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
**Anton, M.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Antonsson, B.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Antony, C.** *See* Le Bot, Antony, White, Karsenti, and Vernos.
— *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
— *See* Wittmann, Boleti, Antony, Karsenti, and Vernos.
**Appella, E.** *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
**Aragane, Y., Kulms, D., Metze, D., Wilkes, G., Pöppelmann, B., Luger, T.A., and Schwarz, T.** Ultraviolet light induces apoptosis via direct activation of CD95 (Fas/APO-1) independently of its ligand CD95L. 140:171.
**Aragón-Alcaide, L.** *See* Abranches, Beven, Aragón-Alcaide, and Shaw.
**Arahata, K.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Argon, Y.** *See* Bass, Chiu, Argon, and Steiner.
**Aridor, M., Weissman, J., Bannykh, S., Nuoffer, C., and Balch, W.E.** Cargo selection by the COPII budding machinery during export from the ER. 141:61.
**Aris, J.P.** *See* Oakes, Aris, Brockenbrough, Wai, Vu, and Nomura.
**Armstrong, R.T.** *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
**Arnaout, M.A.** *See* Li, Rieu, Griffith, Scott, and Arnaout.
**Arndt-Jovin, D.J.** *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.
**Arregui, C.** *See* Balsamo, Arregui, Leung, and Lilien.
**Arregui, C.O., Balsamo, J., and Lilien, J.** Impaired integrin-mediated adhesion and signaling in fibroblasts expressing a dominant-negative mutant PTP1B. 143:861. Correction. 143:1761.
**Artalejo, A.R.** *See* Plattner, Artalejo, and Neher.
**Arthur, K.** *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
**Arvan, P.** *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
**Ashman, L.K.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Ashworth, J.** *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
**Aszódi, A., Chan, D., Hunziker, E., Bateman, J.F., and Fässler, R.** Collagen II is essential for the removal of the notochord and the formation of intervertebral discs. 143:1399.
**Atwal, J.** *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
**Augustin, H.G.** *See* Korff and Augustin.
**Avraham, H.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**Avraham, S.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.

## B

**Baas, P.W.** *See* Ahmad, Echeverri, Vallee, and Baas.
**Babia, T.** *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
**Backer, J.M.** *See* Siddhanta, McIlroy, Shah, Zhang, and Backer.
**Bähler, J., Steever, A.B., Wheatley, S., Wang, Y.-l., Pringle, J.R., Gould, K.L., and McCollum, D.** Role of polo kinase and Mid1p in determining the site of cell division in fission yeast. 143:1603.
**Bain, S.D.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Balch, W.E.** *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
**Baldini, G., Baldini, G., Wang, G., Weber, M., Zweyer, M., Bareggi, R., Witkin, J.W., and Martelli, A.M.** Expression of Rab3D N135I inhibits regulated secretion of ACTH in AtT-20 cells. 140: 305.
**Balice-Gordon, R.J., Bone, L.J., and Scherer, S.S.** Functional gap junctions in the Schwann cell myelin sheath. 142:1095.
**Balkir, L.** *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
**Balla, T.** *See* Várnai and Balla.
**Ballotti, R.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
**Balsamo, J., Arregui, C., Leung, T., and Lilien, J.** The nonreceptor protein tyrosine phosphatase PTP1B binds to the cytoplasmic domain of N-cadherin and regulates the cadherin–actin linkage. 143:523.
— *See* Arregui, Balsamo, and Lilien.
**Bamji, S.X., Majdan, M., Pozniak, C.D., Belliveau, D.J., Aloyz, R., Kohn, J., Causing, C.G., and Miller, F.D.** The p75 neurotrophin receptor mediates neuronal apoptosis and is essential for naturally occurring sympathetic neuron death. 140:911.
— *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
**Bangs, P., Burke, B., Powers, C., Craig, R., Purohit, A., and Doxsey, S.** Functional analysis of Tpr: Identification of nuclear pore complex association and nuclear localization domains and a role in mRNA export. 143:1801.
**Banker, G.** *See* Muslimov, Banker, Brosius, and Tiedge.
**Bannykh, S.** *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
**Barbas, J.A.** *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
**Barbas, S.M.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.
**Barbat, A.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Barbot, L.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Bardroff, M.** *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.
**Bareggi, R.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
**Barenboim, L.** *See* Verhey, Lizotte, Abramson, Barenboim, Schnapp, and Rapoport.
**Barkan, A.** *See* Roy and Barkan.
**Barlowe, C.** *See* Powers and Barlowe.
— *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.
**Barnes, G.** *See* Hofmann, Cheeseman, Goode, McDonald, Barnes, and Drubin.
**Barral, J.M., Bauer, C.C., Ortiz, I., and Epstein, H.F.** *Unc-45* mutations in *Caenorhabditis elegans* implicate a CRO1/She4 like domain in myosin assembly. 143:1215.
**Barry, S.T.** *See* Norman, Jones, Barry, Holt, Cockcroft, and Critchley.
**Bartek, J.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Bartkova, J.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Bartles, J.R., Zheng, L., Li, A., Wierda, A., and Chen, B.** Small espin: A third actin-bundling protein and potential forked protein ortholog in brush border microvilli. 143:107.
**Barz, W.P.** *See* Ogg, Barz, and Walter.
**Bass, J., Chiu, G., Argon, Y., and Steiner, D.F.** Folding of insulin receptor monomers is facilitated by the molecular chaperones calnexin and calreticulin and impaired by rapid dimerization. 141:637.
**Basset, P.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Bate, M.** *See* Prokop, Uhler, Roote, and Bate.
**Bateman, J.F.** *See* Aszódi, Chan, Hunziker, Bateman, and Fässler.
**Battelino, T.** *See* Miralles, Battelino, Czernichow, and Scharfmann.
**Baudoin, C.** *See* Gimond, Baudoin, van der Neut, Kramer, Calafat, and Sonnenberg.
**Bauer, C.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
**Bauer, C.C.** *See* Barral, Bauer, Ortiz, and Epstein.
— *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
**Bear, J.E., Rawls, J.F., and Saxe, C.L., III.** SCAR, a WASP-related protein, isolated as a suppressor of receptor defects in late *Dictyostelium* development. 142:1325.
**Beattie, G.M.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Beckers, C.J.M.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Beckwith, S.M., Roghi, C.H., Liu, B., and Morris, N.R.** The "8-kD" cytoplasmic dynein light chain is required for nuclear migration and for dynein heavy chain localization in *Aspergillus nidulans.* 143:1239.
**Beech, P.L.** *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
**Bègue, B.** *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
**Belkin, A.M.** *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.

**Belliveau, D.J.** *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
— *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
**Belmont, A.S.** *See* Li, Sudlow, and Belmont.
**Belmont, L.D., and Drubin, D.G.** The yeast V159N actin mutant reveals roles for actin dynamics in vivo. 142:1289.
**Belotserkovsky, V.** *See* Suter, Errante, Belotserkovsky, and Forscher.
**Belsito, A.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Benmerah, A., Lamaze, C., Bègue, B., Schmid, S.L., Dautry-Varsat, A., and Cerf-Bensussan, N.** AP-2/Eps15 interaction is required for receptor-mediated endocytosis. 140:1055.
**Bennett, V.** *See* Matsuoka, Li, and Bennett.
— *See* Scotland, Zhou, Benveniste, and Bennett.
— *See* Zhang and Bennett.
— *See* Zhou, Lambert, Malen, Carpenter, Boland, and Bennett.
**Benveniste, H.** *See* Scotland, Zhou, Benveniste, and Bennett.
**Ben-Ze'ev, A.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Berezney, R.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.
**Berger, G.** *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
**Berger, M.** *See* Stulnig, Berger, Sigmund, Raederstorff, Stockinger, and Waldhäusl.
**Berger, P.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Bergeron, J.J.M.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**Bernard, P., Hardwick, K., and Javerzat, J.-P.** Fission yeast Bub1 is a mitotic centromere protein essential for the spindle checkpoint and the preservation of correct ploidy through mitosis. 143:1775.
**Bertin, J.** *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Bertolotto, C., Abbe, P., Hemesath, T.J., Bille, K., Fisher, D.E., Ortonne, J.-P., and Ballotti, R.** Microphthalmia gene product as a signal transducer in cAMP-induced differentiation of melanocytes. 142:827.
**Besati, C.** *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
**Beug, H.** *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
**Beushausen, S.** *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
**Beven, A.F.** *See* Abranches, Beven, Aragón-Alcaide, and Shaw.
**Bevilacqua, A.** *See* Sette, Bevilacqua, Geremia, and Rossi.
**Bi, E., Maddox, P., Lew, D.J., Salmon, E.D., McMillan, J.N., Yeh, E., and Pringle, J.R.** Involvement of an actomyosin contractile ring in *Saccharomyces cerevisiae* cytokinesis. 142:1301.
**Biggins, S.** *See* Sullivan, Biggins, and Rose.
**Bille, K.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
**Birchmeier, W.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Bissell, M.J.** *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
**Bitler, A.** *See* Tuvia, Levin, Bitler, and Korenstein.
**Bito, H.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Björkroth, B.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Blackshaw, S.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Blank, L.** *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
**Blank, P.S.** *See* Coorssen, Blank, Tahara, and Zimmerberg.
**Bleazard, W.** *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.
**Blobel, G.** *See* Albertini, Pemberton, Rosenblum, and Blobel.
— *See* Matunis, Wu, and Blobel.
— *See* Meier and Blobel.
— *See* Rosenblum, Pemberton, Bonifaci, and Blobel.
**Bloch, W.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Block, S.M.** Leading the procession: New insights into kinesin motors. 140:1281.
**Bloom, G.S., and Goldstein, L.S.B.** Cruising along microtubule highways: How membranes move through the secretory pathway. 140:1277. Correction. 141:1095.
**Blumenthal, R.** *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
**Bobinnec, Y., Khodjakov, A., Mir, L.M., Rieder, C.L., Eddé, B., and Bornens, M.** Centriole disassembly in vivo and its effect on centrosome structure and function in vertebrate cells. 143:1575.
**Bochaton-Piallat, M.-L.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Bohlen, H.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Boland, L.M.** *See* Zhou, Lambert, Malen, Carpenter, Boland, and Bennett.
**Boldogh, I., Vojtov, N., Karmon, S., and Pon, L.A.** Interaction between mitochondria and the actin cytoskeleton in budding yeast requires two integral mitochondrial outer membrane proteins, Mmm1p and Mdm10p. 141:1371.
— *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
**Boleti, H.** *See* Wittmann, Boleti, Antony, Karsenti, and Vernos.
**Bonaccorsi, S., Giansanti, M.G., and Gatti, M.** Spindle self-organization and cytokinesis during male meiosis in *asterless* mutants of *Drosophila melanogaster*. 751.
**Bonangelino, C.J.** *See* Gary, Wurmser, Bonangelino, Weisman, and Emr.
**Bond, M.** *See* Yang, Drazba, Ferguson, and Bond.
**Bone, L.J.** *See* Balice-Gordon, Bone, and Scherer.
**Bonifaci, N.** *See* Rosenblum, Pemberton, Bonifaci, and Blobel.
**Bonifacino, J.S.** *See* Ooi, Dell'Angelica, and Bonifacino.
**Bonilha, V.L.** *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
**Bonini, N.M.** *See* Perez, Paulson, Pendse, Saionz, Bonini, and Pittman.
**Bönnemann, C.G.** *See* Chan, Bönnemann, Lidov, and Kunkel.
**Bonzelius, F.** *See* Wei, Bonzelius, Scully, Kelly, and Herman.
**Boone, C.** *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
**Borleis, J.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Bornens, M.** *See* Bobinnec, Khodjakov, Mir, Rieder, Eddé, and Bornens.
— *See* Tassin, Celati, Moudjou, and Bornens.
**Bornstein, P.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Borowsky, M.L., and Hynes, R.O.** Layilin, a novel talin-binding transmembrane protein homologous with C-type lectins, is localized in membrane ruffles. 143:429.
**Borradori, L.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Borsi, L.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Bosc, C.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
**Bosco, D.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
**Bosco, P.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Botchan, M.R.** *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
**Bourdoulous, S., Orend, G., MacKenna, D.A., Pasqualini, R., and Ruoslahti, E.** Fibronectin matrix regulates activation of RHO and CDC42 GTPases and cell cycle progression. 143:267.
**Bourguet-Kondracki, M.L.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Bowers, B.** *See* Wu, Bowers, Rao, Wei, and Hammer.
**Bowman, E.P.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Bozzaro, S.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Braakman, I.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**Bracco, E.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Brackenbury, R.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Brady-Kalnay, S.M., Mourton, T., Nixon, J.P., Pietz, G.E., Kinch, M., Chen, H., Brackenbury, R., Rimm, D.L., Del Vecchio, R.L., and Tonks, N.K.** Dynamic interaction of PTPμ with multiple cadherins in vivo. 141:287.
**Bragin, A.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Branton, P.E.** *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
**Braun, P.E.** *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
**Breier, G.** *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
**Brenner, H.R.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.

**Brenner, M.B.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Bretscher, A.** *See* Pruyne, Schott, and Bretscher.
**Bridgman, P.C.** *See* Schafer, Welch, Machesky, Bridgman, Meyer, and Cooper.
**Bright, N.A.** *See* Mullock, Bright, Fearon, Gray, and Luzio.
**Brinkmann, V.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Brisch, E.** *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.
**Briscoe, G.** *See* Melby, Ciampaglio, Briscoe, and Erickson.
**Brismar, H.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Brizzio, V., Gammie, A.E., and Rose, M.D.** Rvs161p interacts with Fus2p to promote cell fusion in *Saccharomyces cerevisiae.* 141:567.
**Brockenbrough, J.S.** *See* Oakes, Aris, Brockenbrough, Wai, Vu, and Nomura.
**Brodsky, F.M.** *See* Liu, Marks, and Brodsky.
**Broekelmann, T.J.** *See* Davis, Broekelmann, Ozawa, and Mecham.
**Brokamp, R.** *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
**Brondello, J.-M.** *See* Lenormand, Brondello, Brunet, and Pouysségur.
**Bronk, P.** *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
**Bronson, R.T.** *See* Brugarolas, Bronson, and Jacks.
— *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.
**Brooks, P.C.** *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
**Broome, R.L.** *See* Ku, Michie, Soetikno, Resurreccion, Broome, and Omary.
**Brosius, J.** *See* Muslimov, Banker, Brosius, and Tiedge.
**Brown, C.J.** *See* Clemson, Chow, Brown, and Lawrence.
**Brown, E.J.** *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
**Brown, J.** *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.
**Brown, K.** *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
**Brown, N.H.** *See* Gregory and Brown.
— *See* Martin-Bermudo, Dunin-Borkowski, and Brown.
**Brown, S.S.** *See* Lillie and Brown.
**Bruckner, P.** *See* Hagg, Bruckner, and Hedbom.
**Brugarolas, J., Bronson, R.T., and Jacks, T.** p21 is a critical CDK2 regulator essential for proliferation control in *Rb*-deficient cells. 141:503.
**Brugge, J.S.** *See* Clark, King, Brugge, Symons, and Hynes.
**Brüggemann, A.** *See* Pardo, Brüggemann, Camacho, and Stühmer.
**Bruick, R.K., and Mayfield, S.P.** Processing of the *psbA* 5′ untranslated region in *Chlamydomonas reinhardtii* depends upon factors mediating ribosome association. 143:1145.
**Brundell, E.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Brunet, A.** *See* Lenormand, Brondello, Brunet, and Pouysségur.
**Brunner, J.** *See* Mothes, Jungnickel, Brunner, and Rapoport.
**Brusés, J.L., and Rutishauser, U.** Regulation of neural cell adhesion molecule polysialylation: Evidence for nontranscriptional control and sensitivity to an intracellular pool of calcium. 140:1177.
**Bryant, N.J., Piper, R.C., Weisman, L.S., and Stevens, T.H.** Retrograde traffic out of the yeast vacuole to the TGN occurs via the prevacuolar/endosomal compartment. 142:651.
**Buchenau, P., Hodgson, J., Strutt, H., and Arndt-Jovin, D.J.** The distribution of polycomb-group proteins during cell division and development in *Drosophila* embryos: Impact on models for silencing. 141:469.
**Bucher, E.A.** *See* McArdle, Allen, and Bucher.
**Buchstaller, A.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Burd, C.G.** *See* Darsow, Burd, and Emr.
**Burda, P.** *See* Jakob, Burda, Roth, and Aebi.
**Burke, B.** *See* Bangs, Burke, Powers, Craig, Purohit, and Doxsey.
**Burke, D.J.** *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
**Burke, P.M.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Burkin, D.J., Gu, M., Hodges, B.L., Campanelli, J.T., and Kaufman, S.J.** A functional role for specific spliced variants of the $\alpha 7\beta 1$ integrin in acetylcholine receptor clustering. 143:1067.
**Burridge, K.** *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.
**Burrola, P.** *See* Gondré, Burrola, and Weinstein.
**Buss, F., Kendrick-Jones, J., Lionne, C., Knight, A.E., Côté, G.P., and Luzio, J.P.** The localization of myosin VI at the Golgi complex and leading edge of fibroblasts and its phosphorylation and recruitment into membrane ruffles of A431 cells after growth factor stimulation. 143:1535.
**Bustin, M.** *See* Hock, Scheer, and Bustin.
**Butcher, E.C.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Butow, R.A.** *See* Okamoto, Perlman, and Butow.
**Butz, S.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**Bützler, C.** *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Buxbaum, R.E.** *See* Heidemann and Buxbaum.
**Byrnes, W.C.** *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
**Byzova, T.V., and Plow, E.F.** Activation of $\alpha_v\beta_3$ on vascular cells controls recognition of prothrombin. 143:2081.

## C

**Cabañas, C.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Cabodi, S.** *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
**Cabrera-Poch, N.** *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
**Cáceres, A.** *See* Paglini, Kunda, Quiroga, Kosik, and Cáceres.
**Cáceres, J.F.** *See* Misteli, Cáceres, Clement, Krainer, Wilkinson, and Spector.
**Cai, S.** *See* de Belle, Cai, and Kohwi-Shigematsu.
**Calafat, J.** *See* Gimond, Baudoin, van der Neut, Kramer, Calafat, and Sonnenberg.
**Calautti, E., Cabodi, S., Stein, P.L., Hatzfeld, M., Kedersha, N., and Dotto, G.P.** Tyrosine phosphorylation and Src family kinases control keratinocyte cell–cell adhesion. 141:1449.
**Callaini, G.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.
— *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Camacho, J.** *See* Pardo, Brüggemann, Camacho, and Stühmer.
**Camacho, P.** *See* John, Lechleiter, and Camacho.
**Campanelli, J.T.** *See* Burkin, Gu, Hodges, Campanelli, and Kaufman.
**Campbell, J.J., Bowman, E.P., Murphy, K., Youngman, K.R., Siani, M.A., Thompson, D.A., Wu, L., Zlotnik, A., and Butcher, E.C.** 6-C-kine (SLC), a lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3β receptor CCR7. 141:1053.
**Campbell, K.P.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Cancilla, M.R.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Cantley, L.C.** *See* Ma, Cantley, Janmey, and Kirschner.
— *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
**Cao, X.** *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.
**Carmeliet, P., Moons, L., Dewerchin, M., Rosenberg, S., Herbert, J.-M., Lupu, F., and Collen, D.** Receptor-independent role of urokinase-type plasminogen activator in pericellular plasmin and matrix metalloproteinase proteolysis during vascular wound healing in mice. 140:233.
**Carmena, M., Riparbelli, M.G., Minestrini, G., Tavares, A.M., Adams, R., Callaini, G., and Glover, D.M.** *Drosophila* polo kinase is required for cytokinesis. 143:659.
**Carmo-Fonseca, M.** *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
**Carnac, G.** *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
**Carozzi, A.J.** *See* Clark, Martin, Carozzi, Hill, and James.
**Carpenter, S.** *See* Zhou, Lambert, Malen, Carpenter, Boland, and Bennett.
**Carrière, V.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Carrington, W.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Carroll, C.W., Altman, R., Schieltz, D., Yates, J.R., III, and Kellogg, D.** The septins are required for the mitosis-specific activation of the Gin4 kinase. 143:709.
**Carroll, H.** *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
**Carter, P.** *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
**Carter, W.G.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.

**Cary, L.A., Han, D.C., Polte, T.R., Hanks, S.K., and Guan, J.-L.** Identification of $p130^{Cas}$ as a mediator of focal adhesion kinase–promoted cell migration. 140:211.
**Casciola-Rosen, L.A.** *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Cassels, G.O.** *See* Hinchcliffe, Cassels, Rieder, and Sluder.
**Cassio, D.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Catlett, N.L.** *See* Wang, Catlett, and Weisman.
**Catling, A.D.** *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Causing, C.G.** *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
**Cecchini, G.** *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
**Cecil, J.K.** *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
**Celati, C.** *See* Tassin, Celati, Moudjou, and Bornens.
**Celeste, A.J.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Cenamor, R.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.
**Centner, T.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Cerf-Bensussan, N.** *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
**Cerione, R.A.** *See* Osman and Cerione.
**Chabin, K.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Chaisson, M.L.** *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
**Chakravarti, S., Magnuson, T., Lass, J.H., Jepsen, K.J., LaMantia, C., and Carroll, H.** Lumican regulates collagen fibril assembly: Skin fragility and corneal opacity in the absence of lumican. 141:1277.
**Chan, D.** *See* Aszódi, Chan, Hunziker, Bateman, and Fässler.
**Chan, G.K.T., Schaar, B.T., and Yen, T.J.** Characterization of the kinetochore binding domain of CENP-E reveals interactions with the kinetochore proteins CENP-F and hBUBR1. 143:49.
**Chan, Y.-m., Bönnemann, C.G., Lidov, H.G.W., and Kunkel, L.M.** Molecular organization of sarcoglycan complex in mouse myotubes in culture. 143:2033.
**Chang, S.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Chanson, M., Fanjul, M., Bosco, D., Nelles, E., Suter, S., Willecke, K., and Meda, P.** Enhanced secretion of amylase from exocrine pancreas of connexin32-deficient mice. 141:1267.
**Chapin, S.J.** *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Chapline, C.** *See* Mineo, Ying, Chapline, Jaken, and Anderson.
**Chardin, P.** *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
**Chartrain, I.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.
**Cheah, K.S.E.** *See* Leung, Ng, Ho, Tam, and Cheah.
**Cheeseman, I.M.** *See* Hofmann, Cheeseman, Goode, McDonald, Barnes, and Drubin.
**Chen, B.** *See* Bartles, Zheng, Li, Wierda, and Chen.
**Chen, D., Ji, X., Harris, M.A., Feng, J.Q., Karsenty, G., Celeste, A.J., Rosen, V., Mundy, G.R., and Harris, S.E.** Differential roles for bone morphogenetic protein (BMP) receptor type IB and IA in differentiation and specification of mesenchymal precursor cells to osteoblast and adipocyte lineages. 142:295.
— *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Chen, H.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Chen, R.-H., Shevchenko, A., Mann, M., and Murray, A.W.** Spindle checkpoint protein Xmad1 recruits Xmad2 to unattached kinetochores. 143:283.
— *See* Gorbsky, Chen, and Murray.
— *See* Waters, Chen, Murray, and Salmon.
**Chen, X.** *See* Kouranov, Chen, Fuks, and Schnell.
**Chen, X.P., Yin, H., and Huffaker, T.C.** The yeast spindle pole body component Spc72p interacts with Stu2p and is required for proper microtubule assembly. 141:1169.
**Chen, Y.A.** *See* Prekeris, Klumperman, Chen, and Scheller.
**Chen, Y.-T.** *See* Adams, Chen, Smith, and Nelson.
— *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Chenard, M.-P.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Cheng, P.-c.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.
**Cheresh, D.A.** *See* Eliceiri, Klemke, Strömblad, and Cheresh.
— *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
**Chernomordik, L.V., Frolov, V.A., Leikina, E., Bronk, P., and Zimmerberg, J.** The pathway of membrane fusion catalyzed by influenza hemagglutinin: Restriction of lipids, hemifusion, and lipidic fusion pore formation. 140:1369.
— *See* Markovic, Pulyaeva, Sokoloff, and Chernomordik.
**Cherry, R.J., Wilson, K.M., Triantafilou, K., O'Toole, P., Morrison, I.E.G., Smith, P.R., and Fernández, N.** Detection of dimers of dimers of human leukocyte antigen (HLA)–DR on the surface of living cells by single-particle fluorescence imaging. 140:71.
**Chial, H.J., Rout, M.P., Giddings, T.H., Jr., and Winey, M.** *Saccharomyces cerevisiae* Ndc1p is a shared component of nuclear pore complexes and spindle pole bodies. 143:1789.
**Chiang, H.-L.** *See* Chiang and Chiang.
**Chiang, M.-C., and Chiang, H.-L.** Vid24p, a novel protein localized to the fructose-1,6-bisphosphatase–containing vesicles, regulates targeting of fructose-1,6-bisphosphatase from the vesicles to the vacuole for degradation. 140:1347.
**Chiba, H.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Chishti, A.H.** *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
**Chitaev, N.A., and Troyanovsky, S.M.** Adhesive but not lateral E-cadherin complexes require calcium and catenins for their formation. 142:837.
**Chiu, G.** *See* Bass, Chiu, Argon, and Steiner.
**Choo, K.H.A.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Choudhury, A.** *See* Xu, Choudhury, Li, and Montell.
**Chow, J.C.** *See* Clemson, Chow, Brown, and Lawrence.
**Christensen, E.I.** *See* Debiec, Christensen, and Ronco.
— *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Chrzanowska-Wodnicka, M.** *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.
**Chuang, J.-Z., and Sung, C.-H.** The cytoplasmic tail of rhodopsin acts as a novel apical sorting signal in polarized MDCK cells. 142: 1245.
**Ciampaglio, C.N.** *See* Melby, Ciampaglio, Briscoe, and Erickson.
**Cid, V.J.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.
**Cirulli, V., Crisa, L., Beattie, G.M., Mally, M.I., Lopez, A.D., Fannon, A., Ptasznik, A., Inverardi, L., Ricordi, C., Deerinck, T., Ellisman, M., Reisfeld, R.A., and Hayek, A.** KSA antigen Ep-CAM mediates cell–cell adhesion of pancreatic epithelial cells: Morphoregulatory roles in pancreatic islet development. 140:1519.
**Claas, A.** *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
**Claas, C., Seiter, S., Claas, A., Savelyeva, L., Schwab, M., and Zöller, M.** Association between the rat homologue of CO-029, a metastasis-associated tetraspanin molecule and consumption coagulopathy. 141:267.
**Clark, E.A., King, W.G., Brugge, J.S., Symons, M., and Hynes, R.O.** Integrin-mediated signals regulated by members of the Rho family of GTPases. 142:573.
**Clark, R.A., Fuhlbrigge, R.C., and Springer, T.A.** L-selectin ligands that are *O*-glycoprotease resistant and distinct from MECA-79 antigen are sufficient for tethering and rolling of lymphocytes on human high endothelial venules. 140:721.
**Clark, R.A.F.** *See* Xu, Zutter, Santoro, and Clark.
**Clark, S.F., Martin, S., Carozzi, A.J., Hill, M.M., and James, D.E.** Intracellular localization of phosphatidylinositide 3-kinase and insulin receptor substrate-1 in adipocytes: potential involvement of a membrane skeleton. 140:1211.
**Clarke, D.J.** *See* Segal, Clarke, and Reed.
**Clase, K.L.** *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
**Clees, J.** *See* Geimer, Clees, Melkonian, and Lechtreck.
**Clement, J.Q.** *See* Misteli, Cáceres, Clement, Krainer, Wilkinson, and Spector.
**Clemson, C.M., Chow, J.C., Brown, C.J., and Lawrence, J.B.** Stabilization and localization of Xist RNA are controlled by separate mechanisms and are not sufficient for X inactivation. 142:13.
**Clendenin, C.J.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**Clerk, A., Michael, A., and Sugden, P.H.** Stimulation of the p38 mitogen-activated protein kinase pathway in neonatal rat ventricular myocytes by the G protein–coupled receptor agonists, endothelin-1 and phenylephrine: A role in cardiac myocyte hypertrophy? 523.
**Cleveland, D.W.** *See* Rao, Houseweart, Williamson, Crawford, Folmer, and Cleveland.

**Cockcroft, S.** *See* Norman, Jones, Barry, Holt, Cockcroft, and Critchley.
**Cohen, A.** *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
**Cohen, A.R., Woods, D.F., Marfatia, S.M., Walther, Z., Chishti, A.H., and Anderson, J.M.** Human CASK/LIN-2 binds syndecan-2 and protein 4.1 and localizes to the basolateral membrane of epithelial cells. 142:129. Correction. 142:1157.
— *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
**Cohen, J.** *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Cole, D.G., Diener, D.R., Himelblau, A.L., Beech, P.L., Fuster, J.C., and Rosenbaum, J.L.** *Chlamydomonas* kinesin-II–dependent intraflagellar transport (IFT): IFT particles contain proteins required for ciliary assembly in *Caenorhabditis elegans* sensory neurons. 141:993.
**Cole, N.B., Ellenberg, J., Song, J., DiEuliis, D., and Lippincott-Schwartz, J.** Retrograde transport of Golgi-localized proteins to the ER. 140:1.
**Cole, R.W.** *See* Rieder and Cole.
**Collard, J.G.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**Collen, D.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
**Colomer, V.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
**Conboy, J.G.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Connelly, P.S.** *See* Tilney, Connelly, Vranich, Shaw, and Guild.
**Consalez, G.G.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Cook, R.G.** *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
**Cook, T.A., Nagasaki, T., and Gundersen, G.G.** Rho guanosine triphosphatase mediates the selective stabilization of microtubules induced by lysophosphatidic acid. 141:175.
**Cooke, C.A.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Cooper, E.S.** *See* Huang, Cooper, Waldo, Kirby, Gilula, and Lo.
**Cooper, J.A.** *See* Karpova, McNally, Moltz, and Cooper.
— *See* Schafer, Welch, Machesky, Bridgman, Meyer, and Cooper.
**Coopman, P.J.P.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Coorssen, J.R., Blank, P.S., Tahara, M., and Zimmerberg, J.** Biochemical and functional studies of cortical vesicle fusion: The SNARE complex and $Ca^{2+}$ sensitivity. 143:1845.
**Cornelis, S.** *See* Decoster, Cornelis, Vanhaesebroeck, and Fiers.
**Costa, M., Raich, W., Agbunag, C., Leung, B., Hardin, J., and Priess, J.R.** A putative catenin–cadherin system mediates morphogenesis of the *Caenorhabditis elegans* embryo. 141:297.
**Costagliola, S.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Côté, G.P.** *See* Buss, Kendrick-Jones, Lionne, Knight, Côté, and Luzio.
**Coulombe, P.A.** *See* Hutton, Paladini, Yu, Yen, Coulombe, and Fuchs.
— *See* McGowan and Coulombe.
— *See* Paladini and Coulombe.
**Craig, R.** *See* Bangs, Burke, Powers, Craig, Purohit, and Doxsey.
— *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
**Crawford, T.O.** *See* Rao, Houseweart, Williamson, Crawford, Folmer, and Cleveland.
**Crisa, L.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Critchley, D.R.** *See* Norman, Jones, Barry, Holt, Cockcroft, and Critchley.
— *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Croall, D.E.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Crompton, M.** *See* Duchen, Leyssens, and Crompton.
**Crosbie, R.H.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Csaky, K.G.** *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
**Csink, A.K., and Henikoff, S.** Large-scale chromosomal movements during interphase progression in *Drosophila.* 143:13.
— *See* Platero, Csink, Quintanilla, and Henikoff.
**Cubizolles, F., Legagneux, V., Le Guellec, R., Chartrain, I., Uzbekov, R., Ford, C., and Le Guellec, K.** pEg7, a new *Xenopus* protein required for mitotic chromosome condensation in egg extracts. 143:1437.
**Cullen, B.R.** *See* Herold, Truant, Wiegand, and Cullen.
**Cunningham, J.** *See* Miner, Cunningham, and Sanes.
**Curci, S.** *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
**Cushman, S.W.** *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
**Cutts, S.M.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Cuvillier, O.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Czernichow, P.** *See* Miralles, Battelino, Czernichow, and Scharfmann.

## D

**Dahan, S.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, accaud, Thomas, Bergeron, and Nilsson.
— *See* Yoon, Pitts, Dahan, and McNiven.
**Dai, J.** *See* Gerald, Dai, Ting-Beall, and De Lozanne.
**Dai, Z., and Peng, H.B.** A role of tyrosine phosphatase in acetylcholine receptor cluster dispersal and formation. 141:1613.
**D'Alessio, C.** *See* Fanchiotti, Fernández, D'Alessio, and Parodi.
**D'Amore, P.A.** *See* Hirschi, Rohovsky, and D'Amore.
**Damsky, C.H.** *See* Ilić, Almeida, Schlaepfer, Dazin, Aizawa, and Damsky.
**Daneholt, B.** *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
— *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Danielson, K.G.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Darsow, T., Burd, C.G., and Emr, S.D.** Acidic di-leucine motif essential for AP-3–dependent sorting and restriction of the functional specificity of the Vam3p vacuolar t-SNARE. 142:913.
**Daum, J.R.** *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
**Dautry-Varsat, A.** *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
**David, D., Sundarababu, S., and Gerst, J.E.** Involvement of long chain fatty acid elongation in the trafficking of secretory vesicles in yeast. 143:1167.
**David, S.** *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
**Davidson, B.L.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Davidson, N.** *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
**Davis, E.C., Broekelmann, T.J., Ozawa, Y., and Mecham, R.P.** Identification of tropoelastin as a ligand for the 65-kD FK506-binding protein, FKBP65, in the secretory pathway. 140:295.
**Davis, G.E.** *See* Wu, Mogford, Platts, Davis, Meininger, and Davis.
**Davis, M.J.** *See* Wu, Mogford, Platts, Davis, Meininger, and Davis.
**Davis, N.G.** *See* Roth, Sullivan, and Davis.
**Davis, R.J.** *See* Gangwani, Mikrut, Galcheva-Gargova, and Davis.
**Davis, T.N.** *See* Stevens and Davis.
**Dazin, P.** *See* Ilić, Almeida, Schlaepfer, Dazin, Aizawa, and Damsky.
**Dean, D.C.** *See* Jesse, LaChance, Iademarco, and Dean.
**de Belle, I., Cai, S., and Kohwi-Shigematsu, T.** The genomic sequences bound to special AT-rich sequence-binding protein 1 (SATB1) in vivo in Jurkat T cells are tightly associated with the nuclear matrix at the bases of the chromatin loops. 141:335.
**Debellis, L.** *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
**Debiec, H., Christensen, E.I., and Ronco, P.M.** The cell adhesion molecule L1 is developmentally regulated in the renal epithelium and is involved in kidney branching morphogenesis. 143: 2067.
**de Bolos, C.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Decoster, E., Cornelis, S., Vanhaesebroeck, B., and Fiers, W.** Autocrine tumor necrosis factor (TNF) and lymphotoxin (LT) α differentially modulate cellular sensitivity to TNF/LT-α cytotoxicity in L929 cells. 143:2057.
**de Curtis, I.** *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
**Deerinck, T.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Deerinck, T.J.** *See* Huang, Deerinck, Ellisman, and Spector.
**De Filippi, R.** *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.

**Degenstein, L.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
**Deiner, E.-M.** *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
**Dejana, E.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
— *See* Moll, Dejana, and Vestweber.
— *See* Navarro, Ruco, and Dejana.
**Dejgaard, K.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**de Kretser, D.M.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**de Landázuri, M.O.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Delannoy, P.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Dell'Angelica, E.C.** *See* Ooi, Dell'Angelica, and Bonifacino.
— *See* Shi, Faúndez, Roos, Dell'Angelica, and Kelly.
**De Lozanne, A.** *See* Gerald, Dai, Ting-Beall, and De Lozanne.
**Del Vecchio, R.L.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Demeter, J., and Sazer, S.** imp2, a new component of the actin ring in the fission yeast *Schizosaccharomyces pombe*. 143:415.
**De Mey, J.R.** *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
**Denarier, E.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
**Denzer, A.J.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
**de Pereda, J.M.** *See* Rezniczek, de Pereda, Reipert, and Wiche.
**Depoortere, F., Van Keymeulen, A., Lukas, J., Costagliola, S., Bartkova, J., Dumont, J.E., Bartek, J., Roger, P.P., and Dremier, S.** A requirement for cyclin D3–cyclin-dependent kinase (cdk)-4 assembly in the cyclic adenosine monophosphate–dependent proliferation of thyrocytes. 140:1427.
**Dernburg, A.** *See* Fung, Marshall, Dernburg, Agard, and Sedat.
**Desai, A., Maddox, P.S., Mitchison, T.J., and Salmon, E.D.** Anaphase A chromosome movement and poleward spindle microtubule flux occur at similar rates in *Xenopus* extract spindles. 141: 703.
**Desai, C.J.** *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
**de Saint-Basile, G.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
**de Saint Phalle, B., and Sullivan, W.** Spindle assembly and mitosis without centrosomes in parthenogenetic *Sciara* embryos. 141: 1383.
**Deschesnes, R.G.** *See* Huot, Houle, Rousseau, Deschesnes, Shah, and Landry.
**Devdhar, R.S.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.
**Devidas, S.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Devreotes, P.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**De Vries, L.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Dewerchin, M.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
**Dexter, T.M.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Dickmanns, A.** *See* Kehlenbach, Dickmanns, and Gerace.
**Dictenberg, J.B., Zimmerman, W., Sparks, C.A., Young, A., Vidair, C., Zheng, Y., Carrington, W., Fay, F.S., and Doxsey, S.J.** Pericentrin and γ-tubulin form a protein complex and are organized into a novel lattice at the centrosome. 141:163.
**DiDonato, J.A.** *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
**Diener, D.R.** *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
**Dierich, A.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**DiEuliis, D.** *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
**Ding, D.-Q.** *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
**DiPersio, C.M.** *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.
**Dirac-Svejstrup, B.** *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
**Disatnik, M.-H.** *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.
**Distel, B.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**Dixon, J.L.** *See* Du, Stoops, Mertz, Stanley, and Dixon.
**Dobrina, A.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Doi, Y.** *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Domingo, D.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Dominguez, M., Dejgaard, K., Füllekrug, J., Dahan, S., Fazel, A., Paccaud, J.-P., Thomas, D.Y., Bergeron, J.J.M., and Nilsson, T.** gp25L/emp24/p24 protein family members of the *cis*-Golgi network bind both COP I and II coatomer. 140:751.
**Dominov, J.A., Dunn, J.J., and Miller, J.B.** Bcl-2 expression identifies an early stage of myogenesis and promotes clonal expansion of muscle cells. 142:537.
**Doms, R.W.** *See* Skovronsky, Doms, and Lee.
**Donovan, P.J.** *See* Schumacher, Golden, and Donovan.
**Dorée, M.** *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
**Dotto, G.P.** *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
**Doxsey, S.** *See* Bangs, Burke, Powers, Craig, Purohit, and Doxsey.
**Doxsey, S.J.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Drazba, J.A.** *See* Yang, Drazba, Ferguson, and Bond.
**Drechou, A.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Dremier, S.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Dressler, G.R.** *See* Tang, Worley, Sanicola, and Dressler.
**Drubin, D.G.** *See* Belmont and Drubin.
— *See* Goode, Drubin, and Lappalainen.
— *See* Hofmann, Cheeseman, Goode, McDonald, Barnes, and Drubin.
**D'Souza-Schorey, C., van Donselaar, E., Hsu, V.W., Yang, C., Stahl, P.D., and Peters, P.J.** ARF6 targets recycling vesicles to the plasma membrane: Insights from an ultrastructural investigation. 140:603.
**Du, X., Stoops, J.D., Mertz, J.R., Stanley, C.M., and Dixon, J.L.** Identification of two regions in apolipoprotein B100 that are exposed on the cytosolic side of the endoplasmic reticulum membrane. 141:585.
**Dubremetz, J.-F.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Dubreuil, R.R.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Duchen, M.R., Leyssens, A., and Crompton, M.** Transient mitochondrial depolarizations reflect focal sarcoplasmic reticular calcium release in single rat cardiomyocytes. 142:975.
**Duclos, F., Straub, V., Moore, S.A., Venzke, D.P., Hrstka, R.F., Crosbie, R.H., Durbeej, M., Lebakken, C.S., Ettinger, A.J., van der Meulen, J., Holt, K.H., Lim, L.E., Sanes, J.R., Davidson, B.L., Faulkner, J.A., Williamson, R., and Campbell, K.P.** Progressive muscular dystrophy in α-sarcoglycan–deficient mice. 142:1461.
**Dujardin, D., Wacker, U.I., Moreau, A., Schroer, T.A., Rickard, J.E., and De Mey, J.R.** Evidence for a role of CLIP-170 in the establishment of metaphase chromosome alignment. 141:849.
**Duménil, G., Olivo, J.C., Pellegrini, S., Fellous, M., Sansonetti, P.J., and Tran Van Nhieu, G.** Interferon α inhibits a Src-mediated pathway necessary for *Shigella*-induced cytoskeletal rearrangements in epithelial cells. 143:1003.
**Dumont, J.E.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Dunin-Borkowski, O.M.** *See* Martín-Bermudo, Dunin-Borkowski, and Brown.
**Dunn, G.A.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Dunn, J.J.** *See* Dominov, Dunn, and Miller.
**Dunphy, W.G.** *See* Kumagai, Guo, Emami, Wang, and Dunphy.
**Durand, G.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Durbeej, M.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.

**Durell, S.** *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
**Durrieu, F.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Dyck, J.A.** *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.

E

**Earle, E.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Earnshaw, W.C.** *See* Ainsztein, Kandels-Lewis, Mackay, and Earnshaw.
— *See* Mackay, Ainsztein, Eckley, and Earnshaw.
— *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Eblen, S.T.** *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Ebneth, A., Godemann, R., Stamer, K., Illenberger, S., Trinczek, B., Mandelkow, E.-M., and Mandelkow, E.** Overexpression of tau protein inhibits kinesin-dependent trafficking of vesicles, mitochondria, and endoplasmic reticulum: Implications for Alzheimer's disease. 143:777.
**Echeverri, C.J.** *See* Ahmad, Echeverri, Vallee, and Baas.
**Eckley, D.M.** *See* Mackay, Ainsztein, Eckley, and Earnshaw.
**Eddé, B.** *See* Bobinnec, Khodjakov, Mir, Rieder, Eddé, and Bornens.
**Edidin, M.** *See* Kenworthy and Edidin.
**Edsall, L.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Edwards, R.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**Edwards, R.H.** *See* Liu and Edwards.
**Egea, G.** *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
**Egel, R.** *See* Petersen, Nielsen, Egel, and Hagan.
**Ehrengruber, M.U.** *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
**El-Bizri, H.** *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
**Elder, G.A., Friedrich, V.L., Jr., Bosco, P., Kang, C., Gourov, A., Tu, P.-H., Lee, V.M.-Y., and Lazzarini, R.A.** Absence of the mid-sized neurofilament subunit decreases axonal calibers, levels of light neurofilament (NF-L), and neurofilament content. 141:727.
—, **Friedrich, V.L., Jr., Kang, C., Bosco, P., Gourov, A., Tu, P.-H., Zhang, B., Lee, V.M.-Y., and Lazzarini, R.A.** Requirement of heavy neurofilament subunit in the development of axons with large calibers. 143:195.
**Elgersma, Y., Elgersma-Hooisma, M., Wenzel, T., McCaffery, J.M., Farquhar, M.G., and Subramani, S.** A mobile PTS2 receptor for peroxisomal protein import in *Pichia pastoris*. 140:807.
**Elgersma-Hooisma, M.** *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
**Elia, L., and Marsh, L.** A role for a protease in morphogenic responses during yeast cell fusion. 142:1473.
**Eliceiri, B.P., Klemke, R., Strömblad, S., and Cheresh, D.A.** Integrin αvβ3 requirement for sustained mitogen-activated protein kinase activity during angiogenesis. 140:1255.
**Ellenberg, J.** *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
— *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
— *See* Sloan-Lancaster, Presley, Ellenberg, Yamazaki, Lippincott-Schwartz, and Samelson.
**Ellisman, M.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Ellisman, M.H.** *See* Huang, Deerinck, Ellisman, and Spector.
**Emami, K.H.** *See* Kumagai, Guo, Emami, Wang, and Dunphy.
**Emr, S.D.** *See* Darsow, Burd, and Emr.
— *See* Gary, Wurmser, Bonangelino, Weisman, and Emr.
— *See* Seaman, McCaffery, and Emr.
— *See* Wendland and Emr.
**Enari, M.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Endo, R.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Engebrecht, J.** *See* Rudge, Morris, and Engebrecht.
**Engelhardt, J.F.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Englund, P.T.** *See* Johnson and Englund.
**Enikolopov, G.N.** *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
**Enomoto-Iwamoto, M., Iwamoto, M., Mukudai, Y., Kawakami, Y., Nohno, T., Higuchi, Y., Takemoto, S., Ohuchi, H., Noji, S., and Kurisu, K.** Bone morphogenetic protein signaling is required for maintenance of differentiated phenotype, control of proliferation, and hypertrophy in chondrocytes. 140:409.
**Eppenberger, U.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
**Epstein, H.F.** *See* Barral, Bauer, Ortiz, and Epstein.
— *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
**Erdman, S., Lin, L., Malczynski, M., and Snyder, M.** Pheromone-regulated genes required for yeast mating differentiation. 140: 461.
**Erhardt, J.** *See* Mills, Stone, Erhardt, and Pittman.
**Erickson, H.P.** *See* Melby, Ciampaglio, Briscoe, and Erickson.
**Erlandsen, S.L.** *See* Setiadi, Sedgewick, Erlandsen, and McEver.
**Errante, L.D.** *See* Suter, Errante, Belotserkovsky, and Forscher.
**Eskes, R., Antonsson, B., Osen-Sand, A., Montessuit, S., Richter, C., Sadoul, R., Mazzei, G., Nichols, A., and Martinou, J.-C.** Bax-induced cytochrome C release from mitochondria is independent of the permeability transition pore but highly dependent on $Mg^{2+}$ ions. 143:217.
**Esser, S., Wolburg, K., Wolburg, H., Breier, G., Kurzchalia, T., and Risau, W.** Vascular endothelial growth factor induces endothelial fenestrations in vitro. 140:947.
**Ettinger, A.J.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Evangelista, M.** *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.

F

**Fages, C.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
**Fahime, M.E.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Fahrenkrog, B., Hurt, E.C., Aebi, U., and Panté, N.** Molecular architecture of the yeast nuclear pore complex: Localization of Nsp1p subcomplexes. 143:577.
**Faigle, W., Raposo, G., Tenza, D., Pinet, V., Vogt, A.B., Kropshofer, H., Fischer, A., de Saint-Basile, G., and Amigorena, S.** Deficient peptide loading and MHC class II endosomal sorting in a human genetic immunodeficiency disease: The Chediak-Higashi syndrome. 141:1121.
**Fanchiotti, S., Fernández, F., D'Alessio, C., and Parodi, A.J.** The UDP-Glc:glycoprotein glucosyltransferase is essential for *Schizosaccharomyces pombe* viability under conditions of extreme endoplasmic reticulum stress. 143:625.
**Fanjul, M.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
**Fannon, A.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Fanti, L.** *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
**Fares, H.** *See* Longtine, Fares, and Pringle.
**Farquhar, M.G.** *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
— *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Fasolato, C.** *See* Hofer, Fasolato, and Pozzan.
**Fässler, R.** *See* Aszódi, Chan, Hunziker, Bateman, and Fässler.
— *See* Sakai, Zhang, Fässler, and Mosher.
**Faulkner, J.A.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Faúndez, V.** *See* Shi, Faúndez, Roos, Dell'Angelica, and Kelly.
**Fausto, N.** *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
**Fay, F.S.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Fazel, A.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**Fearon, C.W.** *See* Mullock, Bright, Fearon, Gray, and Luzio.
**Fehon, R.G.** *See* LaJeunesse, McCartney, and Fehon.
— *See* Ward, Lamb, and Fehon.
**Fellous, M.** *See* Duménil, Olivo, Pellegrini, Fellous, Sansonetti, and Tran Van Nhieu.

**Feng, J.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Feng, J.Q.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Feng, Y.** *See* Press, Feng, Hoflack, and Wandinger-Ness.
**Féral, J.-P.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Ferguson, D.G.** *See* Yang, Drazba, Ferguson, and Bond.
**Ferguson-Maltzman, M.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Fernandez, A.** *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
**Fernández, F.** *See* Fanchiotti, Fernández, D'Alessio, and Parodi.
**Fernández, N.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Ferrari, M.B., Ribbeck, K., Hagler, D.J., Jr., and Spitzer, N.C.** A calcium signaling cascade essential for myosin thick filament assembly in *Xenopus* myocytes. 141:1349.
**Ferrero, E.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Ferrús, A.** *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
**Fiacco, K.A.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Fialkowski, E.** *See* Nelson, Alvarez, Gao, García-Mata, Fialkowski, and Sztul.
**Field, C.** *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
**Fields, M.E.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Fiers, W.** *See* Decoster, Cornelis, Vanhaesebroeck, and Fiers.
**Filipeanu, C.M.** *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
**Filmus, J.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
**Finger, F.P., and Novick, P.** Spatial regulation of exocytosis: Lessons from yeast. 142:609.
**Finnemann, S.C.** *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
**Fischer, A.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
**Fischer, E.G.** *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
**Fisher, D.E.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
**Fishman, P.H.** *See* Orlandi and Fishman.
**Fivaz, M.** *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
**Fleischmann, B.K.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Floor, E.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**Fløre nes, V.A.** *See* St. Croix, Sheehan, Rak, Fløre nes, Slingerland, and Kerbel.
**Foidart, J.-M.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Folmer, J.** *See* Rao, Houseweart, Williamson, Crawford, Folmer, and Cleveland.
**Foote, C.I., Zhou, L., Zhu, X., and Nicholson, B.J.** The pattern of disulfide linkages in the extracellular loop regions of connexin 32 suggests a model for the docking interface of gap junctions. 140: 1187.
**Forbes, D.** *See* Shah, Tugendreich, and Forbes.
**Ford, C.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.
**Forscher, P.** *See* Suter, Errante, Belotserkovsky, and Forscher.
**Fort, P.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Foskett, J.K.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Fotedar, R.** *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
**Fourest-Lieuvin, A.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
**Fowler, K.J.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Fra, A.M.** *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
**Frank, D.J., and Roth, M.B.** *ncl-1* is required for the regulation of cell size and ribosomal RNA synthesis in *Caenorhabditis elegans.* 140:1321.
**Frank, R.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Frankel, J.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Franklin, J.L., and Johnson, E.M., Jr.** Control of neuronal size homeostasis by trophic factor–mediated coupling of protein degradation to protein synthesis. 142:1313.
**Fränzer, J.-T.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Franzini-Armstrong, C.** *See* Protasi, Franzini-Armstrong, and Allen.
**Frazier, J.A., Wong, M.L., Longtine, M.S., Pringle, J.R., Mann, M., Mitchison, T.J., and Field, C.** Polymerization of purified yeast septins: Evidence that organized filament arrays may not be required for septin function. 143:737.
**Freemont, P.S.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
**Frenette, P.S.** *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
**Friedrich, V.L., Jr.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Froehner, S.C.** *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Frolov, V.A.** *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
**Fruscella, P.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Fry, A.M., Mayor, T., Meraldi, P., Stierhof, Y.-D., Tanaka, K., and Nigg, E.A.** C-Nap1, a novel centrosomal coiled-coil protein and candidate substrate of the cell cycle–regulated protein kinase Nek2. 141:1563.
**Fu, X.-D.** *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
**Fuchs, E.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
— *See* Hutton, Paladini, Yu, Yen, Coulombe, and Fuchs.
— *See* Smith and Fuchs.
**Fuhlbrigge, R.C.** *See* Clark, Fuhlbrigge, and Springer.
**Fujimoto, K.** *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
— *See* Furuse, Sasaki, Fujimoto, and Tsukita.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Fujimoto, T.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Fujimura-Kamada, K.** *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
**Fujita, K.** *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
**Fukata, Y., Kimura, K., Oshiro, N., Saya, H., Matsuura, Y., and Kaibuchi, K.** Association of the myosin-binding subunit of myosin phosphatase and moesin: Dual regulation of moesin phosphorylation by Rho-associated kinase and myosin phosphatase. 141:409.
**Fuks, B.** *See* Kouranov, Chen, Fuks, and Schnell.
**Füllekrug, J.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**Fuller, M.T.** *See* Hermann, Thatcher, Mills, Hales, Fuller, Nunnari, and Shaw.
**Funakoshi, T.** *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Fung, J.C., Marshall, W.F., Dernburg, A., Agard, D.A., and Sedat, J.W.** Homologous chromosome pairing in *Drosophila melanogaster* proceeds through multiple independent initiations. 141:5.
**Furuichi, T.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Furuse, M., Fujita, K., Hiiragi, T., Fujimoto, K., and Tsukita, S.** Claudin-1 and -2: Novel integral membrane proteins localizing at tight junctions with no sequence similarity to occludin. 141:1539.
—, **Sasaki, H., Fujimoto, K., and Tsukita, S.** A single gene product, claudin-1 or -2, reconstitutes tight junction strands and recruits occludin in fibroblasts. 143:391.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
**Fuster, J.C.** *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.

**Futter, C.E., Gibson, A., Allchin, E.H., Maxwell, S., Ruddock, L.J., Odorizzi, G., Domingo, D., Trowbridge, I.S., and Hopkins, C.R.** In polarized MDCK cells basolateral vesicles arise from clathrin-γ-adaptin–coated domains on endosomal tubules. 141:611.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.

G

**Gabathuler, R., Alimonti, J., Zhang, Q.-J., Kolaitis, G., Reid, G., and Jefferies, W.A.** Surrogate antigen processing mediated by TAP-dependent antigenic peptide secretion. 140:17.
**Gabbiani, G.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Gabriel, H.-D., Jung, D., Bützler, C., Temme, A., Traub, O., Winterhager, E., and Willecke, K.** Transplacental uptake of glucose is decreased in embryonic lethal connexin26-deficient mice. 140: 1453.
**Galceran, J.** *See* Moore, Nguyen, Galceran, Pessah, and Allen.
**Galcheva-Gargova, Z.** *See* Gangwani, Mikrut, Galcheva-Gargova, and Davis.
**Gallicano, G.I., Kouklis, P., Bauer, C., Yin, M., Vasioukhin, V., Degenstein, L., and Fuchs, E.** Desmoplakin is required early in development for assembly of desmosomes and cytoskeletal linkage. 143:2009.
**Gallo, L.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Galloway, A.C.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Galosy, S.** *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
**Gammie, A.E.** *See* Brizzio, Gammie, and Rose.
**Gan, Y.C.** *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
**Gangwani, L., Mikrut, M., Galcheva-Gargova, Z., and Davis, R.J.** Interaction of ZPR1 with translation elongation factor-1α in proliferating cells. 143:1471.
**Gao, Y.-s.** *See* Nelson, Alvarez, Gao, García-Mata, Fialkowski, and Sztul.
**García-Mata, R.** *See* Nelson, Alvarez, Gao, García-Mata, Fialkowski, and Sztul.
**Gardner, H.A.** *See* Pozzi, Wary, Giancotti, and Gardner.
**Garner, C.C.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Gary, J.D., Wurmser, A.E., Bonangelino, C.J., Weisman, L.S., and Emr, S.D.** Fab1p is essential for PtdIns(3)P 5-kinase activity and the maintenance of vacuolar size and membrane homeostasis. 143:65.
**Gascard, P.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Gatti, M.** *See* Bonaccorsi, Giansanti, and Gatti.
**Geerts, D.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Geiger, B.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Geimer, S., Clees, J., Melkonian, M., and Lechtreck, K.-F.** A novel 95-kD protein is located in a linker between cytoplasmic microtubules and basal bodies in a green flagellate and forms striated filaments in vitro. 140:1149.
**Geinoz, A.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Gekle, M.** *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
**Gelfand, V.** *See* Tuma, Zill, Le Bot, Vernos, and Gelfand.
**Gelfand, V.I.** *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
**Geller, H.M.** *See* Park, Morris, Padmanabhan, Shelanski, Geller, and Greene.
**Geneviève, A.-M.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Gerace, L.** *See* Kehlenbach, Dickmanns, and Gerace.
— *See* Mahajan, Gerace, and Melchior.
**Gerald, N., Dai, J., Ting-Beall, H.P., and De Lozanne, A.** A role for *Dictyostelium* RacE in cortical tension and cleavage furrow progression. 141:483.
**Geraud, G.** *See* Lemaitre, Geraud, and Mechali.
**Gerdes, H.-H.** *See* Krömer, Glombik, Huttner, and Gerdes.
**Geremia, R.** *See* Sette, Bevilacqua, Geremia, and Rossi.
**Gerisch, G.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Gerst, J.E.** *See* David, Sundarababu, and Gerst.
**Geuze, H.J.** *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
**Ghosh, R.N., Mallet, W.G., Soe, T.T., McGraw, T.E., and Maxfield, F.R.** An endocytosed TGN38 chimeric protein is delivered to the TGN after trafficking through the endocytic recycling compartment in CHO cells. 142:923.
**Giachelli, C.M.** *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
**Giancotti, F.G.** *See* Pozzi, Wary, Giancotti, and Gardner.
**Giansanti, M.G.** *See* Bonaccorsi, Giansanti, and Gatti.
**Gibson, A., Futter, C.E., Maxwell, S., Allchin, E.H., Shipman, M., Kraehenbuhl, J.-P., Domingo, D., Odorizzi, G., Trowbridge, I.S., and Hopkins, C.R.** Sorting mechanisms regulating membrane protein traffic in the apical transcytotic pathway of polarized MDCK cells. 143:81.
— *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
**Giddings, T.H., Jr.** *See* Chial, Rout, Giddings, and Winey.
**Giepmans, B.N.G.** *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
**Gierasch, L.M.** *See* Kibbey, Rizo, Gierasch, and Anderson.
**Gigliotti, S., Callaini, G., Andone, S., Riparbelli, M.G., Pernas-Alonso, R., Hoffmann, G., Graziani, F., and Malva, C.** *Nup154*, a new *Drosophila* gene essential for male and female gametogenesis is related to the *Nup155* vertebrate nucleoporin gene. 142: 1195.
**Gil, S.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.
**Gilardelli, D.** *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
**Gilboa, L., Wells, R.G., Lodish, H.F., and Henis, Y.I.** Oligomeric structure of type I and type II transforming growth factor β receptors: Homodimers form in the ER and persist at the plasma membrane. 140:767.
**Gilmore, R.** *See* Silberstein, Schlenstedt, Silver, and Gilmore.
**Gilula, N.B.** *See* Huang, Cooper, Waldo, Kirby, Gilula, and Lo.
**Gimond, C., Baudoin, C., van der Neut, R., Kramer, D., Calafat, J., and Sonnenberg, A.** Cre-*loxP*–mediated inactivation of the α6A integrin splice variant in vivo: Evidence for a specific functional role of α6A in lymphocyte migration but not in heart development. 143:253. Correction. 143:1413.
**Gindhart, J.G., Jr., Desai, C.J., Beushausen, S., Zinn, K., and Goldstein, L.S.B.** Kinesin light chains are essential for axonal transport in *Drosophila*. 141:443.
**Giner, A.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Ginns, E.I.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Ginsburg, C.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Gisler, R.H.** *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
**Glauser, P.-E.** *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
**Gliemann, J.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Glombik, M.M.** *See* Krömer, Glombik, Huttner, and Gerdes.
**Glover, D.M.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.
**Godemann, R.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
**Goldberg, M.L.** *See* Stan, Williams, Hays, and Goldberg.
**Golden, A.** *See* Schumacher, Golden, and Donovan.
**Goldfinger, L.E., Stack, M.S., and Jones, J.C.R.** Processing of laminin-5 and its functional consequences: Role of plasmin and tissue-type plasminogen activator. 141:255.
**Goldman, R.D.** *See* Prahlad, Yoon, Moir, Vale, and Goldman.
— *See* Yoon, Moir, Prahlad, and Goldman.
**Goldstein, L.S.B.** *See* Bloom and Goldstein.
— *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
**Gondré, M., Burrola, P., and Weinstein, D.E.** Accelerated nerve regeneration mediated by Schwann cells expressing a mutant form of the POU protein SCIP. 141:493.
**Gonzalez, A.D., Kaya, M., Shi, W., Song, H., Testa, J.R., Penn, L.Z., and Filmus, J.** OCI-5/GPC3, a glypican encoded by a gene that is mutated in the Simpson-Golabi-Behmel overgrowth syndrome, induces apoptosis in a cell line–specific manner. 141:1407.
**Goode, B.L., Drubin, D.G., and Lappalainen, P.** Regulation of the cortical actin cytoskeleton in budding yeast by twinfilin, a ubiquitous actin monomer-sequestering protein. 142:723.
— *See* Hofmann, Cheeseman, Goode, McDonald, Barnes, and Drubin.

**Goodenough, D.A.** *See* White, Goodenough, and Paul.
**Goping, I.S., Gross, A., Lavoie, J.N., Nguyen, M., Jemmerson, R., Roth, K., Korsmeyer, S.J., and Shore, G.C.** Regulated targeting of BAX to mitochondria. 143:207.
**Gorbsky, G.J., Chen, R.-H., and Murray, A.W.** Microinjection of antibody to Mad2 protein into mammalian cells in mitosis induces premature anaphase. 141:1193.
— *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
— *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Gordon, J.I.** *See* Wong, Rubinfeld, and Gordon.
**Gorgas, K.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Gotoh, M.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Goud, B.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Gould, K.L.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
**Gourov, A.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Gow, A., Southwood, C.M., and Lazzarini, R.A.** Disrupted proteolipid protein trafficking results in oligodendrocyte apoptosis in an animal model of Pelizaeus-Merzbacher disease. 140:925.
**Gradin, H.M., Larsson, N., Marklund, U., and Gullberg, M.** Regulation of microtubule dynamics by extracellular signals: cAMP-dependent protein kinase switches off the activity of oncoprotein 18 in intact cells. 140:131.
**Grady, R.M.** *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Graham, L.A., Hill, K.J., and Stevens, T.H.** Assembly of the yeast vacuolar $H^+$-ATPase occurs in the endoplasmic reticulum and requires a Vma12p/Vma22p assembly complex. 142:39.
**Graham, T.R.** *See* Reynolds, Hopkins, Lyons, and Graham.
**Granzier, H.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
— *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**Grassi, F.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Gray, S.R.** *See* Mullock, Bright, Fearon, Gray, and Luzio.
**Graziani, F.** *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Greaser, M.** *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**Greene, L.A.** *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
— *See* Park, Morris, Padmanabhan, Shelanski, Geller, and Greene.
**Greene, W.C.** *See* Jenkins, McEntee, Weis, and Greene.
**Gregorio, C.C., Trombitás, K., Centner, T., Kolmerer, B., Stier, G., Kunke, K., Suzuki, K., Obermayr, F., Herrmann, B., Granzier, H., Sorimachi, H., and Labeit, S.** The $NH_2$ terminus of titin spans the Z-disc: Its interaction with a novel 19-kD ligand (T-cap) is required for sarcomeric integrity. 143:1013.
**Gregory, S.L., and Brown, N.H.** *kakapo*, a gene required for adhesion between and within cell layers in *Drosophila*, encodes a large cytoskeletal linker protein related to plectin and dystrophin. 143:1271.
**Griffith, D.L.** *See* Li, Rieu, Griffith, Scott, and Arnaout.
**Griffith, J.M.** *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
**Grishin, N.V.** *See* Kurvari, Grishin, and Snell.
**Gross, A.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
**Gross, H.** *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Große-Wortmann, L.** *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
**Grund, C.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
**Gu, J., Tamura, M., and Yamada, K.M.** Tumor suppressor PTEN inhibits integrin- and growth factor–mediated mitogen-activated protein (MAP) kinase signaling pathways. 143:1375.
**Gu, L.** *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
**Gu, M.** *See* Burkin, Gu, Hodges, Campanelli, and Kaufman.
**Gualandris, A.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Guan, J.-L.** *See* Cary, Han, Polte, Hanks, and Guan.
— *See* Zhao, Reiske, and Guan.
**Guggino, W.B.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Guild, G.M.** *See* Tilney, Connelly, Vranich, Shaw, and Guild.
**Guillaud, L., Bosc, C., Fourest-Lieuvin, A., Denarier, E., Pirollet, F., Lafanechère, L., and Job, D.** STOP proteins are responsible for the high degree of microtubule stabilization observed in neuronal cells. 142:167.
**Gulbins, E.** *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
**Gullberg, M.** *See* Gradin, Larsson, Marklund, and Gullberg.
**Gumbiner, B.M.** *See* Yap, Niessen, and Gumbiner.
**Gunawardane, R.N.** *See* Martin, Gunawardane, Iwamatsu, and Zheng.
**Gundelfinger, E.D.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Gundersen, G.G.** *See* Cook, Nagasaki, and Gundersen.
**Guo, Z.** *See* Kumagai, Guo, Emami, Wang, and Dunphy.
**Guttinger, M., Sutti, F., Panigada, M., Porcellini, S., Merati, B., Mariani, M., Teesalu, T., Consalez, G.G., and Grassi, F.** Epithelial V-like antigen (EVA), a novel member of the immunoglobulin superfamily, expressed in embryonic epithelia with a potential role as homotypic adhesion molecule in thymus histogenesis. 141:1061.
**Guyot, M.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.

## H

**Ha, E.** *See* Taylor, Ha, and McKeon.
**Hack, A.A., Ly, C.T., Jiang, F., Clendenin, C.J., Sigrist, K.S., Wollmann, R.L., and McNally, E.M.** γ-Sarcoglycan deficiency leads to muscle membrane defects and apoptosis independent of dystrophin. 142:1279.
**Hackam, A.S., Singaraja, R., Wellington, C.L., Metzler, M., McCutcheon, K., Zhang, T., Kalchman, M., and Hayden, M.R.** The influence of huntingtin protein size on nuclear localization and cellular toxicity. 141:1097.
**Hacker, J.** *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
**Hagan, I.M.** *See* Petersen, Nielsen, Egel, and Hagan.
**Hagen, V.** *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
**Hager, H.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Hagg, R., Bruckner, P., and Hedbom, E.** Cartilage fibrils of mammals are biochemically heterogeneous: Differential distribution of decorin and collagen IX. 142:285.
**Hagler, D.J., Jr.** *See* Ferrari, Ribbeck, Hagler, and Spitzer.
**Hales, K.G.** *See* Hermann, Thatcher, Mills, Hales, Fuller, Nunnari, and Shaw.
**Hall, A.** *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
**Hammer, J.A., III.** *See* Wu, Bowers, Rao, Wei, and Hammer.
**Hämmerle, B.** *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
**Han, D.C.** *See* Cary, Han, Polte, Hanks, and Guan.
**Hancock, W.O., and Howard, J.** Processivity of the motor protein kinesin requires two heads. 140:1395.
**Hanks, S.K.** *See* Cary, Han, Polte, Hanks, and Guan.
**Happe, S., and Weidman, P.** Cell-free transport to distinct Golgi cisternae is compartment specific and ARF independent. 140:511.
**Harada, A., Takei, Y., Kanai, Y., Tanaka, Y., Nonaka, S., and Hirokawa, N.** Golgi vesiculation and lysosome dispersion in cells lacking cytoplasmic dynein. 141:51.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Harder, T., Scheiffele, P., Verkade, P., and Simons, K.** Lipid domain structure of the plasma membrane revealed by patching of membrane components. 141:929.
**Hardin, J.** *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
**Hardwick, J.M.** *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
**Hardwick, K.** *See* Bernard, Hardwick, and Javerzat.
**Hardy, S.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.
— *See* Jin, Hardy, and Morgan.
**Harlan, J.M.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Harris, M.A.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Harris, S.E.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.

**Harrison, A., Olds-Clarke, P., and King, S.M.** Identification of the *t* complex–encoded cytoplasmic dynein light chain Tctex1 in inner arm I1 supports the involvement of flagellar dyneins in meiotic drive. 140:1137.
**Harter, C.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Hartl, F.U.** *See* Obermann, Sondermann, Russo, Pavletich, and Hartl.
**Hartmann, E.** *See* Kalies, Rapoport, and Hartmann.
**Hartmann, G.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Hartwell, D.W., Mayadas, T.N., Berger, G., Frenette, P.S., Rayburn, H., Hynes, R.O., and Wagner, D.D.** Role of P-selectin cytoplasmic domain in granular targeting in vivo and in early inflammatory responses. 143:1129.
**Hasegawa, M.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Haskins, J., Gu, L., Wittchen, E.S., Hibbard, J., and Stevenson, B.R.** ZO-3, a novel member of the MAGUK protein family found at the tight junction, interacts with ZO-1 and occludin. 141:199.
**Hato, T., Pampori, N., and Shattil, S.J.** Complementary roles for receptor clustering and conformational change in the adhesive and signaling functions of integrin $\alpha_{IIb}\beta_3$. 141:1685.
**Hatzfeld, M.** *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
**Hauri, H.-P.** *See* Vollenweider, Kappeler, Itin, and Hauri.
**Hauser, H.-P., Bardroff, M., Pyrowolakis, G., and Jentsch, S.** A giant ubiquitin-conjugating enzyme related to IAP apoptosis inhibitors. 141:1415.
**Hay, J.C., Klumperman, J., Oorschot, V., Steegmaier, M., Kuo, C.S., and Scheller, R.H.** Localization, dynamics, and protein interactions reveal distinct roles for ER and Golgi SNAREs. 141:1489. Correction. 142:885.
**Hayashi, Y.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Hayden, M.R.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**Hayek, A.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Hays, T.S.** *See* Starr, Williams, Hays, and Goldberg.
**Hedbom, E.** *See* Hagg, Bruckner, and Hedbom.
**Heidemann, S.R., and Buxbaum, R.E.** Cell crawling: First the motor, now the transmission. 141:1.
**Heinegård, D.** *See* Wendel, Sommarin, and Heinegård.
**Helmes, M.** *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**Hemesath, T.J.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
**Hemmings, L.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Henderson, S.** *See* Piperno, Siuda, Henderson, Segil, Vaananen, and Sassaroli.
**Hengeveld, T.** *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
**Henikoff, S.** *See* Csink and Henikoff.
— *See* Platero, Csink, Quintanilla, and Henikoff.
**Henis, Y.I.** *See* Gilboa, Wells, Lodish, and Henis.
**Henley, J.R., Krueger, E.W.A., Oswald, B.J., and McNiven, M.A.** Dynamin-mediated internalization of caveolae. 141:85.
**Hennebicq-Reig, S.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Hennemann, H.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Hennigan, R.F.** *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Herbert, J.-M.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
**Herman, G.A.** *See* Wei, Bonzelius, Scully, Kelly, and Herman.
**Herman, I.M.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Hermann, G.J., Thatcher, J.W., Mills, J.P., Hales, K.G., Fuller, M.T., Nunnari, J., and Shaw, J.M.** Mitochondrial fusion in yeast requires the transmembrane GTPase Fzo1p. 143:359.
— *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.
**Hernandez-Verdun, D.** *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.
**Herold, A., Truant, R., Wiegand, H., and Cullen, B.R.** Determination of the functional domain organization of the importin α nuclear import factor. 143:309.
**Herrmann, B.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Herron, M.** *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
**Herskowitz, I.** *See* Philips and Herskowitz.
**Hescheler, J.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Hettema, E.H., Ruigrok, C.C.M., Koerkamp, M.G., van den Berg, M., Tabak, H.F., Distel, B., and Braakman, I.** The cytosolic DnaJ-like protein Djp1p is involved specifically in peroxisomal protein import. 142:421.
**Heyworth, C.M.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Hibbard, J.** *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
**Hicke, L., Zanolari, B., and Riezman, H.** Cytoplasmic tail phosphorylation of the α-factor receptor is required for its ubiquitination and internalization. 141:349.
**Higgins, J.M.G., Mandlebrot, D.A., Shaw, S.K., Russell, G.J., Murphy, E.A., Chen, Y.-T., Nelson, W.J., Parker, C.M., and Brenner, M.B.** Direct and regulated interaction of integrin $\alpha_E\beta_7$ with E-cadherin. 140:197.
**Higuchi, Y.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Hii, L.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Hiiragi, T.** *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
**Hill, J.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Hill, K.J.** *See* Graham, Hill, and Stevens.
**Hill, M.M.** *See* Clark, Martin, Carozzi, Hill, and James.
**Hillemann, J.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
**Himelblau, A.L.** *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
**Hinchcliffe, E.H., Cassels, G.O., Rieder, C.L., and Sluder, G.** The coordination of centrosome reproduction with nuclear events of the cell cycle in the sea urchin zygote. 140:1417.
**Hirai, S.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Hirai, Y., Lochter, A., Galosy, S., Koshida, S., Niwa, S., and Bissell, M.J.** Epimorphin functions as a key morphoregulator for mammary epithelial cells. 140:159.
**Hirao, M.** *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Hiraoka, Y.** *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
**Hirohashi, S.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Hirokawa, N., and Takeda, S.** Gene targeting studies begin to reveal the function of neurofilament proteins. 143:1. Correction. 143:1143.
— *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Nakata, Terada, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Hirose, M., Ishizaki, T., Watanabe, N., Uehata, M., Kranenburg, O., Moolenaar, W.H., Matsumura, F., Maekawa, M., Bito, H., and Narumiya, S.** Molecular dissection of the Rho-associated protein kinase (p160ROCK)-regulated neurite remodeling in neuroblastoma N1E-115 cells. 141:1625.
**Hirose, T.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Hirschberg, K., Miller, C.M., Ellenberg, J., Presley, J.F., Siggia, E.D., Phair, R.D., and Lippincott-Schwartz, J.** Kinetic analysis of secretory protein traffic and characterization of Golgi to plasma membrane transport intermediates in living cells. 143:1485.
**Hirschi, K.K., Rohovsky, S.A., and D'Amore, P.A.** PDGF, TGF-β, and heterotypic cell–cell interactions mediate endothelial cell–induced recruitment of 10T1/2 cells and their differentiation to a smooth muscle fate. 141:805. Correction. 141:1287.
**Hittle, J.C.** *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Hla, T.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Ho, K.K.Y.** *See* Leung, Ng, Ho, Tam, and Cheah.
**Hock, R., Scheer, U., and Bustin, M.** Chromosomal proteins HMG-14 and HMG-17 are released from mitotic chromosomes and imported into the nucleus by active transport. 143:1427.
**Hocking, D.C., Sottile, J., and McKeown-Longo, P.J.** Activation of distinct $\alpha_5\beta_1$-mediated signaling pathways by fibronectin's cell adhesion and matrix assembly domains. 141:241.

**Hodges, B.L.** *See* Burkin, Gu, Hodges, Campanelli, and Kaufman.
**Hodgson, J.** *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.
**Hodivala-Dilke, K.M., DiPersio, C.M., Kreidberg, J.A., and Hynes, R.O.** Novel roles for α3β1 integrin as a regulator of cytoskeletal assembly and as a trans-dominant inhibitor of integrin receptor function in mouse keratinocytes. 142:1357.
**Hoekstra, D.** *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
— *See* van IJzendoorn and Hoekstra.
**Hoenger, A., Sack, S., Thormählen, M., Marx, A., Müller, J., Gross, H., and Mandelkow, E.** Image reconstructions of microtubules decorated with monomeric and dimeric kinesins: Comparison with x-ray structure and implications for motility. 141:419.
**Hofer, A.M., Fasolato, C., and Pozzan, T.** Capacitative $Ca^{2+}$ entry is closely linked to the filling state of internal $Ca^{2+}$ stores: A study using simultaneous measurements of $I_{CRAC}$ and intraluminal [$Ca^{2+}$]. 140:325.
— *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
**Hoffman, L.** *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
**Hoffmann, A.** *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
**Hoffmann, G.** *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Hoflack, B.** *See* Press, Feng, Hoflack, and Wandinger-Ness.
**Hofmann, C., Cheeseman, I.M., Goode, B.L., McDonald, K.L., Barnes, G., and Drubin, D.G.** *Saccharomyces cerevisiae* Duo1p and Dam1p, novel proteins involved in mitotic spindle function. 143: 1029.
**Hofmeister, R.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Hogg, N.** *See* Stewart, McDowall, and Hogg.
**Holmes, R.K.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Holmes, S.** *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
**Holt, K.H.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Holt, M.E.** *See* Norman, Jones, Barry, Holt, Cockcroft, and Critchley.
**Holzbaur, E.L.F.** *See* Karki, LaMonte, and Holzbaur.
**Homer, D.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Honda, K., Yamada, T., Endo, R., Ino, Y., Gotoh, M., Tsuda, H., Yamada, Y., Chiba, H., and Hirohashi, S.** Actinin-4, a novel actin-bundling protein associated with cell motility and cancer invasion. 140:1383. Correction. 143:277.
**Höög, C.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Hopkins, B.D.** *See* Reynolds, Hopkins, Lyons, and Graham.
**Hopkins, C.R.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Horii, J.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Horio, T.** *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
**Hortsch, M., Homer, D., Malhotra, J.D., Chang, S., Frankel, J., Jefford, G., and Dubreuil, R.R.** Structural requirements for outside-in and inside-out signaling by *Drosophila* neuroglian, a member of the L1 family of cell adhesion molecules. 142:251.
**Horwitz, A.F.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Houle, F.** *See* Huot, Houle, Rousseau, Deschesnes, Shah, and Landry.
**Houseweart, M.K.** *See* Rao, Houseweart, Williamson, Crawford, Folmer, and Cleveland.
**Howard, J.** *See* Hancock and Howard.
**Howman, E.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Hrstka, R.F.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Hsu, V.W.** *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
**Hsueh, Y.-P., Yang, F.-C., Kharazia, V., Naisbitt, S., Cohen, A.R., Weinberg, R.J., and Sheng, M.** Direct interaction of CASK/LIN-2 and syndecan heparan sulfate proteoglycan and their overlapping distribution in neuronal synapses. 142:139.
**Hu, X.** *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
**Hua, X.H., and Newport, J.** Identification of a preinitiation step in DNA replication that is independent of origin recognition complex and cdc6, but dependent on cdk2. 140:271.
**Huang, D.W., Fanti, L., Pak, D.T.S., Botchan, M.R., Pimpinelli, S., and Kellum, R.** Distinct cytoplasmic and nuclear fractions of *Drosophila* heterochromatin protein 1: Their phosphorylation levels and associations with origin recognition complex proteins. 142:307.
**Huang, G.Y., Cooper, E.S., Waldo, K., Kirby, M.L., Gilula, N.B., and Lo, C.W.** Gap junction–mediated cell–cell communication modulates mouse neural crest migration. 143:1725.
**Huang, M.** *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
**Huang, S., Deerinck, T.J., Ellisman, M.H., and Spector, D.L.** The perinucleolar compartment and transcription. 143:35.
**Huard, J.** *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
**Hubbard, A.L.** *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
**Hudson, D.F., Fowler, K.J., Earle, E., Saffery, R., Kalitsis, P., Trowell, H., Hill, J., Wreford, N.G., de Kretser, D.M., Cancilla, M.R., Howman, E., Hii, L., Cutts, S.M., Irvine, D.V., and Choo, K.H.A.** Centromere protein B null mice are mitotically and meiotically normal but have lower body and testis weights. 141:309.
**Huet, G., Hennebicq-Reig, S., de Bolos, C., Ulloa, F., Lesuffleur, T., Barbat, A., Carrière, V., Kim, I., Real, F.X., Delannoy, P., and Zweibaum, A.** GalNAc-α-*O*-benzyl inhibits NeuAcα2-3 glycosylation and blocks the intracellular transport of apical glycoproteins and mucus in differentiated HT-29 cells. 141:1311.
**Huffaker, T.C.** *See* Chen, Yin, and Huffaker.
**Hughes, C.N.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Huhse, B., Rehling, P., Albertini, M., Blank, L., Meller, K., and Kunau, W.-H.** Pex17p of *Saccharomyces cerevisiae* is a novel peroxin and component of the peroxisomal protein translocation machinery. 140:49.
**Hunt, A.J.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
**Hunter, A.W.** *See* Maney, Hunter, Wagenbach, and Wordeman.
**Hunziker, E.** *See* Aszódi, Chan, Hunziker, Bateman, and Fässler.
**Huot, J., Houle, F., Rousseau, S., Deschesnes, R.G., Shah, G.M., and Landry, J.** SAPK2/p38-dependent F-actin reorganization regulates early membrane blebbing during stress-induced apoptosis. 143:1361.
**Huppa, J.B.** *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
**Hurlstone, A.F.L.** *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Hurt, E.C.** *See* Fahrenkrog, Hurt, Aebi, and Panté.
**Huttenlocher, A., Lakonishok, M., Kinder, M., Wu, S., Truong, T., Knudsen, K.A., and Horwitz, A.F.** Integrin and cadherin synergy regulates contact inhibition of migration and motile activity. 515.
**Huttner, W.B.** *See* Krömer, Glombik, Huttner, and Gerdes.
**Hutton, E., Paladini, R.D., Yu, Q.-C., Yen, M., Coulombe, P.A., and Fuchs, E.** Functional differences between keratins of stratified and simple epithelia. 143:487.
**Hynes, R.O.** *See* Borowsky and Hynes.
— *See* Clark, King, Brugge, Symons, and Hynes.
— *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
— *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.
— *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.

## I

**Iademarco, M.F.** *See* Jesse, LaChance, Iademarco, and Dean.
**Ihrke, G., Martin, G.V., Shanks, M.R., Schrader, M., Schroer, T.A., and Hubbard, A.L.** Apical plasma membrane proteins and endolyn-78 travel through a subapical compartment in polarized WIF-B hepatocytes. 141:115.
**Ikeda, W.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Ikonen, E.** *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
**Ilić, D., Almeida, E.A.C., Schlaepfer, D.D., Dazin, P., Aizawa, S., and Damsky, C.H.** Extracellular matrix survival signals transduced by focal adhesion kinase suppress p53-mediated apoptosis. 143:547.
**Illenberger, S.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
**Imai, S., Kaksonen, M., Raulo, E., Kinnunen, T., Fages, C., Meng, X., Lakso, M., and Rauvala, H.** Osteoblast recruitment and bone formation enhanced by cell matrix–associated heparin-binding growth-associated molecule (HB-GAM). 143:1113.

**Imamura, Y.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Imhof, B.A.** *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
**Inagaki, M.** *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Inagaki, N.** *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Ino, Y.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Inverardi, L.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Iozzo, R.V.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Irminger-Finger, I., Soriano, J.V., Vaudan, G., Montesano, R., and Sappino, A.-P.** In vitro repression of Brca1-associated RING domain gene, *Bard1*, induces phenotypic changes in mammary epithelial cells. 143:1329.
**Irvine, D.V.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Isaac, C., Yang, Y., and Meier, U.T.** Nopp140 functions as a molecular link between the nucleolus and the coiled bodies. 142:319.
**Ishiura, S.-i.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Ishizaki, T.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Ishizaki, Y., Jacobson, M.D., and Raff, M.C.** A role for caspases in lens fiber differentiation. 140:153.
**Itin, C.** *See* Vollenweider, Kappeler, Itin, and Hauri.
**Itoh, M.** *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
**Itoh, N.** *See* Shimizu, Itoh, Utiyama, and Wahl.
**Iwamatsu, A.** *See* Martin, Gunawardane, Iwamatsu, and Zheng.
— *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Iwamoto, M.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Izumi, Y., Hirose, T., Tamai, Y., Hirai, S., Nagashima, Y., Fujimoto, T., Tabuse, Y., Kemphues, K.J., and Ohno, S.** An atypical PKC directly associates and colocalizes at the epithelial tight junction with ASIP, a mammalian homologue of *Caenorhabditis elegans* polarity protein PAR-3. 143:95.

## J

**Jacks, T.** *See* Brugarolas, Bronson, and Jacks.
**Jackson, D.A., and Pombo, A.** Replicon clusters are stable units of chromosome structure: Evidence that nuclear organization contributes to the efficient activation and propagation of S phase in human cells. 140:1285.
**Jacobsen, R.P.** *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
**Jacobson, M.D.** *See* Ishizaki, Jacobson, and Raff.
**Jacomy, H.** *See* Zhu, Lindenbaum, Levavasseur, Jacomy, and Julien.
**Jaken, S.** *See* Mineo, Ying, Chapline, Jaken, and Anderson.
**Jakob, C.A., Burda, P., Roth, J., and Aebi, M.** Degradation of misfolded endoplasmic reticulum glycoproteins in *Saccharomyces cerevisiae* is determined by a specific oligosaccharide structure. 142:1223.
**Jalink, K.** *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
**James, D.E.** *See* Clark, Martin, Carozzi, Hill, and James.
**Jämsä, E.** *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
**Janmey, P.A.** *See* Ma, Cantley, Janmey, and Kirschner.
**Janssen, R.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Javerzat, J.-P.** *See* Bernard, Hardwick, and Javerzat.
**Jefferies, W.A.** *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
**Jefford, G.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Jemmerson, R.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
**Jeng, C.-J., McCarroll, S.A., Martin, T.F.J., Floor, E., Adams, J., Krantz, D., Butz, S., Edwards, R., and Schweitzer, E.S.** Thy-1 is a component common to multiple populations of synaptic vesicles. 140:685.
**Jenkins, Y., McEntee, M., Weis, K., and Greene, W.C.** Characterization of HIV-1 Vpr nuclear import: Analysis of signals and pathways. 143:875.
**Jensen, O.N.** *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
**Jentsch, S.** *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.
**Jepsen, K.J.** *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
**Jesse, T.L., LaChance, R., Iademarco, M.F., and Dean, D.C.** Interferon regulatory factor-2 is a transcriptional activator in muscle where it regulates expression of vascular cell adhesion molecule-1. 140:1265.
**Ji, G.J.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Ji, X.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Jiang, F.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**Jiang, L., and Rogers, J.C.** Integral membrane protein sorting to vacuoles in plant cells: Evidence for two pathways. 143:1183.
**Jiang, Q., Mak, D., Devidas, S., Schwiebert, E.M., Bragin, A., Zhang, Y., Skach, W.R., Guggino, W.B., Foskett, J.K., and Engelhardt, J.F.** Cystic fibrosis transmembrane conductance regulator–associated ATP release is controlled by a chloride sensor. 143:645.
**Jiménez, J., Cid, V.J., Cenamor, R., Yuste, M., Molero, G., Nombela, C., and Sánchez, M.** Morphogenesis beyond cytokinetic arrest in *Saccharomyces cerevisiae*. 143:1617.
**Jimenez, S.A.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
**Jin, J.-P.** *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**Jin, M.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Jin, P., Hardy, S., and Morgan, D.O.** Nuclear localization of cyclin B1 controls mitotic entry after DNA damage. 141:875.
**Jin, Q.-w., Trelles-Sticken, E., Scherthan, H., and Loidl, J.** Yeast nuclei display prominent centromere clustering that is reduced in nondividing cells and in meiotic prophase. 141:21.
**Jin, T.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Job, C., and Lagnado, L.** Calcium and protein kinase C regulate the actin cytoskeleton in the synaptic terminal of retinal bipolar cells. 143:1661.
**Job, D.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
— *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
**Jobling, M.G.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Jockusch, B.M.** *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
**Johannes, L.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**John, L.M., Lechleiter, J.D., and Camacho, P.** Differential modulation of SERCA2 isoforms by calreticulin. 142:963.
**Johnson, C.E., and Englund, P.T.** Changes in organization of *Crithidia fasciculata* kinetoplast DNA replication proteins during the cell cycle. 143:911.
**Johnson, E.M., Jr.** *See* Franklin and Johnson.
**Johnson, W.A.** *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
**Johnston, J.A., Ward, C.L., and Kopito, R.R.** Aggresomes: A cellular response to misfolded proteins. 143:1883.
**Joiner, K.A.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Jones, D.** *See* Norman, Jones, Barry, Holt, Cockcroft, and Critchley.
**Jones, G.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
**Jones, G.E.** *See* Allen, Zicha, Ridley, and Jones.
**Jones, J.C.R.** *See* Goldfinger, Stack, and Jones.
**Jones, N.C.** *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
**Jones, T.R.** *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
**Jontes, J.D., Ostap, E.M., Pollard, T.D., and Milligan, R.A.** Three-dimensional structure of *Acanthamoeba castellanii* myosin-IB (MIB) determined by cryoelectron microscopy of decorated actin filaments. 141:155.
**Jou, T.-S., and Nelson, W.J.** Effects of regulated expression of mutant RhoA and Rac1 small GTPases on the development of epithelial (MDCK) cell polarity. 142:85.
—, **Schneeberger, E.E., and Nelson, W.J.** Structural and functional regulation of tight junctions by RhoA and Rac1 small GTPases. 142:101.
**Joyce, M.** *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.

**Julien, J.-P.** *See* Zhu, Lindenbaum, Levavasseur, Jacomy, and Julien.
**Jung, D.** *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Jungnickel, B.** *See* Mothes, Jungnickel, Brunner, and Rapoport.
**Just, W.W.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.

## K

**Kaba, N.K.** *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
**Kaibuchi, K.** *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
— *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
— *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Kaksonen, M.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
**Kalchman, M.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**Kalies, K.-U., Rapoport, T.A., and Hartmann, E.** The β subunit of the Sec61 complex facilitates cotranslational protein transport and interacts with the signal peptidase during translocation. 141: 887.
**Kalitsis, P.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Kallio, M., Weinstein, J., Daum, J.R., Burke, D.J., and Gorbsky, G.J.** Mammalian p55CDC mediates association of the spindle checkpoint protein Mad2 with the cyclosome/anaphase-promoting complex, and is involved in regulating anaphase onset and late mitotic events. 141:1393.
**Kamal, A., Ying, Y.-s., and Anderson, R.G.W.** Annexin VI-mediated loss of spectrin during coated pit budding is coupled to delivery of LDL to lysosomes. 142:937.
**Kamibayashi, C.** *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
**Kämpf, U.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Kanai, Y.** *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Kanai-Azuma, M.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Kandels-Lewis, S.E.** *See* Ainsztein, Kandels-Lewis, Mackay, and Earnshaw.
**Kang, C.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Kang, J.-S., Mulieri, P.J., Miller, C., Sassoon, D.A., and Krauss, R.S.** CDO, a Robo-related cell surface protein that mediates myogenic differentiation. 143:403.
**Kano, K.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Kansas, G.S.** *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
**Kaplan, D.R.** *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
**Kappeler, F.** *See* Vollenweider, Kappeler, Itin, and Hauri.
**Karki, S., LaMonte, B., and Holzbaur, E.L.F.** Characterization of the p22 subunit of dynactin reveals the localization of cytoplasmic dynein and dynactin to the midbody of dividing cells. 142:1023. Correction. 143:561.
**Karkkainen, M.J.** *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**Karmon, S.** *See* Boldogh, Vojtov, Karmon, and Pon.
**Karpova, T.S., McNally, J.G., Moltz, S.L., and Cooper, J.A.** Assembly and function of the actin cytoskeleton of yeast: Relationships between cables and patches. 142:1501.
**Karsenti, E.** *See* Le Bot, Antony, White, Karsenti, and Vernos.
— *See* Wittmann, Boleti, Antony, Karsenti, and Vernos.
**Karsenty, G.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Karsten, V., Qi, H., Beckers, C.J.M., Reddy, A., Dubremetz, J.-F., Webster, P., and Joiner, K.A.** The protozoan parasite *Toxoplasma gondii* targets proteins to dense granules and the vacuolar space using both conserved and unusual mechanisms. 141: 1323.
**Kashiwagi, K.** *See* Shirai, Kashiwagi, Yagi, Sakai, and Saito.
**Kater, S.B.** *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
**Kaufman, S.J.** *See* Burkin, Gu, Hodges, Campanelli, and Kaufman.
**Kaufman, T.C.** *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
**Kaufmann, S.H.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Kaupp, U.B.** *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
**Kaverina, I., Rottner, K., and Small, J.V.** Targeting, capture, and stabilization of microtubules at early focal adhesions. 142:181.
**Kawahara, A., Ohsawa, Y., Matsumura, H., Uchiyama, Y., and Nagata, S.** Caspase-independent cell killing by Fas-associated protein with death domain. 143:1353.
**Kawakami, Y.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Kawano, Y.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Kaya, M.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
**Kebers, F.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Kedersha, N.** *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
**Keegan, B.R.** *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.
**Kehlenbach, R.H., Dickmanns, A., and Gerace, L.** Nucleocytoplasmic shuttling factors including Ran and CRM1 mediate nuclear export of NFAT in vitro. 141:863.
**Keller, G.A.** *See* Sakai, Koller, Rangell, Keller, and Subramani.
**Keller, P., and Simons, K.** Cholesterol is required for surface transport of influenza virus hemagglutinin. 140:1357.
**Kellermayer, M.** *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**Kellogg, D.** *See* Carroll, Altman, Schieltz, Yates, and Kellogg.
**Kellum, R.** *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
**Kelly, R.B.** *See* Shi, Faúndez, Roos, Dell'Angelica, and Kelly.
— *See* Wei, Bonzelius, Scully, Kelly, and Herman.
**Kemler, R.** *See* Ozawa and Kemler.
**Kemphues, K.** *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
**Kemphues, K.J.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Kendrick-Jones, J.** *See* Buss, Kendrick-Jones, Lionne, Knight, Côté, and Luzio.
**Kenworthy, A.K., and Edidin, M.** Distribution of a glycosylphosphatidylinositol-anchored protein at the apical surface of MDCK cells examined at a resolution of *LT100 Å using imaging fluorescence resonance energy transfer. 142:69. Correction. 142:883.
**Kerbel, R.S.** *See* St. Croix, Sheehan, Rak, Florenes, Slingerland, and Kerbel.
**Kerrebrock, A.W.** *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
**Kharazia, V.** *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
**Khodjakov, A.** *See* Bobinnec, Khodjakov, Mir, Rieder, Eddé, and Bornens.
**Kibbey, R.G., Rizo, J., Gierasch, L.M., and Anderson, R.G.W.** The LDL receptor clustering motif interacts with the clathrin terminal domain in a reverse turn conformation. 142:59.
**Kielian, M.** *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
**Kielty, C.M., Raghunath, M., Siracusa, L.D., Sherratt, M.J., Peters, R., Shuttleworth, C.A., and Jimenez, S.A.** The *Tight skin* mouse: Demonstration of mutant fibrillin-1 production and assembly into abnormal microfibrils. 140:1159.
— *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
**Kilimann, M.W.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Kilmartin, J.V.** *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
**Kim, I.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Kim, T.-A., Lim, J., Ota, S., Raja, S., Rogers, R., Rivnay, B., Avraham, H., and Avraham, S.** NRP/B, a novel nuclear matrix protein, associates with $p110^{RB}$ and is involved in neuronal differentiation. 141:553.

**Kimura, K.** *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
**Kinch, M.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Kinder, M.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Kindler, S.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**King, S.M.** *See* Harrison, Olds-Clarke, and King.
**King, W.G.** *See* Clark, King, Brugge, Symons, and Hynes.
**Kinnunen, T.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
**Kirby, M.L.** *See* Huang, Cooper, Waldo, Kirby, Gilula, and Lo.
**Kirschner, M.W.** *See* Ma, Cantley, Janmey, and Kirschner.
**Kitzmann, M., Carnac, G., Vandromme, M., Primig, M., Lamb, N.J.C., and Fernandez, A.** The muscle regulatory factors MyoD and Myf-5 undergo distinct cell cycle–specific expression in muscle cells. 142:1447.
**Klemke, R.** *See* Eliceiri, Klemke, Strömblad, and Cheresh.
**Klemke, R.L., Leng, J., Molander, R., Brooks, P.C., Vuori, K., and Cheresh, D.A.** CAS/Crk coupling serves as a "molecular switch" for induction of cell migration. 140:961.
**Klumperman, J., Kuliawat, R., Griffith, J.M., Geuze, H.J., and Arvan, P.** Mannose 6–phosphate receptors are sorted from immature secretory granules via adaptor protein AP-1, clathrin, and syntaxin 6–positive vesicles. 141:359.
— *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
— *See* Prekeris, Klumperman, Chen, and Scheller.
**Knight, A.E.** *See* Buss, Kendrick-Jones, Lionne, Knight, Côté, and Luzio.
**Knudsen, K.A.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Kobayashi, N., Reiser, J., Kriz, W., Kuriyama, R., and Mundel, P.** Nonuniform microtubular polarity established by CHO1/MKLP1 motor protein is necessary for process formation of podocytes. 143:1961.
**Koerkamp, M.G.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**Kohn, J.** *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
**Kohwi-Shigematsu, T.** *See* de Belle, Cai, and Kohwi-Shigematsu.
**Kok, J.W., Babia, T., Filipeanu, C.M., Nelemans, A., Egea, G., and Hoekstra, D.** PDMP blocks brefeldin A–induced retrograde membrane transport from Golgi to ER: Evidence for involvement of calcium homeostasis and dissociation from sphingolipid metabolism. 142:25.
**Kolaitis, G.** *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
**Koller, A.** *See* Sakai, Koller, Rangell, Keller, and Subramani.
**Kolmerer, B.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Kolossov, E., Fleischmann, B.K., Liu, Q., Bloch, W., Viatchenko-Karpinski, S., Manzke, O., Ji, G.J., Bohlen, H., Addicks, K., and Hescheler, J.** Functional characteristics of ES cell–derived cardiac precursor cells identified by tissue-specific expression of the green fluorescent protein. 143:2045.
**Kömüves, L.G.** *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Kondo, T.** *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Kong, J., Tung, V.W.-Y., Aghajanian, J., and Xu, Z.** Antagonistic roles of neurofilament subunits NF-H and NF-M against NF-L in shaping dendritic arborization in spinal motor neurons. 140:1167.
**Kopito, R.R.** *See* Johnston, Ward, and Kopito.
**Korenstein, R.** *See* Tuvia, Levin, Bitler, and Korenstein.
**Korff, T., and Augustin, H.G.** Integration of endothelial cells in multicellular spheroids prevents apoptosis and induces differentiation. 143:1341.
**Kornfeld, S.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Korpelainen, E.I., Karkkainen, M.J., Tenhunen, A., Lakso, M., Rauvala, H., Vierula, M., Parvinen, M., and Alitalo, K.** Overexpression of VEGF in testis and epididymis causes infertility in transgenic mice: Evidence for nonendothelial targets for VEGF. 143:1705.
**Korsmeyer, S.J.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
**Koshida, S.** *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
**Kosik, K.** *See* Paglini, Kunda, Quiroga, Kosik, and Cáceres.
**Kottke, T.J.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Kouklis, P.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
**Kouranov, A., Chen, X., Fuks, B., and Schnell, D.J.** Tic20 and Tic22 are new components of the protein import apparatus at the chloroplast inner envelope membrane. 143:991.
**Kraehenbuhl, J.-P.** *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Krainer, A.R.** *See* Misteli, Cáceres, Clement, Krainer, Wilkinson, and Spector.
**Kramarcy, N.R.** *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Kramer, D.** *See* Gimond, Baudoin, van der Neut, Kramer, Calafat, and Sonnenberg.
**Kranenburg, O.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Krantz, D.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**Krauss, R.S.** *See* Kang, Mulieri, Miller, Sassoon, and Krauss.
**Kreidberg, J.A.** *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.
**Kriz, W.** *See* Kobayashi, Reiser, Kriz, Kuriyama, and Mundel.
**Kroemker, M.** *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
**Krömer, A., Glombik, M.M., Huttner, W.B., and Gerdes, H.-H.** Essential role of the disulfide-bonded loop of chromogranin B for sorting to secretory granules is revealed by expression of a deletion mutant in the absence of endogenous granin synthesis. 140:1331.
**Kropshofer, H.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
**Krueger, E.W.A.** *See* Henley, Krueger, Oswald, and McNiven.
**Ku, N.-O., Michie, S.A., Soetikno, R.M., Resurreccion, E.Z., Broome, R.L., and Omary, M.B.** Mutation of a major keratin phosphorylation site predisposes to hepatotoxic injury in transgenic mice. 143:2023.
**Kuchka, M.R.** *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
**Kudla, A.J., Jones, N.C., Rosenthal, R.S., Arthur, K., Clase, K.L., and Olwin, B.B.** The FGF receptor–1 tyrosine kinase domain regulates myogenesis but is not sufficient to stimulate proliferation. 142:241.
**Kuikman, I.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Kuliawat, R.** *See* Klumperman, Kuliawat, Griffith, Geuze, and Arvan.
**Kulms, D.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
**Kuma, K.-i.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Kumagai, A., Guo, Z., Emami, K.H., Wang, S.X., and Dunphy, W.G.** The *Xenopus* Chk1 protein kinase mediates a caffeine-sensitive pathway of checkpoint control in cell-free extracts. 142:1559.
**Kunau, W.-H.** *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
**Kunda, P.** *See* Paglini, Kunda, Quiroga, Kosik, and Cáceres.
**Kunke, K.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Kunkel, L.M.** *See* Chan, Bönnemann, Lidov, and Kunkel.
— *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Kunz, B.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Kunz, D.** *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
**Kunz, S., Spirig, M., Ginsburg, C., Buchstaller, A., Berger, P., Lanz, R., Rader, C., Vogt, L., Kunz, B., and Sonderegger, P.** Neurite fasciculation mediated by complexes of axonin-1 and Ng cell adhesion molecule. 143:1673.
**Kunz, W.S.** *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
**Kuo, C.S.** *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
**Kurisu, K.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Kuriyama, R.** *See* Kobayashi, Reiser, Kriz, Kuriyama, and Mundel.
**Kurvari, V., Grishin, N.V., and Snell, W.J.** A gamete-specific, sex-limited homeodomain protein in *Chlamydomonas*. 143:1971.
**Kurzchalia, T.** *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
**Kuspa, A.** *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.

**Kusumi, A.** *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
— *See* Tomishige, Sako, and Kusumi.
**Kutzleb, C., Sanders, G., Yamamoto, R., Wang, X., Lichte, B., Petrasch-Parwez, E., and Kilimann, M.W.** Paralemmin, a prenyl-palmitoyl–anchored phosphoprotein abundant in neurons and implicated in plasma membrane dynamics and cell process formation. 143:795.
**Kuznetsov, A.V., Mayboroda, O., Kunz, D., Winkler, K., Schubert, W., and Kunz, W.S.** Functional imaging of mitochondria in saponin-permeabilized mice muscle fibers. 140:1091.
**Kyriakides, T.R., Zhu, Y.-H., Smith, L.T., Bain, S.D., Yang, Z., Lin, M.T., Danielson, K.G., Iozzo, R.V., LaMarca, M., McKinney, C.E., Ginns, E.I., and Bornstein, P.** Mice that lack thrombospondin 2 display connective tissue abnormalities that are associated with disordered collagen fibrillogenesis, an increased vascular density, and a bleeding diathesis. 140:419.

## L

**Labeit, S.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
— *See* Trombitás, Greaser, Labeit, Jin, Kellermayer, Helmes, and Granzier.
**LaChance, R.** *See* Jesse, LaChance, Iademarco, and Dean.
**Lacroix, F.B.** *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
**Lafanechère, L.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
**Lafont, F., Lecat, S., Verkade, P., and Simons, K.** Annexin XIIIb associates with lipid microdomains to function in apical delivery. 142:1413.
**Lagnado, L.** *See* Job and Lagnado.
**LaJeunesse, D.R., McCartney, B.M., and Fehon, R.G.** Structural analysis of *Drosophila* Merlin reveals functional domains important for growth control and subcellular localization. 141:1589.
**Lakonishok, M.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Lakso, M.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
— *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**LaMantia, C.** *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
**LaMarca, M.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Lamaze, C.** *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.
**Lamb, N.J.C.** *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
**Lamb, R.F.** *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Lamb, R.S.** *See* Ward, Lamb, and Fehon.
**Lambert, S.** *See* Zhou, Lambert, Malen, Carpenter, Boland, and Bennett.
**LaMonte, B.** *See* Karki, LaMonte, and Holzbaur.
**Lampe, P.D., Nguyen, B.P., Gil, S., Usui, M., Olerud, J., Takada, Y., and Carter, W.G.** Cellular interaction of integrin $\alpha 3\beta 1$ with laminin 5 promotes gap junctional communication. 143:1735.
**Landolfi, B., Curci, S., Debellis, L., Pozzan, T., and Hofer, A.M.** $Ca^{2+}$ homeostasis in the agonist-sensitive internal store: Functional interactions between mitochondria and the ER measured in situ in intact cells. 142:1235.
**Landry, J.** *See* Huot, Houle, Rousseau, Deschesnes, Shah, and Landry.
**Lang, F.** *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
**Langnaese, K.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Lantz, V.A., and Miller, K.G.** A class VI unconventional myosin is associated with a homologue of a microtubule-binding protein, cytoplasmic linker protein–170, in neurons and at the posterior pole of *Drosophila* embryos. 140:897.
**Lanz, R.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Lanzer, M.** *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
**Lappalainen, P.** *See* Goode, Drubin, and Lappalainen.
**Larsson, N.** *See* Gradin, Larsson, Marklund, and Gullberg.
**Lass, J.H.** *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
**Lauffenburger, D.A.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Laun, T.** *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
**Lauritzen, I.** *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
**LaVallee, T.M., Prudovsky, I.A., McMahon, G.A., Hu, X., and Maciag, T.** Activation of the MAP kinase pathway by FGF-1 correlates with cell proliferation induction while activation of the Src pathway correlates with migration. 141:1647.
**Lavoie, J.N., Nguyen, M., Marcellus, R.C., Branton, P.E., and Shore, G.C.** E4orf4, a novel adenovirus death factor that induces p53-independent apoptosis by a pathway that is not inhibited by zVAD-fmk. 140:637.
— *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
**Lawrence, J.B.** *See* Clemson, Chow, Brown, and Lawrence.
**Lay, D.** *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Lazarow, P.B.** *See* Purdue, Yang, and Lazarow.
**Lazzarini, R.A.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
— *See* Gow, Southwood, and Lazzarini.
**Lebakken, C.S.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Le Bot, N., Antony, C., White, J., Karsenti, E., and Vernos, I.** Role of Xklp3, a subunit of the *Xenopus* Kinesin II heterotrimeric complex, in membrane transport between the endoplasmic reticulum and the Golgi apparatus. 143:1559.
— *See* Tuma, Zill, Le Bot, Vernos, and Gelfand.
**Lecat, S.** *See* Lafont, Lecat, Verkade, and Simons.
**Lechleiter, J.D.** *See* John, Lechleiter, and Camacho.
**Lechtreck, K.-F.** *See* Geimer, Clees, Melkonian, and Lechtreck.
**Lee, M.-J.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Lee, V.M.-Y.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
— *See* Skovronsky, Doms, and Lee.
**Lefebvre, O.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Legagneux, V.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.
**Le Guellec, K.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.
**Le Guellec, R.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.
**Leikina, E.** *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
**Leinwand, L.A.** *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
**Leitgeb, S.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
**Lemaitre, J.-M., Geraud, G., and Mechali, M.** Dynamics of the genome during early *Xenopus laevis* development: Karyomeres as independent units of replication. 142:1159.
**LeMeur, M.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Lenardo, M.J.** *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Lencer, W.I.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Leng, J.** *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
**Le-Niculescu, H.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Lenormand, P., Brondello, J.-M., Brunet, A., and Pouysségur, J.** Growth factor–induced p42/p44 MAPK nuclear translocation and retention requires both MAPK activation and neosynthesis of nuclear anchoring proteins. 142:625.
**Lenox, R.H.** *See* Lu, Yang, Lenox, and Raizada.
**Leopold, P.L.** *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
**Le Panse, S.** *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.
**Lepple-Wienhues, A., Szabò, I., Laun, T., Kaba, N.K., Gulbins, E., and Lang, F.** The tyrosine kinase $p56^{lck}$ mediates activation of swelling-induced chloride channels in lymphocytes. 141:281.

**Lesuffleur, T.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Leung, B.** *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
**Leung, K.K.H., Ng, L.J., Ho, K.K.Y., Tam, P.P.L., and Cheah, K.S.E.** Different *cis*-regulatory DNA elements mediate developmental stage- and tissue-specific expression of the human *COL2A1* gene in transgenic mice. 141:1291.
**Leung, T.** *See* Balsamo, Arregui, Leung, and Lilien.
**Levavasseur, F.** *See* Zhu, Lindenbaum, Levavasseur, Jacomy, and Julien.
**Levin, S.** *See* Tuvia, Levin, Bitler, and Korenstein.
**Levine, T.** *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
**Lew, D.J.** *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
— *See* McMillan, Sia, and Lew.
**Leyssens, A.** *See* Duchen, Leyssens, and Crompton.
**Li, A.** *See* Bartles, Zheng, Li, Wierda, and Chen.
**Li, G., Sudlow, G., and Belmont, A.S.** Interphase cell cycle dynamics of a late-replicating, heterochromatic homogeneously staining region: Precise choreography of condensation/decondensation and nuclear positioning. 140:975.
**Li, K., Xu, E.Y., Cecil, J.K., Turner, F.R., Megraw, T.L., and Kaufman, T.C.** *Drosophila* centrosomin protein is required for male meiosis and assembly of the flagellar axoneme. 141:455.
**Li, R., Rieu, P., Griffith, D.L., Scott, D., and Arnaout, M.A.** Two functional states of the CD11b A-domain: Correlations with key features of two $Mn^{2+}$-complexed crystal structures. 143:1523.
— *See* Lippincott and Li.
**Li, X.** *See* Matsuoka, Li, and Bennett.
— *See* Xu, Choudhury, Li, and Montell.
**Li, Y.** *See* Partikian, Olveczky, Swaminathan, Li, and Verkman.
**Lichte, B.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Lidov, H.G.W.** *See* Chan, Bönnemann, Lidov, and Kunkel.
**Lilien, J.** *See* Arregui, Balsamo, and Lilien.
— *See* Balsamo, Arregui, Leung, and Lilien.
**Lillie, S.H., and Brown, S.S.** Smy1p, a kinesin-related protein that does not require microtubules. 140:873.
**Lim, F.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Lim, J.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**Lim, K.C.** *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
**Lim, L.E.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Lin, C.-C.** *See* Love, Lin, Short, and Ostermann.
**Lin, K.-I, DiDonato, J.A., Hoffmann, A., Hardwick, J.M., and Ratan, R.R.** Suppression of steady-state, but not stimulus-induced NF-κB activity inhibits alphavirus-induced apoptosis. 141:1479.
**Lin, L.** *See* Erdman, Lin, Malczynski, and Snyder.
**Lin, M.T.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Lin, P., Le-Niculescu, H., Hofmeister, R., McCaffery, J.M., Jin, M., Hennemann, H., McQuistan, T., De Vries, L., and Farquhar, M.G.** The mammalian calcium-binding protein, nucleobindin (CALNUC), is a Golgi resident protein. 141:1515.
**Lin, S., Naim, H.Y., Rodriguez, A.C., and Roth, M.G.** Mutations in the middle of the transmembrane domain reverse the polarity of transport of the influenza virus hemagglutinin in MDCK epithelial cells. 142:51.
**Lin, W.** *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
**Lindenbaum, M.** *See* Zhu, Lindenbaum, Levavasseur, Jacomy, and Julien.
**Lindon, C., Montarras, D., and Pinset, C.** Cell cycle–regulated expression of the muscle determination factor Myf5 in proliferating myoblasts. 140:111.
**Linsenmayer, T.F.** *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
**Lionne, C.** *See* Buss, Kendrick-Jones, Lionne, Knight, Côté, and Luzio.
**Lipardi, C., Mora, R., Colomer, V., Paladino, S., Nitsch, L., Rodriguez-Boulan, E., and Zurzolo, C.** Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells. 140:617.
**Lippincott, J., and Li, R.** Dual function of Cyk2, and cdc15/PsTPIP family protein, in regulating actomyosin ring dynamics and septin distribution. 143:1947.
—, **and Li, R.** Sequential assembly of myosin II, an IQGAP-like protein, and filamentous actin to a ring structure involved in budding yeast cytokinesis. 140:355.
**Lippincott-Schwartz, J.** *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
— *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
— *See* Sloan-Lancaster, Presley, Ellenberg, Yamazaki, Lippincott-Schwartz, and Samelson.
**Liu, B.** *See* Beckwith, Roghi, Liu, and Morris.
**Liu, C.H.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Liu, F., Bauer, C.C., Ortiz, I., Cook, R.G., Schmid, M.F., and Epstein, H.F.** β-Filagenin, a newly identified protein coassembling with myosin and paramyosin in *Caenorhabditis elegans*. 140:347.
**Liu, J.-G.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Liu, Q.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Liu, S.-H., Marks, M.S., and Brodsky, F.M.** A dominant-negative clathrin mutant differentially affects trafficking of molecules with distinct sorting motifs in the class II major histocompatibility complex (MHC) pathway. 140:1023.
**Liu, Y., and Edwards, R.H.** Differential localization of vesicular acetylcholine and monoamine transporters in PC12 cells but not CHO cells [139(4):907]: Correction. 140:449.
— *See* Tan, Sagara, Liu, Maher, and Schubert.
**Lizotte, D.L.** *See* Verhey, Lizotte, Abramson, Barenboim, Schnapp, and Rapoport.
**Llorente, A., Rapak, A., Schmid, S.L., van Deurs, B., and Sandvig, K.** Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus. 140:553.
**Lo, C.W.** *See* Huang, Cooper, Waldo, Kirby, Gilula, and Lo.
**Lochter, A.** *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
**Lodish, H.F.** *See* Gilboa, Wells, Lodish, and Henis.
**Loidl, J.** *See* Jin, Trelles-Sticken, Scherthan, and Loidl.
**Longhi, R.** *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
**Longtine, M.S., Fares, H., and Pringle, J.R.** Role of the yeast Gin4p protein kinase in septin assembly and the relationship between septin assembly and septin function. 143:719.
— *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
**Lopez, A.D.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Lord, J.M., and Roberts, L.M.** Toxin entry: Retrograde transport through the secretory pathway. 140:733.
— *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Lorenzon, P., Vecile, E., Nardon, E., Ferrero, E., Harlan, J.M., Tedesco, F., and Dobrina, A.** Endothelial cell E- and P-selectin and vascular cell adhesion molecule-1 function as signaling receptors. 142:1381.
**Lostaglio, S.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Love, H.D., Lin, C.-C., Short, C.S., and Ostermann, J.** Isolation of functional Golgi-derived vesicles with a possible role in retrograde transport. 140:541.
**Low, S.H., Chapin, S.J., Wimmer, C., Whiteheart, S.W., Kömüves, L.G., Mostov, K.E., and Weimbs, T.** The SNARE machinery is involved in apical plasma membrane trafficking in MDCK cells. 141:1503.
**Lowe, M.** *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
**Lowin-Kropf, B., Shapiro, V.S., and Weiss, A.** Cytoskeletal polarization of T cells is regulated by an immunoreceptor tyrosine-based activation motif–dependent mechanism. 140:861.
**Lozano, J.-C., Schatt, P., Marquès, F., Peaucellier, G., Fort, P., Féral, J.-P., Geneviève, A.-M., and Picard, A.** A presumptive developmental role for a sea urchin cyclin B splice variant. 140:283.
**Lu, B.D.** *See* Sartorius, Lu, Acakpo-Satchivi, Jacobsen, Byrnes, and Leinwand.
**Lu, D., Yang, H., Lenox, R.H., and Raizada, M.K.** Regulation of angiotensin II–induced neuromodulation by MARCKS in brain neurons. 142:217.
**Luger, T.A.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
**Lukas, J.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Lupashin, V.V.** *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.
**Lupu, F.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.

**Luukela, V.** *See* Rahkila, Luukela, Väänänen, and Metsikkö.
**Luzio, J.P.** *See* Buss, Kendrick-Jones, Lionne, Knight, Côté, and Luzio.
— *See* Mullock, Bright, Fearon, Gray, and Luzio.
**Ly, C.T.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**Lyons, M.R.** *See* Reynolds, Hopkins, Lyons, and Graham.

M

**Ma, H., Samarabandu, J., Devdhar, R.S., Acharya, R., Cheng, P.-c., Meng, C., and Berezney, R.** Spatial and temporal dynamics of DNA replication sites in mammalian cells. 143:1415.
**Ma, L., Cantley, L.C., Janmey, P.A., and Kirschner, M.W.** Corequirement of specific phosphoinositides and small GTP-binding protein Cdc42 in inducing actin assembly in *Xenopus* egg extracts. 140:1125.
**Machado, C., Sunkel, C.E., and Andrew, D.J.** Human autoantibodies reveal titin as a chromosomal protein. 141:321.
**Machesky, L.M.** *See* Schafer, Welch, Machesky, Bridgman, Meyer, and Cooper.
**Maciag, T.** *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
**Mackay, A.M., Ainsztein, A.M., Eckley, D.M., and Earnshaw, W.C.** A dominant mutant of inner centromere protein (INCENP), a chromosomal protein, disrupts prometaphase congression and cytokinesis. 140:991.
— *See* Ainsztein, Kandels-Lewis, Mackay, and Earnshaw.
**MacKenna, D.A.** *See* Bourdoulous, Orend, MacKenna, Pasqualini, and Ruoslahti.
**Madara, J.L.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Maddox, P.** *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
**Maddox, P.S.** *See* Desai, Maddox, Mitchison, and Salmon.
**Maeda, M.** *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
**Maeda, N., and Noda, M.** Involvement of receptor-like protein tyrosine phosphatase ξ/RPTPβ and its ligand pleiotrophin/heparin-binding growth-associated molecule (HB-GAM) in neuronal migration. 142:203.
**Maekawa, M.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Magee, C.** *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
**Magin, T.M., Schröder, R., Leitgeb, S., Wanninger, F., Zatloukal, K., Grund, C., and Melton, D.W.** Lessons from keratin 18 knockout mice: Formation of novel keratin filaments, secondary loss of keratin 7 and accumulation of liver-specific keratin 8-positive aggregates. 140:1441.
**Magnuson, T.** *See* Chakravarti, Magnuson, Lass, Jepsen, LaMantia, and Carroll.
**Mahajan, R., Gerace, L., and Melchior, F.** Molecular characterization of the SUMO-1 modification of RanGAP1 and its role in nuclear envelope association. 140:259.
**Maher, P.** *See* Tan, Sagara, Liu, Maher, and Schubert.
**Majdan, M.** *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
**Majoul, I., Sohn, K., Wieland, F.T., Pepperkok, R., Pizza, M., Hillemann, J., and Söling, H.-D.** KDEL receptor (Erd2p)-mediated retrograde transport of the cholera toxin A subunit from the Golgi involves COPI, p23, and the COOH terminus of Erd2p. 143:601.
**Mak, D.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Maki, M.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Malczynski, M.** *See* Erdman, Lin, Malczynski, and Snyder.
**Malen, P.L.** *See* Zhou, Lambert, Malen, Carpenter, Boland, and Bennett.
**Malhotra, J.D.** *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
**Mallard, F., Antony, C., Tenza, D., Salamero, J., Goud, B., and Johannes, L.** Direct pathway from early/recycling endosomes to the golgi apparatus revealed through the study of Shiga toxin B-fragment transport. 143:973.
**Mallet, W.G.** *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
**Malliri, A., Symons, M., Hennigan, R.F., Hurlstone, A.F.L., Lamb, R.F., Wheeler, T., and Ozanne, B.W.** The transcription factor AP-1 is required for EGF-induced activation of Rho-like GTPases, cytoskeletal rearrangements, motility, and in vitro invasion of A431 cells. 143:1087.
**Mally, M.I.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Malva, C.** *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Mancini, M., Nicholson, D.W., Roy, S., Thornberry, N.A., Peterson, E.P., Casciola-Rosen, L.A., and Rosen, A.** The caspase-3 precursor has a cytosolic and mitochondrial distribution: Implications for apoptotic signaling. 140:1485.
**Mandelkow, E.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
— *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Mandelkow, E.-M.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
**Mandlebrot, D.A.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Maney, T., Hunter, A.W., Wagenbach, M., and Wordeman, L.** Mitotic centromere–associated kinesin is important for anaphase chromosome segregation. 142:787.
**Mann, M.** *See* Chen, Shevchenko, Mann, and Murray.
— *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
— *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
**Manzke, O.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Marazuela, M.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Marcellus, R.C.** *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
**Marchisio, P.C.** *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
**Marelli, M., Aitchison, J.D., and Wozniak, R.W.** Specific binding of the karyopherin Kap121p to a subunit of the nuclear pore complex containing Nup53p, Nup59p, and Nup170p. 143:1813.
**Marfatia, S.M.** *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
**Margolis, R.L.** *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
— *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
**Marheineke, K.** *See* Martini, Roche, Marheineke, Verreault, and Almouzni.
**Mariani, M.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Marklund, U.** *See* Gradin, Larsson, Marklund, and Gullberg.
**Markovic, I., Pulyaeva, H., Sokoloff, A., and Chernomordik, L.V.** Membrane fusion mediated by baculovirus gp64 involves assembly of stable gp64 trimers into multiprotein aggregates. 143:1155.
**Marks, M.S.** *See* Liu, Marks, and Brodsky.
**Marmorstein, A.D., Gan, Y.C., Bonilha, V.L., Finnemann, S.C., Csaky, K.G., and Rodriguez-Boulan, E.** Apical polarity of N-CAM and EMMPRIN in retinal pigment epithelium resulting from suppression of basolateral signal recognition. 142:697.
**Marquardt, M.T.** *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
**Marquès, F.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Marsh, L.** *See* Elia and Marsh.
**Marshall, W.F.** *See* Fung, Marshall, Dernburg, Agard, and Sedat.
**Martelli, A.M.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
**Martin, D.A.** *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Martin, G.V.** *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.
**Martin, O.C., Gunawardane, R.N., Iwamatsu, A., and Zheng, Y.** Xgrip109: A γ tubulin–associated protein with an essential role in γ tubulin ring complex (γTuRC) assembly and centrosome function. 141:675.
**Martin, S.** *See* Clark, Martin, Carozzi, Hill, and James.
**Martin, T.F.J.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**Martin-Bermudo, M.D., Dunin-Borkowski, O.M., and Brown, N.H.** Modulation of integrin activity is vital for morphogenesis. 141:1073.
**Martini, E., Roche, D.M.J., Marheineke, K., Verreault, A., and Almouzni, G.** Recruitment of phosphorylated chromatin assembly factor 1 to chromatin after UV irradiation of human cells. 143:563.
**Martinou, J.-C.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Martìn-Padura, I., Lostaglio, S., Schneemann, M., Williams, L., Romano, M., Fruscella, P., Panzeri, C., Stoppacciaro, A., Ruco, L., Villa, A., Simmons, D., and Dejana, E.** Junctional adhesion molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration. 142:117.

**Martins, L.M.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Marx, A.** *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Masciulli, F.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
**Masson, R., Lefebvre, O., Noël, A., Fahime, M.E., Chenard, M.-P., Wendling, C., Kebers, F., LeMeur, M., Dierich, A., Foidart, J.-M., Basset, P., and Rio, M.-C.** In vivo evidence that the stromelysin-3 metalloproteinase contributes in a paracrine manner to epithelial cell malignancy. 140:1535.
**Masuda, H.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Matsui, T., Maeda, M., Doi, Y., Yonemura, S., Amano, M., Kaibuchi, K., Tsukita, Sa., and Tsukita, Sh.** Rho-kinase phosphorylates COOH-terminal threonines of ezrin/radixin/moesin (ERM) proteins and regulates their head-to-tail association. 140:647.
**Matsumura, F., Ono, S., Yamakita, Y., Totsukawa, G., and Yamashiro, S.** Specific localization of serine 19–phosphorylated myosin II during cell locomotion and mitosis of cultured cells. 140:119.
— *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Matsumura, H.** *See* Kawahara, Ohsawa, Matsumura, Uchiyama, and Nagata.
**Matsuoka, Y., Li, X., and Bennett, V.** Adducin is an in vivo substrate for protein kinase C: Phosphorylation in the MARCKS-related domain inhibits activity in promoting spectrin–actin complexes and occurs in many cells, including dendritic spines of neurons. 142:485.
**Matsuura, Y.** *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
**Mattei, M.-G.** *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
**Matter, M.L., Zhang, Z., Nordstedt, C., and Ruoslahti, E.** The $\alpha5\beta1$ integrin mediates elimination of amyloid-β peptide and protects against apoptosis. 141:1019.
**Matthews, L.R., Carter, P., Thierry-Mieg, D., and Kemphues, K.** ZYG-9, a *Caenorhabditis elegans* protein required for microtubule organization and function, is a component of meiotic and mitotic spindle poles. 141:1159.
**Mattick, J.S.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Matunis, M.J., Wu, J., and Blobel, G.** SUMO-1 modification and its role in targeting the Ran GTPase-activating protein, RanGAP1, to the nuclear pore complex. 140:499.
**Matzner, M.** *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
**Maurice, M.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Maxfield, F.R.** *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
— *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
**Maxwell, S.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**May, T., and Soll, J.** Positive charges determine the topology and functionality of the transmembrane domain in the chloroplastic outer envelope protein Toc34. 141:895.
**Mayadas, T.N.** *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
**Mayboroda, O.** *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
**Mayfield, S.P.** *See* Bruick and Mayfield.
— *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
**Mayor, T.** *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
**Mazzei, G.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Mbalaviele, G., Nishimura, R., Myoi, A., Niewolna, M., Reddy, S.V., Chen, D., Feng, J., Roodman, D., Mundy, G.R., and Yoneda, T.** Cadherin-6 mediates the heterotypic interactions between the hemopoietic osteoclast cell lineage and stromal cells in a murine model of osteoclast differentiation. 141:1467.
**McArdle, K., Allen, T.StC., and Bucher, E.A.** $Ca^{2+}$-dependent muscle dysfunction caused by mutation of the *Caenorhabditis elegans* troponin T-1 gene. 143:1201.
**McCaffery, J.M.** *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
— *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
— *See* Seaman, McCaffery, and Emr.
**McCarroll, S.A.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.
**McCartney, B.M.** *See* LaJeunesse, McCartney, and Fehon.
**McCollum, D.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
**McCutcheon, K.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**McDonald, K.L.** *See* Hofmann, Cheeseman, Goode, McDonald, Barnes, and Drubin.
**McDowall, A.** *See* Stewart, McDowall, and Hogg.
**McEntee, M.** *See* Jenkins, McEntee, Weis, and Greene.
**McEver, R.P.** *See* Setiadi, Sedgewick, Erlandsen, and McEver.
**McGowan, K.M., and Coulombe, P.A.** Onset of keratin 17 expression coincides with the definition of major epithelial lineages during skin development. 143:469.
**McGraw, T.E.** *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
**McHugh, K.P.** *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
**McIlroy, J.** *See* Siddhanta, McIlroy, Shah, Zhang, and Backer.
**McIntosh, D.P.** *See* Oh, McIntosh, and Schnitzer.
**McIntosh, J.R.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
**McKeon, F.** *See* Taylor, Ha, and McKeon.
**McKeown-Longo, P.J.** *See* Hocking, Sottile, and McKeown-Longo.
**McKerracher, L.** *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
**McKinney, C.E.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**McMahon, G.A.** *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
**McMillan, J.N., Sia, R.A.L., and Lew, D.J.** A morphogenesis checkpoint monitors the actin cytoskeleton in yeast. 142:1487.
— *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
**McNally, E.M.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**McNally, J.G.** *See* Karpova, McNally, Moltz, and Cooper.
**McNiven, M.A.** *See* Henley, Krueger, Oswald, and McNiven.
— *See* Yoon, Pitts, Dahan, and McNiven.
**McQuistan, T.** *See* Lin, Le-Niculescu, Hofmeister, McCaffery, Jin, Hennemann, McQuistan, De Vries, and Farquhar.
**Mechali, M.** *See* Lemaitre, Geraud, and Mechali.
**Mecham, R.P.** *See* Davis, Broekelmann, Ozawa, and Mecham.
**Meda, P.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
**Medici, N.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Megraw, T.L.** *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
**Meier, T., Masciulli, F., Moore, C., Schoumacher, F., Eppenberger, U., Denzer, A.J., Jones, G., and Brenner, H.R.** Agrin can mediate acetylcholine receptor gene expression in muscle by aggregation of muscle-derived neuregulins. 141:715.
**Meier, U.T., and Blobel, G.** NAP57, a mammalian nucleolar protein with a putative homolog in yeast and bacteria [127(6):1505]: Correction. 140:447.
— *See* Isaac, Yang, and Meier.
**Meininger, G.A.** *See* Wu, Mogford, Platts, Davis, Meininger, and Davis.
**Melby, T.E., Ciampaglio, C.N., Briscoe, G., and Erickson, H.P.** The symmetrical structure of structural maintenance of chromosomes (SMC) and MukB proteins: Long, antiparallel coiled coils, folded at a flexible hinge. 142:1595.
**Melchior, F.** *See* Mahajan, Gerace, and Melchior.
**Meldolesi, J., and Pozzan, T.** The heterogeneity of ER $Ca^{2+}$ stores has a key role in nonmuscle cell signaling and function. 142:1395.
**Melkonian, M.** *See* Geimer, Clees, Melkonian, and Lechtreck.
**Meller, K.** *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
**Mellitzer, G.** *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
**Mellman, I.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Melton, D.W.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
**Meng, C.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.
**Meng, X.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
**Menzeleev, R.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Meraldi, P.** *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg
**Merati, B.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Mercurio, A.M.** *See* O'Connor, Shaw, and Mercurio.
**Mertz, J.R.** *See* Du, Stoops, Mertz, Stanley, and Dixon.

**Metsikkö, K.** *See* Rahkila, Luukela, Väänänen, and Metsikkö.
**Metze, D.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
**Metzler, M.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**Meyer, S.M.** *See* Schafer, Welch, Machesky, Bridgman, Meyer, and Cooper.
**Meyer, T.** *See* Oancea, Teruel, Quest, and Meyer.
**Michael, A.** *See* Clerk, Michael, and Sugden.
**Michaelis, S.** *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
**Michie, S.A.** *See* Ku, Michie, Soetikno, Resurreccion, Broome, and Omary.
**Michiels, F.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**Middendorff, R.** *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
**Mier, J.W.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Mignatti, P.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Mikoshiba, K.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Mikrut, M.** *See* Gangwani, Mikrut, Galcheva-Gargova, and Davis.
**Milbrandt, J.** *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
**Miller, C.** *See* Kang, Mulieri, Miller, Sassoon, and Krauss.
**Miller, C.M.** *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
**Miller, F.D.** *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
— *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
— *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
**Miller, J.B.** *See* Dominov, Dunn, and Miller.
**Miller, K.G.** *See* Lantz and Miller.
**Miller, R.K., and Rose, M.D.** Kar9p is a novel cortical protein required for cytoplasmic microtubule orientation in yeast. 140:377.
**Milligan, R.A.** *See* Jontes, Ostap, Pollard, and Milligan.
**Mills, J.C., Stone, N.L., Erhardt, J., and Pittman, R.N.** Apoptotic membrane blebbing is regulated by myosin light chain phosphorylation. 140:627.
**Mills, J.P.** *See* Hermann, Thatcher, Mills, Hales, Fuller, Nunnari, and Shaw.
**Min, H.Y.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Mineo, C., Ying, Y.-S., Chapline, C., Jaken, S., and Anderson, R.G.W.** Targeting of protein kinase Cα to caveolae. 141:601.
**Miner, J.H., Cunningham, J., and Sanes, J.R.** Roles for laminin in embryogenesis: Exencephaly, syndactyly, and placentopathy in mice lacking the laminin α5 chain. 143:1713.
**Minestrini, G.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.
**Minkin, C.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
**Mir, L.M.** *See* Bobinnec, Khodjakov, Mir, Rieder, Eddé, and Bornens.
**Mirabito, P.M.** *See* Wu, Osmani, and Mirabito.
**Miralles, F., Battelino, T., Czernichow, P., and Scharfmann, R.** TGF-β plays a key role in morphogenesis of the pancreatic islets of Langerhans by controlling the activity of the matrix metalloproteinase MMP-2. 143:827.
**Misteli, T., Cáceres, J.F., Clement, J.Q., Krainer, A.R., Wilkinson, M.F., and Spector, D.L.** Serine phosphorylation of SR proteins is required for their recruitment to sites of transcription in vivo. 143:297.
**Mitchison, T.J.** *See* Desai, Maddox, Mitchison, and Salmon.
— *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
**Miyagi, Y.** *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
**Miyata, T.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Miyawaki, A.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Mogford, J.E.** *See* Wu, Mogford, Platts, Davis, Meininger, and Davis.
**Mohandas, N.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Moir, R.D.** *See* Prahlad, Yoon, Moir, Vale, and Goldman.
— *See* Yoon, Moir, Prahlad, and Goldman.
**Molander, R.** *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.
**Molero, G.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.
**Molinari, A.M.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Moll, T., Dejana, E., and Vestweber, D.** In vitro degradation of endothelial catenins by a neutrophil protease. 140:403.
**Møller, L.B.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Molloy, S.S., Thomas, L., Kamibayashi, C., Mumby, M.C., and Thomas, G.** Regulation of endosome sorting by a specific PP2A isoform. 142:1399.
**Moltz, S.L.** *See* Karpova, McNally, Moltz, and Cooper.
**Momose, Y.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Moncharmont, B.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Monkley, S.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Montarras, D.** *See* Lindon, Montarras, and Pinset.
**Montell, C.** *See* Xu, Choudhury, Li, and Montell.
**Montesano, R.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Montessuit, S.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Moolenaar, W.H.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
— *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
**Moonga, B.S.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
**Moons, L.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
**Moore, C.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.
**Moore, D.P., Page, A.W., Tang, T.T.-L., Kerrebrock, A.W., and Orr-Weaver, T.L.** The cohesion protein MEI-S332 localizes to condensed meiotic and mitotic centromeres until sister chromatids separate. 140:1003.
**Moore, R.A., Nguyen, H., Galceran, J., Pessah, I.N., and Allen, P.D.** A transgenic myogenic cell line lacking ryanodine receptor protein for homologous expression studies: Reconstitution of $Ry_1R$ protein and function. 140:843.
**Moore, S.A.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Mora, R.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
**Moreau, A.** *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
**Morgan, D.O.** *See* Jin, Hardy, and Morgan.
**Morgan, J.R.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Moritz, M., Zheng, Y., Alberts, B.M., and Oegema, K.** Recruitment of the γ-tubulin ring complex to *Drosophila* salt-stripped centrosome scaffolds. 142:775.
**Morris, A.J.** *See* Rudge, Morris, and Engebrecht.
**Morris, E.J.** *See* Park, Morris, Padmanabhan, Shelanski, Geller, and Greene.
**Morris, N.R.** *See* Beckwith, Roghi, Liu, and Morris.
**Morrison, I.E.G.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Mosher, D.F.** *See* Sakai, Zhang, Fässler, and Mosher.
**Mostov, K.E.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.
— *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Mothes, W., Jungnickel, B., Brunner, J., and Rapoport, T.A.** Signal sequence recognition in cotranslational translocation by protein components of the endoplasmic reticulum membrane. 142:355.
**Motto, D.G.** *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
**Moudjou, M.** *See* Tassin, Celati, Moudjou, and Bornens.
**Mourton, T.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Mueller, B.M.** *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
**Mukudai, Y.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Mulieri, P.J.** *See* Kang, Mulieri, Miller, Sassoon, and Krauss.
**Müller, J.** *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Mullock, B.M., Bright, N.A., Fearon, C.W., Gray, S.R., and Luzio, J.P.** Fusion of lysosomes with late endosomes produces a hybrid organelle of intermediate density and is NSF dependent. 140:591.

**Mumby, M.C.** *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
**Mundel, P.** *See* Kobayashi, Reiser, Kriz, Kuriyama, and Mundel.
**Mundy, G.R.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
— *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Muñoz-Barroso, I., Durell, S., Sakaguchi, K., Appella, E., and Blumenthal, R.** Dilation of the human immunodeficiency virus–1 envelope glycoprotein fusion pore revealed by the inhibitory action of a synthetic peptide from gp41. 140:315.
**Murphy, C.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Murphy, E.A.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Murphy, K.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Murphy, S.M., Urbani, L., and Stearns, T.** The mammalian γ-tubulin complex contains homologues of the yeast spindle pole body components Spc97p and Spc98p. 141:663.
**Murray, A.W.** *See* Chen, Shevchenko, Mann, and Murray.
— *See* Gorbsky, Chen, and Murray.
— *See* Straight, Sedat, and Murray.
— *See* Waters, Chen, Murray, and Salmon.
**Muslimov, I.A., Banker, G., Brosius, J., and Tiedge, H.** Activity-dependent regulation of dendritic BC1 RNA in hippocampal neurons in culture. 141:1601.
**Myoi, A.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.

N

**Nagafuchi, A.** *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
— *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Nagasaki, T.** *See* Cook, Nagasaki, and Gundersen.
**Nagashima, Y.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Nagata, K.-i.** *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Nagata, S.** *See* Kawahara, Ohsawa, Matsumura, Uchiyama, and Nagata.
— *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Naim, H.Y.** *See* Lin, Naim, Rodriguez, and Roth.
**Naisbitt, S.** *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
**Nakamura, H.** *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Nakamura, M., Masuda, H., Horii, J., Kuma, K.-i., Yokoyama, N., Ohba, T., Nishitani, H., Miyata, T., Tanaka, M., and Nishimoto, T.** When overexpressed, a novel centrosomal protein, RanBPM, causes ectopic microtubule nucleation similar to γ-tubulin. 143:1041.
**Nakanishi, H.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Nakata, T., Terada, S., and Hirokawa, N.** Visualization of the dynamics of synaptic vesicle and plasma membrane proteins in living axons. 140:659.
**Naora, Hi.** *See* Naora, Takai, Adachi, and Naora.
**Naora, Ho., Takai, I., Adachi, M., and Naora, Hi.** Altered cellular responses by varying expression of a ribosomal protein gene: Sequential coordination of enhancement and suppression of ribosomal protein S3a gene expression induces apoptosis. 141:741.
**Nardon, E.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Narumiya, S.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Naundorf, H.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Navarro, P., Ruco, L., and Dejana, E.** Differential localization of VE- and N-cadherins in human endothelial cells: VE-cadherin competes with N-cadherin for junctional localization. 140:1475.
**Neame, S.J., Rubin, L.L., and Philpott, K.L.** Blocking cytochrome c activity within intact neurons inhibits apoptosis. 142:1583.
**Neher, E.** *See* Plattner, Artalejo, and Neher.
**Neiman, A.M.** Prospore membrane formation defines a developmentally regulated branch of the secretory pathway in yeast. 140:29.
**Nelemans, A.** *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
**Nelles, E.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
**Nelson, D.S., Alvarez, C., Gao, Y.-s., García-Mata, R., Fialkowski, E., and Sztul, E.** The membrane transport factor TAP/p115 cycles between the Golgi and earlier secretory compartments and contains distinct domains required for its localization and function. 143:319.
**Nelson, R.D.** *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
**Nelson, W.J.** *See* Adams, Chen, Smith, and Nelson.
— *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
— *See* Jou and Nelson.
— *See* Jou, Schneeberger, and Nelson.
**Newport, J.** *See* Hua and Newport.
**Ng, A.C.** *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
**Ng, L.J.** *See* Leung, Ng, Ho, Tam, and Cheah.
**Ng, S.Y.** *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Nguyen, B.P.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.
**Nguyen, H.** *See* Moore, Nguyen, Galceran, Pessah, and Allen.
**Nguyen, M.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
— *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
**Nicholls, S.E.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Nichols, A.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Nichols, B.J.** *See* Ungermann, Nichols, Pelham, and Wickner.
**Nicholson, B.J.** *See* Foote, Zhou, Zhu, and Nicholson.
**Nicholson, D.W.** *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Nicosia, R.F.** *See* Scatena, Almeida, Chaisson, Fausto, Nicosia, and Giachelli.
**Nielsen, O.** *See* Petersen, Nielsen, Egel, and Hagan.
**Niemann, C., Brinkmann, V., Spitzer, E., Hartmann, G., Sachs, M., Naundorf, H., and Birchmeier, W.** Reconstitution of mammary gland development in vitro: Requirement of c-met and c-erbB2 signaling for branching and alveolar morphogenesis. 143:533.
**Niessen, C.M.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
— *See* Yap, Niessen, and Gumbiner.
**Nievers, M.G.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Niewolna, M.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Nigg, E.A.** *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
**Nigro, V.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Nilsson, T.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
— *See* Storrie, White, Röttger, Stelzer, Suganuma, and Nilsson.
**Nishimoto, T.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Nishimura, R.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Nishioka, H.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Nishitani, H.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Nitsch, L.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
**Niwa, O.** *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
**Niwa, S.** *See* Hirai, Lochter, Galosy, Koshida, Niwa, and Bissell.
**Nixon, J.P.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Nobes, C.D., Lauritzen, I., Mattei, M.-G., Paris, S., Hall, A., and Chardin, P.** A new member of the Rho family, Rnd1, promotes disassembly of actin filament structures and loss of cell adhesion. 141:187.
**Nocks, A.** *See* Skelton, Zeng, Nocks, and Stamenkovic.
**Noda, M.** *See* Maeda and Noda.
**Noda, T.** *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Noegel, A.A.** *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
**Noël, A.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Nohno, T.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.

**Noji, S.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Nombela, C.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.
**Nomura, M.** *See* Oakes, Aris, Brockenbrough, Wai, Vu, and Nomura.
**Nonaka, I.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Nonaka, S.** *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
**Nordstedt, C.** *See* Matter, Zhang, Nordstedt, and Ruoslahti.
**Nörenberg, U.** *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
**Norman, J.C., Jones, D., Barry, S.T., Holt, M.R., Cockcroft, S., and Critchley, D.R.** ARF1 mediates paxillin recruitment to focal adhesions and potentiates rho-stimulated stress fiber formation in intact and permeabilized Swiss 3T3 fibroblasts. 143:1981.
**Nouvet, F.J.** *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
**Novick, P.** *See* Finger and Novick.
**Nunnari, J.** *See* Hermann, Thatcher, Mills, Hales, Fuller, Nunnari, and Shaw.
**Nuoffer, C.** *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
**Nurminskaya, M., Magee, C., Nurminsky, D., and Linsenmayer, T.F.** Plasma transglutaminase in hypertrophic chondrocytes: Expression and cell-specific intracellular activation produce cell death and externalization. 142:1135.
**Nurminsky, D.** *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
**Nurse, P.** *See* Sawin and Nurse.
**Nykjær, A., Christensen, E.I., Vorum, H., Hager, H., Petersen, C.M., Røigaard, H., Min, H.Y., Vilhardt, F., Møller, L.B., Kornfeld, S., and Gliemann, J.** Mannose 6-phosphate/insulin-like growth factor–II receptor targets the urokinase receptor to lysosomes via a novel binding interaction. 141:815.
**Nyu-i, N.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.

## O

**Oakes, M., Aris, J.P., Brockenbrough, J.S., Wai, H., Vu, L., and Nomura, M.** Mutational analysis of the structure and localization of the nucleolus in the yeast *Saccharomyces cerevisiae*. 143:23.
**Oancea, E., Teruel, M.N., Quest, A.F.G., and Meyer, T.** Green fluorescent protein (GFP)-tagged cysteine-rich domains from protein kinase C as fluorescent indicators for diacylglycerol signaling in living cells. 140:485.
**Obermann, W.M.J., Sondermann, H., Russo, A.A., Pavletich, N.P., and Hartl, F.U.** In vivo function of Hsp90 is dependent on ATP binding and ATP hydrolysis. 143:901.
**Obermayr, F.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**O'Connor, K.L., Shaw, L.M., and Mercurio, A.M.** Release of cAMP gating by the α6β4 integrin stimulates lamellae formation and the chemotactic migration of invasive carcinoma cells. 143:1749.
**Odorizzi, G.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Oegema, K.** *See* Moritz, Zheng, Alberts, and Oegema.
**O'Farrell, P.H.** ***See* Su and O'Farrell.**
**Ogg, S.C., Barz, W.P., and Walter, P.** A functional GTPase domain, but not its transmembrane domain, is required for function of the SRP receptor β-subunit. 142:341.
**O'Grady, P., Thai, T.C., and Saito, H.** The laminin–nidogen complex is a ligand for a specific splice isoform of the transmembrane protein tyrosine phosphatase LAR. 141:1675.
**Oh, P., McIntosh, D.P., and Schnitzer, J.E.** Dynamin at the neck of caveolae mediates their budding to form transport vesicles by GTP-driven fission from the plasma membrane of endothelium. 141:101.
**Ohba, T.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Ohno, S.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
— *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Ohsawa, Y.** *See* Kawahara, Ohsawa, Matsumura, Uchiyama, and Nagata.
**Ohtsuka, T., Nakanishi, H., Ikeda, W., Satoh, A., Momose, Y., Nishioka, H., and Takai, Y.** Nexilin: A novel actin filament-binding protein localized at cell–matrix adherens junction. 143:1227.
**Ohuchi, H.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Okada, Y.** *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Okamoto, K., Perlman, P.S., and Butow, R.A.** The sorting of mitochondrial DNA and mitochondrial proteins in zygotes: Preferential transmission of mitochondrial DNA to the medial bud. 142:613.
**Olds-Clarke, P.** *See* Harrison, Olds-Clarke, and King.
**Olerud, J.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.
**Olivera, A.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Olivo, J.C.** *See* Duménil, Olivo, Pellegrini, Fellous, Sansonetti, and Tran Van Nhieu.
**Ölveczky, B.** *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
**Olwin, B.B.** *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
**Omary, M.B.** *See* Ku, Michie, Soetikno, Resurreccion, Broome, and Omary.
**Ono, S.** *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
**Ooi, C.E., Dell'Angelica, E.C., and Bonifacino, J.S.** ADP-Ribosylation factor 1 (ARF1) regulates recruitment of the AP-3 adaptor complex to membranes. 142:391.
**Oorschot, V.** *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
**Opresko, L.K.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Orend, G.** *See* Bourdoulous, Orend, MacKenna, Pasqualini, and Ruoslahti.
**Orioli, D.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Orlandi, P.A., and Fishman, P.H.** Filipin-dependent inhibition of cholera toxin: Evidence for toxin internalization and activation through caveolae-like domains. 141:905.
**Orr-Weaver, T.L.** *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
**Ortiz, I.** *See* Barral, Bauer, Ortiz, and Epstein.
— *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.
**Ortonne, J.-P.** *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
**Ortuño-Sahagún, D.** *See* Torroja, Ortuño-Sahagún, Ferrús, Hämmerle, and Barbas.
**Osen-Sand, A.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Oshiro, N.** *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
**Osman, M.A., and Cerione, R.A.** Iqg1p, a yeast homologue of the mammalian IQGAPs, mediates Cdc42p effects on the actin cytoskeleton. 142:443.
**Osmani, S.A.** *See* Wu, Osmani, and Mirabito.
**Ostap, E.M.** *See* Jontes, Ostap, Pollard, and Milligan.
**Ostermann, J.** *See* Love, Lin, Short, and Ostermann.
**Oswald, B.J.** *See* Henley, Krueger, Oswald, and McNiven.
**Ota, S.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**O'Toole, P.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Otsuga, D., Keegan, B.R., Brisch, E., Thatcher, J.W., Hermann, G.J., Bleazard, W., and Shaw, J.M.** The dynamin-related GTPase, Dnm1p, controls mitochondrial morphology in yeast. 143:333.
**Ott, I., Fischer, E.G., Miyagi, Y., Mueller, B.M., and Ruf, W.** A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280. 140:1241.
**Otte, A.P.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
**Owen-Lynch, P.J.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Ozanne, B.W.** *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Ozawa, M., and Kemler, R.** The membrane-proximal region of the E-cadherin cytoplasmic domain prevents dimerization and negatively regulates adhesion activity. 142:1605.
**Ozawa, Y.** *See* Davis, Broekelmann, Ozawa, and Mecham.

## P

**Paccaud, J.-P.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**Padmanabhan, J.** *See* Park, Morris, Padmanabhan, Shelanski, Geller, and Greene.

**Page, A.W.** *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
**Page, L.J.** *See* Urbé, Page, and Tooze.
**Paglini, G., Kunda, P., Quiroga, S., Kosik, K., and Cáceres, A.** Suppression of radixin and moesin alters growth cone morphology, motility, and process formation in primary cultured neurons. 143:443.
**Pak, D.T.S.** *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
**Paladini, R.D., and Coulombe, P.A.** Directed expression of keratin 16 to the progenitor basal cells of transgenic mouse skin delays skin maturation. 142:1035.
— *See* Hutton, Paladini, Yu, Yen, Coulombe, and Fuchs.
**Paladino, S.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
**Pampori, N.** *See* Hato, Pampori, and Shattil.
**Panigada, M.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Panté, N.** *See* Fahrenkrog, Hurt, Aebi, and Panté.
**Panzeri, C.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Pardo, L.A., Brüggemann, A., Camacho, J., and Stühmer, W.** Cell cycle–related changes in the conducting properties of r-eag $K^+$ channels. 143:767.
**Paris, S.** *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
— *See* Nobes, Lauritzen, Mattei, Paris, Hall, and Chardin.
**Park, D.S., Morris, E.J., Padmanabhan, J., Shelanski, M.L., Geller, H.M., and Greene, L.A.** Cyclin-dependent kinases participate in death of neurons evoked by DNA-damaging agents. 143:457.
**Parker, C.M.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Parodi, A.J.** *See* Fanchiotti, Fernández, D'Alessio, and Parodi.
**Partikian, A., Ölveczky, B., Swaminathan, R., Li, Y., and Verkman, A.S.** Rapid diffusion of green fluorescent protein in the mitochondrial matrix. 140:821.
**Parton, R.G.** *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
— *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Parvinen, M.** *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**Pasqualini, R.** *See* Bourdoulous, Orend, MacKenna, Pasqualini, and Ruoslahti.
**Passreiter, M., Anton, M., Lay, D., Frank, R., Harter, C., Wieland, F.T., Gorgas, K., and Just, W.W.** Peroxisome biogenesis: Involvement of ARF and coatomer. 141:373.
**Patel, B.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Patel, S.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Paul, D.L.** *See* White, Goodenough, and Paul.
**Paulson, H.L.** *See* Perez, Paulson, Pendse, Saionz, Bonini, and Pittman.
**Pavletich, N.P.** *See* Obermann, Sondermann, Russo, Pavletich, and Hartl.
**Pazour, G.J., Wilkerson, C.G., and Witman, G.B.** A dynein light chain is essential for the retrograde particle movement of intraflagellar transport (IFT). 141:979.
**Peaucellier, G.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Pederson, T.** Growth factors in the nucleolus? 279.
**Pelham, H.R.B.** *See* Ungermann, Nichols, Pelham, and Wickner.
**Pellegrini, S.** *See* Duménil, Olivo, Pellegrini, Fellous, Sansonetti, and Tran Van Nhieu.
**Pelletier, S.L.** *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
**Pelttari, J.** *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Pemberton, L.F.** *See* Albertini, Pemberton, Rosenblum, and Blobel.
— *See* Rosenblum, Pemberton, Bonifaci, and Blobel.
**Pendse, S.J.** *See* Perez, Paulson, Pendse, Saionz, Bonini, and Pittman.
**Peng, H.B.** *See* Dai and Peng.
**Penn, L.Z.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
**Pepperkok, R.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
— *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
**Peracino, B., Borleis, J., Jin, T., Westphal, M., Schwartz, J.-M., Wu, L., Bracco, E., Gerisch, G., Devreotes, P., and Bozzaro, S.** G protein β subunit–null mutants are impaired in phagocytosis and chemotaxis due to inappropriate regulation of the actin cytoskeleton. 141:1529.
**Perez, D., and White, E.** E1B 19K inhibits Fas-mediated apoptosis through FADD-dependent sequestration of FLICE. 141:1255.
**Perez, M.K., Paulson, H.L., Pendse, S.J., Saionz, S.J., Bonini, N.M., and Pittman, R.N.** Recruitment and the role of nuclear localization in polyglutamine-mediated aggregation. 143:1457.
**Perlman, P.S.** *See* Okamoto, Perlman, and Butow.
**Pernas-Alonso, R.** *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Pessah, I.N.** *See* Moore, Nguyen, Galceran, Pessah, and Allen.
**Peters, M.F., Sadoulet-Puccio, H.M., Grady, R.M., Kramarcy, N.R., Kunkel, L.M., Sanes, J.R., Sealock, R., and Froehner, S.C.** Differential membrane localization and intermolecular associations of α-dystrobrevin isoforms in skeletal muscle. 142:1269.
**Peters, P.J.** *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
**Peters, R.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
**Petersen, C.M.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Petersen, J., Nielsen, O., Egel, R., and Hagan, I.M.** FH3, a domain found in formins, targets the fission yeast formin Fus1 to the projection tip during conjugation. 141:1217.
**Peterson, E.P.** *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Petrasch-Parwez, E.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Peunova, N.I.** *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
**Phair, R.D.** *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
**Phalen, T.** *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.
**Philips, J., and Herskowitz, I.** Identification of Kel1p, a Kelch domain-containing protein involved in cell fusion and morphology in *Saccharomyces cerevisiae.* 143:375.
**Philpott, K.L.** *See* Neame, Rubin, and Philpott.
**Phung-Koskas, T.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
**Picard, A.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Geneviève, and Picard.
**Pierce, A., Heyworth, C.M., Nicholls, S.E., Spooncer, E., Dexter, T.M., Lord, J.M., Owen-Lynch, P.J., Wark, G., and Whetton, A.D.** An activated protein kinase C α gives a differentiation signal for hematopoietic progenitor cells and mimicks macrophage colony-stimulating factor–stimulated signaling events. 140:1511.
**Pierce, D.W.** *See* Romberg, Pierce, and Vale.
**Pierini, L.M.** *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
**Pietz, G.E.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Piluso, G.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Pimpinelli, S.** *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
**Pinet, V.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
**Pinset, C.** *See* Lindon, Montarras, and Pinset.
**Pintucci, G.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Piper, R.C.** *See* Bryant, Piper, Weisman, and Stevens.
**Piperno, G., Siuda, E., Henderson, S., Segil, M., Vaananen, H., and Sassaroli, M.** Distinct mutants of retrograde intraflagellar transport (IFT) share similar morphological and molecular defects. 143:1591.
**Pirollet, F.** *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
**Pittman, R.N.** *See* Mills, Stone, Erhardt, and Pittman.
— *See* Perez, Paulson, Pendse, Saionz, Bonini, and Pittman.
**Pitts, K.R.** *See* Yoon, Pitts, Dahan, and McNiven.
**Pizza, M.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
**Platero, J.S., Csink, A.K., Quintanilla, A., and Henikoff, S.** Changes in chromosomal localization of heterochromatin-binding proteins during the cell cycle in *Drosophila.* 140:1297.
**Plattner, H., Artalejo, A.R., and Neher, E.** Ultrastructural organization of bovine chromaffin cell cortex—analysis by cryofixation and morphometry of aspects pertinent to exocytosis [139(7): 1709]: Correction. 140:973.
**Platts, S.H.** *See* Wu, Mogford, Platts, Davis, Meininger, and Davis.
**Ploegh, H.L.** *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
**Ploug, T., van Deurs, B., Ai, H., Cushman, S.W., and Ralston, E.** Analysis of GLUT4 distribution in whole skeletal muscle fibers: Identification of distinct storage compartments that are recruited by insulin and muscle contractions. 142:1429.

**Plow, E.F.** *See* Byzova and Plow.
**Pollard, T.D.** *See* Jontes, Ostap, Pollard, and Milligan.
**Polte, T.R.** *See* Cary, Han, Polte, Hanks, and Guan.
**Pombo, A.** *See* Jackson and Pombo.
**Pon, L.A.** *See* Anderson, Boldogh, Evangelista, Boone, Greene, and Pon.
— *See* Boldogh, Vojtov, Karmon, and Pon.
**Popov, S.** *See* Zakharenko and Popov.
**Pöppelmann, B.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
**Porcellini, S.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Postma, F.R., Hengeveld, T., Alblas, J., Giepmans, B.N.G., Zondag, G.C.M., Jalink, K., and Moolenaar, W.H.** Acute loss of cell–cell communication caused by G protein–coupled receptors: A critical role for c-Src. 140:1199.
**Potter, D.A., Tirnauer, J.S., Janssen, R., Croall, D.E., Hughes, C.N., Fiacco, K.A., Mier, J.W., Maki, M., and Herman, I.M.** Calpain regulates actin remodeling during cell spreading. 141:647. Correction. 141:1289.
**Poüs, C., Chabin, K., Drechou, A., Barbot, L., Phung-Koskas, T., Settegrana, C., Bourguet-Kondracki, M.L., Maurice, M., Cassio, D., Guyot, M., and Durand, G.** Functional specialization of stable and dynamic microtubules in protein traffic in WIF-B cells. 142:153.
**Pouysségur, J.** *See* Lenormand, Brondello, Brunet, and Pouysségur.
**Powers, C.** *See* Bangs, Burke, Powers, Craig, Purohit, and Doxsey.
**Powers, J., and Barlowe, C.** Transport of Ax12p depends on Erv14p, an ER–vesicle protein related to the *Drosophila cornichon* gene product. 142:1209.
**Pozniak, C.D.** *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
— *See* Bamji, Majdan, Pozniak, Belliveau, Aloyz, Kohn, Causing, and Miller.
**Pozzan, T.** *See* Hofer, Fasolato, and Pozzan.
— *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
— *See* Meldolesi and Pozzan.
**Pozzi, A., Wary, K.K., Giancotti, F.G., and Gardner, H.A.** Integrin $\alpha 1\beta 1$ mediates a unique collagen-dependent proliferation pathway in vivo. 142:587.
**Prahlad, V., Yoon, M., Moir, R.D., Vale, R.D., and Goldman, R.D.** Rapid movements of vimentin on microtubule tracks: Kinesin-dependent assembly of intermediate filament networks. 143:159.
— *See* Yoon, Moir, Prahlad, and Goldman.
**Prekeris, R., Klumperman, J., Chen, Y.A., and Scheller, R.H.** Syntaxin 13 mediates cycling of plasma membrane proteins via tubulovesicular recycling endosomes. 143:957.
**Presley, J.** *See* Sloan-Lancaster, Presley, Ellenberg, Yamazaki, Lippincott-Schwartz, and Samelson.
**Presley, J.F.** *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
**Press, B., Feng, Y., Hoflack, B., and Wandinger-Ness, A.** Mutant rab7 causes the accumulation of cathepsin D and cation-independent mannose 6–phosphate receptor in an early endocytic compartment. 140:1075.
**Price, M.P.** *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
**Priddle, H., Hemmings, L., Monkley, S., Woods, A., Patel, B., Sutton, D., Dunn, G.A., Zicha, D., and Critchley, D.R.** Disruption of the talin gene compromises focal adhesion assembly in undifferentiated but not differentiated embryonic stem cells. 142:1121.
**Priess, J.R.** *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
**Primig, M.** *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
**Pring, M.** *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
**Pringle, J.R.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
— *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
— *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
— *See* Longtine, Fares, and Pringle.
**Prokop, A., Uhler, J., Roote, J., and Bate, M.** The *kakapo* mutation affects terminal arborization and central dendritic sprouting of *Drosophila* motorneurons. 143:1283.
**Propst, F.** *See* Tögel, Wiche, and Propst.
**Protasi, F., Franzini-Armstrong, C., and Allen, P.D.** Role of ryanodine receptors in the assembly of calcium release units in skeletal muscle. 140:831.
**Pruchnic, R.** *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
**Prudovsky, I.A.** *See* LaVallee, Prudovsky, McMahon, Hu, and Maciag.
**Pruyne, D.W., Schott, D.H., and Bretscher, A.** Tropomyosin-containing actin cables direct the Myo2p-dependent polarized delivery of secretory vesicles in budding yeast. 143:1931.
**Ptasznik, A.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Puca, G.A.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Pucéat, M., Roche, S., and Vassort, G.** Src family tyrosine kinase regulates intracellular pH in cardiomyocytes. 141:1637. Correction. 142:1393.
**Pulyaeva, H.** *See* Markovic, Pulyaeva, Sokoloff, and Chernomordik.
**Purdue, P.E., Yang, X., and Lazarow, P.B.** Pex18p and Pex21p, a novel pair of related peroxins essential for peroxisomal targeting by the PTS2 pathway. 143:1859.
**Purohit, A.** *See* Bangs, Burke, Powers, Craig, Purohit, and Doxsey.
**Purslow, P.P.** *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
**Pyrowolakis, G.** *See* Hauser, Bardroff, Pyrowolakis, and Jentsch.

## Q

**Qi, H.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Qiao, H., Pelletier, S.L., Hoffman, L., Hacker, J., Armstrong, R.T., and White, J.M.** Specific single or double proline substitutions in the "spring-loaded" coiled-coil region of the influenza hemagglutinin impair or abolish membrane fusion activity. 141:1335.
**Qu, Z., Balkir, L., van Deutekom, J.C.T., Robbins, P.D., Pruchnic, R., and Huard, J.** Development of approaches to improve cell survival in myoblast transfer therapy. 142:1257.
**—, Wolfraim, L.A., Svaren, J., Ehrengruber, M.U., Davidson, N., and Milbrandt, J.** The transcriptional corepressor NAB2 inhibits NGF-induced differentiation of PC12 cells. 142:1075.
**Quest, A.F.G.** *See* Oancea, Teruel, Quest, and Meyer.
**Quintanilla, A.** *See* Platero, Csink, Quintanilla, and Henikoff.
**Quiroga, S.** *See* Paglini, Kunda, Quiroga, Kosik, and Cáceres.

## R

**Rachubinski, R.A.** *See* Titorenko, Smith, Szilard, and Rachubinski.
**Rader, C.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Raederstorff, D.** *See* Stulnig, Berger, Sigmund, Raederstorff, Stockinger, and Waldhäusl.
**Raff, M.C.** *See* Ishizaki, Jacobson, and Raff.
**Raghunath, M.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
**Rahkila, P., Luukela, V., Väänänen, K., and Metsikkö, K.** Differential targeting of vesicular stomatitis virus G protein and influenza virus hemagglutinin appears during myogenesis of L6 muscle cells. 140:1101.
**Raich, W.** *See* Costa, Raich, Agbunag, Leung, Hardin, and Priess.
**Raizada, M.K.** *See* Lu, Yang, Lenox, and Raizada.
**Raja, S.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**Rak, J.W.** *See* St. Croix, Sheehan, Rak, Flørenes, Slingerland, and Kerbel.
**Ralston, E.** *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
**Rando, T.A.** *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.
**Rangell, L.K.** *See* Sakai, Koller, Rangell, Keller, and Subramani.
**Rao, K.** *See* Wu, Bowers, Rao, Wei, and Hammer.
**Rao, M.V., Houseweart, M.K., Williamson, T.L., Crawford, T.O., Folmer, J., and Cleveland, D.W.** Neurofilament-dependent radial growth of motor axons and axonal organization of neurofilaments does not require the neurofilament heavy subunit (NF-H) or its phosphorylation. 143:171.
**Rapak, A.** *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
**Rapoport, T.A.** *See* Kalies, Rapoport, and Hartmann.
— *See* Mothes, Jungnickel, Brunner, and Rapoport.
— *See* Verhey, Lizotte, Abramson, Barenboim, Schnapp, and Rapoport.
**Raposo, G.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.

**Ratan, R.R.** *See* Lin, DiDonato, Hoffmann, Hardwick, and Ratan.
**Rathjen, F.G.** *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
**Raulo, E.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
**Rauvala, H.** *See* Imai, Kaksonen, Raulo, Kinnunen, Fages, Meng, Lakso, and Rauvala.
— *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**Rawls, J.F.** *See* Bear, Rawls, and Saxe.
**Rayburn, H.** *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
— *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.
**Real, F.X.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Reddy, A.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Reddy, S.V.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Reed, S.I.** *See* Segal, Clarke, and Reed.
**Rehling, P.** *See* Huhse, Rehling, Albertini, Blank, Meller, and Kunau.
**Reid, G.** *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
**Reid, T.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**Reilein, A.R., Tint, I.S., Peunova, N.I., Enikolopov, G.N., and Gelfand, V.I.** Regulation of organelle movement in melanophores by protein kinase A (PKA), protein kinase C (PKC), and protein phosphatase 2A (PP2A). 142:803.
**Reipert, S.** *See* Rezniczek, de Pereda, Reipert, and Wiche.
**Reiser, J.** *See* Kobayashi, Reiser, Kriz, Kuriyama, and Mundel.
**Reisfeld, R.A.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Reiske, H.** *See* Zhao, Reiske, and Guan.
**Ren, C.J.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Renzi, L.** *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Resurreccion, E.Z.** *See* Ku, Michie, Soetikno, Resurreccion, Broome, and Omary.
**Reynolds, T.B., Hopkins, B.D., Lyons, M.R., and Graham, T.R.** The high osmolarity glycerol response (HOG) MAP kinase pathway controls localization of a yeast golgi glycosyltransferase. 143:935.
**Rezniczek, G.A., de Pereda, J.M., Reipert, S., and Wiche, G.** Linking integrin $\alpha_6\beta_4$-based cell adhesion to the intermediate filament cytoskeleton: Direct interaction between the $\beta_4$ subunit and plectin at multiple molecular sites. 141:209.
**Ribbeck, K.** *See* Ferrari, Ribbeck, Hagler, and Spitzer.
**Richter, C.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Richter, K.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Rickard, J.E.** *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
**Ricordi, C.** *See* Cirulli, Crisa, Beattie, Mally, Lopez, Fannon, Ptasznik, Inverardi, Ricordi, Deerinck, Ellisman, Reisfeld, and Hayek.
**Ridley, A.J.** *See* Allen, Zicha, Ridley, and Jones.
**Rieder, C.L., and Cole, R.W.** Entry into mitosis in vertebrate somatic cells is guarded by a chromosome damage checkpoint that reverses the cell cycle when triggered during early but not late prophase. 142:1013.
— *See* Bobinnec, Khodjakov, Mir, Rieder, Eddé, and Bornens.
— *See* Hinchcliffe, Cassels, Rieder, and Sluder.
**Rieu, P.** *See* Li, Rieu, Griffith, Scott, and Arnaout.
**Riezman, H.** *See* Hicke, Zanolari, and Riezman.
**Rifkin, D.B.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Rimm, D.L.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Rio, M.-C.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Riparbelli, M.G.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.
— *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
**Risau, W.** *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
**Rivero, F., Kuspa, A., Brokamp, R., Matzner, M., and Noegel, A.A.** Interaptin, an actin-binding protein of the α-actinin superfamily in *Dictyostelium discoideum*, is developmentally and cAMP-regulated and associates with intracellular membrane compartments. 142:735.
**Rivnay, B.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**Rizo, J.** *See* Kibbey, Rizo, Gierasch, and Anderson.
**Robbins, E.S.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.
**Robbins, P.D.** *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
**Roberts, L.M.** *See* Lord and Roberts.
**Roberts, T.M., Salmon, E.D., and Stewart, M.** Hydrostatic pressure shows that lamellipodial motility in *Ascaris* sperm requires membrane-associated major sperm protein filament nucleation and elongation. 140:367.
**Rochaix, J.-D.** *See* Zerges and Rochaix.
**Roche, D.M.J.** *See* Martini, Roche, Marheineke, Verreault, and Almouzni.
**Roche, S.** *See* Pucéat, Roche, and Vassort.
**Rodriguez, A.C.** *See* Lin, Naim, Rodriguez, and Roth.
**Rodriguez-Boulan, E.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
— *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
**Roger, P.P.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Rogers, J.C.** *See* Jiang and Rogers.
**Rogers, R.** *See* Kim, Lim, Ota, Raja, Rogers, Rivnay, Avraham, and Avraham.
**Roghi, C.H.** *See* Beckwith, Roghi, Liu, and Morris.
**Rohovsky, S.A.** *See* Hirschi, Rohovsky, and D'Amore.
**Røigaard, H.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Romano, M.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Romberg, L., Pierce, D.W., and Vale, R.D.** Role of the kinesin neck region in processive microtubule-based motility. 140:1407.
**Ronco, P.M.** *See* Debiec, Christensen, and Ronco.
**Roodman, D.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Roos, E.** *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
**Roos, J.** *See* Shi, Faúndez, Roos, Dell'Angelica, and Kelly.
**Roote, J.** *See* Prokop, Uhler, Roote, and Bate.
**Ropraz, P.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Rosch, C.** *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
**Roscigno, A.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Rose, M.D.** *See* Brizzio, Gammie, and Rose.
— *See* Miller and Rose.
— *See* Sullivan, Biggins, and Rose.
**Rosen, A.** *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Rosen, V.** *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
**Rosenbaum, J.L.** *See* Cole, Diener, Himelblau, Beech, Fuster, and Rosenbaum.
**Rosenberg, S.** *See* Carmeliet, Moons, Dewerchin, Rosenberg, Herbert, Lupu, and Collen.
**Rosenblum, J.S., Pemberton, L.F., Bonifaci, N., and Blobel, G.** Nuclear import and the evolution of a multifunctional RNA-binding protein. 143:887.
— *See* Albertini, Pemberton, Rosenblum, and Blobel.
**Rosenthal, R.S.** *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
**Ross, F.P.** *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
**Rossi, P.** *See* Sette, Bevilacqua, Geremia, and Rossi.
**Rossi, V.** *See* Abbondanza, Rossi, Roscigno, Gallo, Belsito, Piluso, Medici, Nigro, Molinari, Moncharmont, and Puca.
**Roth, A.F., Sullivan, D.M., and Davis, N.G.** A large PEST-like sequence directs the ubiquitination, endocytosis, and vacuolar degradation of the yeast a-factor receptor. 142:949.
**Roth, J.** *See* Jakob, Burda, Roth, and Aebi.
**Roth, K.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
**Roth, M.B.** *See* Frank and Roth.
**Roth, M.G.** *See* Lin, Naim, Rodriguez, and Roth.
**Röttger, S.** *See* Storrie, White, Röttger, Stelzer, Suganuma, and Nilsson.
**Rottner, K.** *See* Kaverina, Rottner, and Small.
**Rousseau, S.** *See* Huot, Houle, Rousseau, Deschesnes, Shah, and Landry.
**Rout, M.P.** *See* Chial, Rout, Giddings, and Winey.

**Roy, L.M., and Barkan, A.** A SecY homologue is required for the elaboration of the chloroplast thylakoid membrane and for normal chloroplast gene expression. 141:385.
**Roy, S., and VijayRaghavan, K.** Patterning muscles using organizers: Larval muscle templates and adult myoblasts actively interact to pattern the dorsal longitudinal flight muscles of *Drosophila*. 141: 1135.
— *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Rubin, L.L.** *See* Neame, Rubin, and Philpott.
**Rubinfeld, B.** *See* Wong, Rubinfeld, and Gordon.
**Ruco, L.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
— *See* Navarro, Ruco, and Dejana.
**Ruddock, L.J.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
**Rudge, S.A., Morris, A.J., and Engebrecht, J.** Relocalization of phospholipase D activity mediates membrane formation during meiosis. 140:81.
**Rüdiger, A.-H.** *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
**Rüdiger, M.** *See* Weiss, Kroemker, Rüdiger, Jockusch, and Rüdiger.
**Ruf, W.** *See* Ott, Fischer, Miyagi, Mueller, and Ruf.
**Ruigrok, C.C.M.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**Ruoslahti, E.** *See* Bourdoulous, Orend, MacKenna, Pasqualini, and Ruoslahti.
— *See* Matter, Zhang, Nordstedt, and Ruoslahti.
**Russell, G.J.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.
**Russo, A.A.** *See* Obermann, Sondermann, Russo, Pavletich, and Hartl.
**Rutishauser, U.** *See* Brusés and Rutishauser.
**Ryazantsev, S.N.** *See* Smirnova, Shurland, Ryazantsev, and van der Bliek.
**Ryu, J.S.** *See* Vashishtha, Phalen, Marquardt, Ryu, Ng, and Kielian.

S

**Sachs, M.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Sack, S.** *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Sadot, E.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Sadoul, R.** *See* Eskes, Antonsson, Osen-Sand, Montessuit, Richter, Sadoul, Mazzei, Nichols, and Martinou.
**Sadoulet-Puccio, H.M.** *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Saffery, R.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Saffrich, R.** *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
**Sagara, Y.** *See* Tan, Sagara, Liu, Maher, and Schubert.
**Saginario, C.** *See* Sterling, Saginario, and Vignery.
**Saionz, S.J.** *See* Perez, Paulson, Pendse, Saionz, Bonini, and Pittman.
**Saito, H.** *See* O'Grady, Thai, and Saito.
**Saito, N.** *See* Shirai, Kashiwagi, Yagi, Sakai, and Saito.
**Saitou, M., Fujimoto, K., Doi, Y., Itoh, M., Fujimoto, T., Furuse, M., Takano, H., Noda, T., and Tsukita, Sh.** Occludin-deficient embryonic stem cells can differentiate into polarized epithelial cells bearing tight junctions. 141:397.
**Sakaguchi, K.** *See* Muñoz-Barroso, Durell, Sakaguchi, Appella, and Blumenthal.
**Sakahira, H.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Sakai, N.** *See* Shirai, Kashiwagi, Yagi, Sakai, and Saito.
**Sakai, T., Zhang, Q., Fässler, R., and Mosher, D.F.** Modulation of β1A integrin functions by tyrosine residues in the β1 cytoplasmic domain. 141:527.
**Sakai, Y., Koller, A., Rangell, L.K., Keller, G.A., and Subramani, S.** Peroxisome degradation by microautophagy in *Pichia pastoris*: Identification of specific steps and morphological intermediates. 141:625.
**Sako, Y., Nagafuchi, A., Tsukita, Sh., Takeichi, M., and Kusumi, A.** Cytoplasmic regulation of the movement of E-cadherin on the free cell surface as studied by optical tweezers and single particle tracking: Corralling and tethering by the membrane skeleton. 140:1227.
— *See* Tomishige, Sako, and Kusumi.
**Salamero, J.** *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Salmon, E.D.** *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
— *See* Desai, Maddox, Mitchison, and Salmon.
— *See* Roberts, Salmon, and Stewart.
— *See* Waters, Chen, Murray, and Salmon.
**Salomon, D.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Samarabandu, J.** *See* Ma, Samarabandu, Devdhar, Acharya, Cheng, Meng, and Berezney.
**Samejima, K., Toné, S., Kottke, T.J., Enari, M., Sakahira, H., Cooke, C.A., Durrieu, F., Martins, L.M., Nagata, S., Kaufmann, S.H., and Earnshaw, W.C.** Transition from caspase-dependent to caspase-independent mechanisms at the onset of apoptotic execution. 143:225.
**Samelson, L.E.** *See* Sloan-Lancaster, Presley, Ellenberg, Yamazaki, Lippincott-Schwartz, and Samelson.
**Sanchez, C.P.** *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
**Sánchez, M.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.
**Sánchez-Madrid, F.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Sander, E.E., van Delft, S., ten Klooster, J.P., Reid, T., van der Kammen, R.A., Michiels, F., and Collard, J.G.** Matrix-dependent Tiam1/Rac signaling in epithelial cells promotes either cell–cell adhesion or cell migration and is regulated by phosphatidylinositol 3-kinase. 143:1385.
**Sanders, G.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Sandvig, K.** *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
**Sanes, J.R.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
— *See* Miner, Cunningham, and Sanes.
— *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
**Sanicola, M.** *See* Tang, Worley, Sanicola, and Dressler.
**Sanmartí-Vila, L.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Sansonetti, P.J.** *See* Duménil, Olivo, Pellegrini, Fellous, Sansonetti, and Tran Van Nhieu.
**Santoro, S.A.** *See* Xu, Zutter, Santoro, and Clark.
**Saoudi, Y., Fotedar, R., Abrieu, A., Dorée, M., Wehland, J., Margolis, R.L., and Job, D.** Stepwise reconstitution of interphase microtubule dynamics in permeabilized cells and comparison to dynamic mechanisms in intact cells. 142:1519.
**Sappino, A.-P.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Sartorius, C.A., Lu, B.D., Acakpo-Satchivi, L., Jacobsen, R.P., Byrnes, W.C., and Leinwand, L.A.** Myosin heavy chains IIa and IId are functionally distinct in the mouse. 141:943.
**Sasaki, H.** *See* Furuse, Sasaki, Fujimoto, and Tsukita.
**Sassaroli, M.** *See* Piperno, Siuda, Henderson, Segil, Vaananen, and Sassaroli.
**Sassoon, D.A.** *See* Kang, Mulieri, Miller, Sassoon, and Krauss.
**Satijn, D.P.E.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
**Satoh, A.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Saurin, A.J., Shiels, C., Williamson, J., Satijn, D.P.E., Otte, A.P., Sheer, D., and Freemont, P.S.** The human polycomb group complex associates with pericentromeric heterochromatin to form a novel nuclear domain. 142:887.
**Savelyeva, L.** *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
**Sawin, K.E., and Nurse, P.** Regulation of cell polarity by microtubules in fission yeast. 142:457.
**Saxe, C.L., III.** *See* Bear, Rawls, and Saxe.
**Saya, H.** *See* Fukata, Kimura, Oshiro, Saya, Matsuura, and Kaibuchi.
— *See* Yasui, Amano, Nagata, Inagaki, Nakamura, Saya, Kaibuchi, and Inagaki.
**Sazer, S.** *See* Demeter and Sazer.
**Scatena, M., Almeida, M., Chaisson, M.L., Fausto, N., Nicosia, R.F., and Giachelli, C.M.** NF-κB mediates αvβ3 integrin-induced endothelial cell survival. 141:1083.
**Schaapveld, R.Q.J., Borradori, L., Geerts, D., van Leusden, M.R., Kuikman, I., Nievers, M.G., Niessen, C.M., Steenbergen, R.D.M., Snijders, P.J.F., and Sonnenberg, A.** Hemidesmosome

formation is initiated by the β4 integrin subunit, requires complex formation of β4 and HD1/plectin, and involves a direct interaction between β4 and the bullous pemphigoid antigen 180. 142:271.

**Schaar, B.T.** *See* Chan, Schaar, and Yen.

**Schafer, D.A., Welch, M.D., Machesky, L.M., Bridgman, P.C., Meyer, S.M., and Cooper, J.A.** Visualization and molecular analysis of actin assembly in living cells. 143:1919.

**Scharfmann, R.** *See* Miralles, Battelino, Czernichow, and Scharfmann.

**Schatt, P.** *See* Lozano, Schatt, Marquès, Peaucellier, Fort, Féral, Genevière, and Picard.

**Scheer, U.** *See* Hock, Scheer, and Bustin.

**Scheiffele, P., Verkade, P., Fra, A.M., Virta, H., Simons, K., and Ikonen, E.** Caveolin-1 and -2 in the exocytic pathway of MDCK cells. 140:795.

— *See* Harder, Scheiffele, Verkade, and Simons.

**Schekman, R.** *See* Spang and Schekman.

**Scheller, R.H.** *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.

— *See* Prekeris, Klumperman, Chen, and Scheller.

**Scherer, S.S.** *See* Balice-Gordon, Bone, and Scherer.

**Scherthan, H.** *See* Jin, Trelles-Sticken, Scherthan, and Loidl.

**Schieltz, D.** *See* Carroll, Altman, Schieltz, Yates, and Kellogg.

**Schlaepfer, D.D.** *See* Ilić, Almeida, Schlaepfer, Dazin, Aizawa, and Damsky.

**Schlenstedt, G.** *See* Silberstein, Schlenstedt, Silver, and Gilmore.

**Schmid, M.F.** *See* Liu, Bauer, Ortiz, Cook, Schmid, and Epstein.

**Schmid, S.L.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.

— *See* Benmerah, Lamaze, Bègue, Schmid, Dautry-Varsat, and Cerf-Bensussan.

— *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.

**Schnapp, B.J.** *See* Verhey, Lizotte, Abramson, Barenboim, Schnapp, and Rapoport.

**Schneeberger, E.E.** *See* Jou, Schneeberger, and Nelson.

**Schneemann, M.** *See* Martín-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.

**Schnell, D.J.** *See* Kouranov, Chen, Fuks, and Schnell.

**Schnitzer, J.E.** *See* Oh, McIntosh, and Schnitzer.

**Schott, D.H.** *See* Pruyne, Schott, and Bretscher.

**Schoumacher, F.** *See* Meier, Masciulli, Moore, Schoumacher, Eppenberger, Denzer, Jones, and Brenner.

**Schrader, M.** *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.

**Schröder, R.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.

**Schroer, T.A.** *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.

— *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.

**Schubert, D.** *See* Tan, Sagara, Liu, Maher, and Schubert.

**Schubert, W.** *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.

**Schumacher, J.M., Golden, A., and Donovan, P.J.** AIR-2: An Aurora/Ipl1-related protein kinase associated with chromosomes and midbody microtubules is required for polar body extrusion and cytokinesis in *Caenorhabditis elegans* embryos. 143:1635.

**Schwab, M.** *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.

**Schwartz, J.-M.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.

**Schwarz, T.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.

**Schweitzer, E.S.** *See* Jeng, McCarroll, Martin, Floor, Adams, Krantz, Butz, Edwards, and Schweitzer.

**Schwiebert, E.M.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.

**Scotland, P., Zhou, D., Benveniste, H., and Bennett, V.** Nervous system defects of ankyrin$_B$ (−/−) mice suggest functional overlap between the cell adhesion molecule L1 and 440-kD ankyrin$_B$ in premyelinated axons. 143:1305.

**Scott, D.** *See* Li, Rieu, Griffith, Scott, and Arnaout.

**Scully, R.M.** *See* Wei, Bonzelius, Scully, Kelly, and Herman.

**Sealock, R.** *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.

**Seaman, M.N.J., McCaffery, J.M., and Emr, S.D.** A membrane coat complex essential for endosome-to-Golgi retrograde transport in yeast. 142:665.

**Sedat, J.W.** *See* Fung, Marshall, Dernburg, Agard, and Sedat.

— *See* Straight, Sedat, and Murray.

**Sedgewick, G.** *See* Setiadi, Sedgewick, Erlandsen, and McEver.

**Segal, M., Clarke, D.J., and Reed, S.I.** Clb5-associated kinase activity is required early in the spindle pathway for correct preanaphase nuclear positioning in *Saccharomyces cerevisiae.* 143:135.

**Segawa, A.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.

**Seghezzi, G., Patel, S., Ren, C.J., Gualandris, A., Pintucci, G., Robbins, E.S., Shapiro, R.L., Galloway, A.C., Rifkin, D.B., and Mignatti, P.** Fibroblast growth factor-2 (FGF-2) induces vascular endothelial growth factor (VEGF) expression in the endothelial cells of forming capillaries: An autocrine mechanism contributing to angiogenesis. 141:1659.

**Segil, M.** *See* Piperno, Siuda, Henderson, Segil, Vaananen, and Sassaroli.

**Seiter, S.** *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.

**Serini, G., Bochaton-Piallat, M.-L., Ropraz, P., Geinoz, A., Borsi, L., Zardi, L., and Gabbiani, G.** The fibronectin domain ED-A is crucial for myofibroblastic phenotype induction by transforming growth factor-β1. 142:873.

— *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.

**Setiadi, H., Sedgewick, G., Erlandsen, S.L., and McEver, R.P.** Interactions of the cytoplasmic domain of P-selectin with clathrin-coated pits enhance leukocyte adhesion under flow. 142:859.

**Sette, C., Bevilacqua, A., Geremia, R., and Rossi, P.** Involvement of phospholipase Cγ1 in mouse egg activation induced by a truncated form of the C-kit tyrosine kinase present in spermatozoa. 142:1063.

**Settegrana, C.** *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.

**Shah, A.** *See* Siddhanta, McIlroy, Shah, Zhang, and Backer.

**Shah, G.M.** *See* Huot, Houle, Rousseau, Deschesnes, Shah, and Landry.

**Shah, S., Tugendreich, S., and Forbes, D.** Major binding sites for the nuclear import receptor are the internal nucleoporin Nup153 and the adjacent nuclear filament protein Tpr. 141:31.

**Shanks, M.R.** *See* Ihrke, Martin, Shanks, Schrader, Schroer, and Hubbard.

**Shapiro, P.S., Vaisberg, E., Hunt, A.J., Tolwinski, N.S., Whalen, A.M., McIntosh, J.R., and Ahn, N.G.** Activation of the MKK/ERK pathway during somatic cell mitosis: Direct interactions of active ERK with kinetochores and regulation of the mitotic 3F3/2 phosphoantigen. 142:1533.

**Shapiro, R.L.** *See* Seghezzi, Patel, Ren, Gualandris, Pintucci, Robbins, Shapiro, Galloway, Rifkin, and Mignatti.

**Shapiro, V.S.** *See* Lowin-Kropf, Shapiro, and Weiss.

**Shattil, S.J.** *See* Hato, Pampori, and Shattil.

**Shaub, A.** *See* Zhong, Chrzanowska-Wodnicka, Brown, Shaub, Belkin, and Burridge.

**Shaw, J.M.** *See* Hermann, Thatcher, Mills, Hales, Fuller, Nunnari, and Shaw.

— *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.

**Shaw, L.M.** *See* O'Connor, Shaw, and Mercurio.

**Shaw, M.K.** *See* Tilney, Connelly, Vranich, Shaw, and Guild.

**Shaw, P.J.** *See* Abranches, Beven, Aragón-Alcaide, and Shaw.

**Shaw, S.K.** *See* Higgins, Mandlebrot, Shaw, Russell, Murphy, Chen, Nelson, Parker, and Brenner.

**Sheehan, C.** *See* St. Croix, Sheehan, Rak, Fløtenes, Slingerland, and Kerbel.

**Sheer, D.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.

**Shelanski, M.L.** *See* Park, Morris, Padmanabhan, Shelanski, Geller, and Greene.

**Sheng, M.** *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.

**Sherratt, M.J.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.

— *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.

**Shevchenko, A.** *See* Chen, Shevchenko, Mann, and Murray.

**Shi, G., Faúndez, V., Roos, J., Dell'Angelica, E.C., and Kelly, R.B.** Neuroendocrine synaptic vesicles are formed in vitro by both clathrin-dependent and clathrin-independent pathways. 143:947.

**Shi, W.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.

**Shibata, A., Wright, M.V., David, S., McKerracher, L., Braun, P.E., and Kater, S.B.** Unique responses of differentiating neuronal growth cones to inhibitory cues presented by oligodendrocytes. 142:191.

**Shiels, C.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.

**Shima, D.T., Cabrera-Poch, N., Pepperkok, R., and Warren, G.** An ordered inheritance strategy for the Golgi apparatus: Visualization of mitotic disassembly reveals a role for the mitotic spindle. 141:955. Correction. 141:1477.

**Shimanuki, M.** *See* Tange, Horio, Shimanuki, Ding, Hiraoka, and Niwa.
**Shimizu, N., Itoh, N., Utiyama, H., and Wahl, G.M.** Selective entrapment of extrachromosomally amplified DNA by nuclear budding and micronucleation during S phase. 140:1307.
**Shipman, M.** *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Shirai, Y., Kashiwagi, K., Yagi, K., Sakai, N., and Saito, N.** Distinct effects of fatty acids on translocation of γ- and ϵ-subspecies of protein kinase C. 143:511.
**Shore, G.C.** *See* Goping, Gross, Lavoie, Nguyen, Jemmerson, Roth, Korsmeyer, and Shore.
— *See* Lavoie, Nguyen, Marcellus, Branton, and Shore.
**Short, C.S.** *See* Love, Lin, Short, and Ostermann.
**Shtutman, M.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Shurland, D.-L.** *See* Smirnova, Shurland, Ryazantsev, and van der Bliek.
**Shuttleworth, C.A.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
— *See* Wess, Purslow, Sherratt, Ashworth, Shuttleworth, and Kielty.
**Sia, R.A.L.** *See* McMillan, Sia, and Lew.
**Siani, M.A.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Siddhanta, U., McIlroy, J., Shah, A., Zhang, Y., and Backer, J.M.** Distinct roles for the p110α and hVPS34 phosphatidylinositol 3′-kinases in vesicular trafficking, regulation of the actin cytoskeleton, and mitogenesis. 143:1647.
**Siegel, R.M., Martin, D.A., Zheng, L., Ng, S.Y., Bertin, J., Cohen, J., and Lenardo, M.J.** Death-effector filaments: Novel cytoplasmic structures that recruit caspases and trigger apoptosis. 141:1243.
**Siggia, E.D.** *See* Hirschberg, Miller, Ellenberg, Presley, Siggia, Phair, and Lippincott-Schwartz.
**Sigmund, T.** *See* Stulnig, Berger, Sigmund, Raederstorff, Stockinger, and Waldhäusl.
**Sigrist, K.S.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**Silberstein, S., Schlenstedt, G., Silver, P.A., and Gilmore, R.** A role for the DnaJ homologue Scj1p in protein folding in the yeast endoplasmic reticulum. 143:921.
**Silver, P.A.** *See* Silberstein, Schlenstedt, Silver, and Gilmore.
**Simcha, I., Shtutman, M., Salomon, D., Zhurinsky, J., Sadot, E., Geiger, B., and Ben-Ze'ev, A.** Differential nuclear translocation and transactivation potential of β-catenin and plakoglobin. 141:1433.
**Simmons, D.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Simons, K.** *See* Harder, Scheiffele, Verkade, and Simons.
— *See* Keller and Simons.
— *See* Lafont, Lecat, Verkade, and Simons.
— *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
**Singaraja, R.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**Siracusa, L.D.** *See* Kielty, Raghunath, Siracusa, Sherratt, Peters, Shuttleworth, and Jimenez.
**Sisodia, S.S.** *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
**Siuda, E.** *See* Piperno, Siuda, Henderson, Segil, Vaananen, and Sassaroli.
**Skach, W.R.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
**Skelton, T.P., Zeng, C., Nocks, A., and Stamenkovic, I.** Glycosylation provides both stimulatory and inhibitory effects on cell surface and soluble CD44 binding to hyaluronan. 140:431.
**Skiba, P.J.** *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
**Skovronsky, D.M., Doms, R.W., and Lee, V.M.-Y.** Detection of a novel intraneuronal pool of insoluble amyloid β protein that accumulates with time in culture. 141:1031.
**Slack, R.S., El-Bizri, H., Wong, J., Belliveau, D.J., and Miller, F.D.** A critical temporal requirement for the retinoblastoma protein family during neuronal determination. 140:1497.
**Slater, C.R.** *See* Wood and Slater.
**Slingerland, J.M.** *See* St. Croix, Sheehan, Rak, Flørenes, Slingerland, and Kerbel.
**Sloan-Lancaster, J., Presley, J., Ellenberg, J., Yamazaki, T., Lippincott-Schwartz, J., and Samelson, L.E.** ZAP-70 association with T cell receptor ζ (TCRζ): Fluorescence imaging of dynamic changes upon cellular stimulation. 143:613.
**Sluder, G.** *See* Hinchcliffe, Cassels, Rieder, and Sluder.
**Slunt, H.** *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
**Small, J.V.** *See* Kaverina, Rottner, and Small.
**Smalla, K.-H.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Smirnova, E., Shurland, D.-L., Ryazantsev, S.N., and van der Bliek, A.M.** A human dynamin-related protein controls the distribution of mitochondria. 143:351.
**Smith, E.A., and Fuchs, E.** Defining the interactions between intermediate filaments and desmosomes. 141:1229.
**Smith, J.J.** *See* Titorenko, Smith, Szilard, and Rachubinski.
**Smith, L.T.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Smith, P.R.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Smith, S.J.** *See* Adams, Chen, Smith, and Nelson.
**Snapp, K.R., Craig, R., Herron, M., Nelson, R.D., Stoolman, L.M., and Kansas, G.S.** Dimerization of P-selectin glycoprotein ligand-1 (PSGL-1) required for optimal recognition of P-selectin. 142: 263.
**Snell, W.J.** *See* Kurvari, Grishin, and Snell.
**Snijders, P.J.F.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Snyder, M.** *See* Erdman, Lin, Malczynski, and Snyder.
**Snyder, S.H.** *See* Walensky, Gascard, Fields, Blackshaw, Conboy, Mohandas, and Snyder.
**Soe, T.T.** *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
**Soede, R.D.M., Wijnands, Y.M., Van Kouteren-Cobzaru, I., and Roos, E.** ZAP-70 tyrosine kinase is required for LFA-1–dependent T cell migration. 142:1371.
**Soetikno, R.M.** *See* Ku, Michie, Soetikno, Resurreccion, Broome, and Omary.
**Sohn, K.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
**Sokoloff, A.** *See* Markovic, Pulyaeva, Sokoloff, and Chernomordik.
**Söling, H.-D.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
**Soll, J.** *See* May and Soll.
**Sommarin, Y.** *See* Wendel, Sommarin, and Heinegård.
**Sonderegger, P.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Sondermann, H.** *See* Obermann, Sondermann, Russo, Pavletich, and Hartl.
**Song, H.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
**Song, J.** *See* Cole, Ellenberg, Song, DiEuliis, and Lippincott-Schwartz.
**Songyang, Z.** *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
**Sonnenberg, A.** *See* Gimond, Baudoin, van der Neut, Kramer, Calafat, and Sonnenberg.
— *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Sönnichsen, B., Lowe, M., Levine, T., Jämsä, E., Dirac-Svejstrup, B., and Warren, G.** A role for giantin in docking COPI vesicles to Golgi membranes. 140:1013.
**Soriano, J.V.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Sorimachi, H.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Sottile, J.** *See* Hocking, Sottile, and McKeown-Longo.
**Souès, S.** *See* Wigge, Jensen, Holmes, Souès, Mann, and Kilmartin.
**Southwood, C.M.** *See* Gow, Southwood, and Lazzarini.
**Soyke, A.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Spagnoli, F.M., Amicone, L., Tripodi, M., and Weiss, M.C.** Identification of a bipotential precursor cell in hepatic cell lines derived from transgenic mice expressing cyto-met in the liver. 143:1101.
**Spang, A., and Schekman, R.** Reconstitution of retrograde transport from the Golgi to the ER in vitro. 143:589.
**Sparks, C.A.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Späth, G.F., and Weiss, M.C.** Hepatocyte nuclear factor 4 provokes expression of epithelial marker genes, acting as a morphogen in dedifferentiated hepatoma cells. 140:935.
**Spector, D.L.** *See* Huang, Deerinck, Ellisman, and Spector.
— *See* Misteli, Cáceres, Clement, Krainer, Wilkinson, and Spector.
**Spiegel, S.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Spira, M.E.** *See* Ziv and Spira.

**Spirig, M.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Spitzer, E.** *See* Niemann, Brinkmann, Spitzer, Hartmann, Sachs, Naundorf, and Birchmeier.
**Spitzer, N.C.** *See* Ferrari, Ribbeck, Hagler, and Spitzer.
**Spooncer, E.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Springer, T.A.** *See* Clark, Fuhlbrigge, and Springer.
**Stack, M.S.** *See* Goldfinger, Stack, and Jones.
**Stahl, P.D.** *See* 'DSouza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
**Stamenkovic, I.** *See* Skelton, Zeng, Nocks, and Stamenkovic.
**Stamer, K.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
**Stanley, C.M.** *See* Du, Stoops, Mertz, Stanley, and Dixon.
**Starr, D.A., Williams, B.C., Hays, T.S., and Goldberg, M.L.** ZW10 helps recruit dynactin and dynein to the kinetochore. 142:763.
**St. Croix, B., Sheehan, C., Rak, J.W., Florenes, V.A., Slingerland, J.M., and Kerbel, R.S.** E-Cadherin–dependent growth suppression is mediated by the cyclin-dependent kinase inhibitor $p27^{KIP1}$. 142:557.
**Stearns, T.** *See* Murphy, Urbani, and Stearns.
**Steegmaier, M.** *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
**Steenbergen, R.D.M.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**Steever, A.B.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
**Stein, P.L.** *See* Calautti, Cabodi, Stein, Hatzfeld, Kedersha, and Dotto.
**Steiner, D.F.** *See* Bass, Chiu, Argon, and Steiner.
**Steinlein, P.** *See* Wessely, Deiner, Lim, Mellitzer, Steinlein, and Beug.
**Stelzer, E.H.K.** *See* Storrie, White, Röttger, Stelzer, Suganuma, and Nilsson.
**Stenmark, H.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Sterling, H., Saginario, C., and Vignery, A.** CD44 occupancy prevents macrophage multinucleation. 143:837.
**Stevens, R.C., and Davis, T.N.** Mlc1p is a light chain for the unconventional myosin Myo2p in *Saccharomyces cerevisiae*. 711.
**Stevens, T.H.** *See* Bryant, Piper, Weisman, and Stevens.
— *See* Graham, Hill, and Stevens.
— *See* Voos and Stevens.
**Stevenson, B.R.** *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
**Stewart, M.** *See* Roberts, Salmon, and Stewart.
**Stewart, M.P., McDowall, A., and Hogg, N.** LFA-1–mediated adhesion is regulated by cytoskeletal restraint and by a $Ca^{2+}$-dependent protease, calpain. 140:699.
**Stier, G.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Stierhof, Y.-D.** *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
**Stockinger, H.** *See* Stulnig, Berger, Sigmund, Raederstorff, Stockinger, and Waldhäusl.
**Stone, N.L.** *See* Mills, Stone, Erhardt, and Pittman.
**Stoolman, L.M.** *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
**Stoops, J.D.** *See* Du, Stoops, Mertz, Stanley, and Dixon.
**Stoppacciaro, A.** *See* Martin-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Storrie, B., White, J., Röttger, S., Stelzer, E.H.K., Suganuma, T., and Nilsson, T.** Recycling of Golgi-resident glycosyltransferases through the ER reveals a novel pathway and provides an explanation for nocodazole-induced Golgi scattering. 143:1505.
**Story, C.M.** *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
**Straight, A.F., Sedat, J.W., and Murray, A.W.** Time-lapse microscopy reveals unique roles for kinesins during anaphase in budding yeast. 143:687.
**Straub, V.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Strömblad, S.** *See* Eliceiri, Klemke, Strömblad, and Cheresh.
**Strumpf, D., and Volk, T.** Kakapo, a novel cytoskeletal-associated protein is essential for the restricted localization of the neuregulin-like factor, Vein, at the muscle–tendon junction site. 143:1259.
**Strutt, H.** *See* Buchenau, Hodgson, Strutt, and Arndt-Jovin.
**Stühmer, W.** *See* Pardo, Brüggemann, Camacho, and Stühmer.
**Stulnig, T.M., Berger, M., Sigmund, T., Raederstorff, D., Stockinger, H., and Waldhäusl, W.** Polyunsaturated fatty acids inhibit T cell signal transduction by modification of detergent-insoluble membrane domains. 143:637.
**Stumm, M.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Su, T.T., and O'Farrell, P.H.** Chromosome association of minichromosome maintenance proteins in *Drosophila* endoreplication cycles. 140:451.
**Subramani, S.** *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
— *See* Sakai, Koller, Rangell, Keller, and Subramani.
**Sudlow, G.** *See* Li, Sudlow, and Belmont.
**Suganuma, T.** *See* Storrie, White, Röttger, Stelzer, Suganuma, and Nilsson.
**Sugden, P.H.** *See* Clerk, Michael, and Sugden.
**Sugiyama, T.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Sugiyama, Y.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Sullivan, D.M.** *See* Roth, Sullivan, and Davis.
**Sullivan, D.S., Biggins, S., and Rose, M.D.** The yeast centrin, Cdc31p, and the interacting protein kinase, Kic1p, are required for cell integrity. 143:751.
**Sullivan, W.** *See* de Saint Phalle and Sullivan.
**Sun, L.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
**Sun, X., Alzhanova-Ericsson, A.T., Visa, N., Aissouni, Y., Zhao, J., and Daneholt, B.** The hrp23 protein in the Balbiani ring pre-mRNP particles is released just before or at the binding of the particles to the nuclear pore complex. 142:1181.
**Sundarababu, S.** *See* David, Sundarababu, and Gerst.
**Sung, C.-H.** *See* Chuang and Sung.
**Sunkel, C.E.** *See* Machado, Sunkel, and Andrew.
**Suter, D.M., Errante, L.D., Belotserkovsky, V., and Forscher, P.** The Ig superfamily cell adhesion molecule, apCAM, mediates growth cone steering by substrate–cytoskeletal coupling. 141:227.
**Suter, S.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
**Sutti, F.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Sutton, D.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Suzuki, A., Sugiyama, Y., Hayashi, Y., Nyu-i, N., Yoshida, M., Nonaka, I., Ishiura, S.-i., Arahata, K., and Ohno, S.** MKBP, a novel member of the small heat shock protein family, binds and activates the myotonic dystrophy protein kinase. 140:1113.
**Suzuki, K.** *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Svaren, J.** *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
**Swaminathan, R.** *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
**Symons, M.** *See* Clark, King, Brugge, Symons, and Hynes.
— *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Szabò, I.** *See* Lepple-Wienhues, Szabò, Laun, Kaba, Gulbins, and Lang.
**Szilard, R.K.** *See* Titorenko, Smith, Szilard, and Rachubinski.
**Sztul, E.** *See* Nelson, Alvarez, Gao, García-Mata, Fialkowski, and Sztul.

## T

**Tabak, H.F.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**Tabas, I.** *See* Zha, Pierini, Leopold, Skiba, Tabas, and Maxfield.
**Tabuse, Y.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Tahara, M.** *See* Coorssen, Blank, Tahara, and Zimmerberg.
**Takada, Y.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.
**Takahashi, N.** *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Takai, I.** *See* Naora, Takai, Adachi, and Naora.
**Takai, Y.** *See* Ohtsuka, Nakanishi, Ikeda, Satoh, Momose, Nishioka, and Takai.
**Takano, H.** *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
**Takeda, S.** *See* Hirokawa and Takeda.

**Takei, Y.** *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Takeichi, M.** *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
— *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Takemoto, S.** *See* Enomoto-Iwamoto, Iwamoto, Mukudai, Kawakami, Nohno, Higuchi, Takemoto, Ohuchi, Noji, and Kurisu.
**Tam, A., Nouvet, F.J., Fujimura-Kamada, K., Slunt, H., Sisodia, S.S., and Michaelis, S.** Dual roles for Ste24p in yeast a-factor maturation: $NH_2$-terminal proteolysis and COOH-terminal CAAX processing. 142:635.
**Tam, P.P.L.** *See* Leung, Ng, Ho, Tam, and Cheah.
**Tamai, Y.** *See* Izumi, Hirose, Tamai, Hirai, Nagashima, Fujimoto, Tabuse, Kemphues, and Ohno.
**Tamura, M.** *See* Gu, Tamura, and Yamada.
**Tan, S., Sagara, Y., Liu, Y., Maher, P., and Schubert, D.** The regulation of reactive oxygen species production during programmed cell death. 141:1423.
**Tanaka, K.** *See* Fry, Mayor, Meraldi, Stierhof, Tanaka, and Nigg.
— *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Tanaka, M.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Tanaka, Y.** *See* Harada, Takei, Kanai, Tanaka, Nonaka, and Hirokawa.
**Tang, K.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.
**Tang, M.-J., Worley, D., Sanicola, M., and Dressler, G.R.** The RET–Glial cell-derived neurotrophic factor (GDNF) pathway stimulates migration and chemoattraction of epithelial cells. 142: 1337.
**Tang, T.T.-L.** *See* Moore, Page, Tang, Kerrebrock, and Orr-Weaver.
**Tange, Y., Horio, T., Shimanuki, M., Ding, D.-Q., Hiraoka, Y., and Niwa, O.** A novel fission yeast gene, *tht1*$^+$, is required for the fusion of nuclear envelopes during karyogamy. 140:247.
**Tassin, A.-M., Celati, C., Moudjou, M., and Bornens, M.** Characterization of the human homologue of the yeast Spc98p and its association with γ-tubulin. 141:689.
**Tavares, A.M.** *See* Carmena, Riparbelli, Minestrini, Tavares, Adams, Callaini, and Glover.
**Taverna, D., Disatnik, M.-H., Rayburn, H., Bronson, R.T., Yang, J., Rando, T.A., and Hynes, R.O.** Dystrophic muscle in mice chimeric for expression of α5 integrin. 143:849.
**Taya, S., Yamamoto, T., Kano, K., Kawano, Y., Iwamatsu, A., Tsuchiya, T., Tanaka, K., Kanai-Azuma, M., Wood, S.A., Mattick, J.S., and Kaibuchi, K.** The Ras target AF-6 is a substrate of the Fam deubiquitinating enzyme. 142:1053.
**Taylor, S.S., Ha, E., and McKeon, F.** The human homologue of Bub3 is required for kinetochore localization of Bub1 and a Mad3/Bub1-related protein kinase. 142:1.
**Tedesco, F.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Teesalu, T.** *See* Guttinger, Sutti, Panigada, Porcellini, Merati, Mariani, Teesalu, Consalez, and Grassi.
**Tejedor, R.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Temme, A.** *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Tenhunen, A.** *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**ten Klooster, J.P.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**Tenza, D.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
— *See* Mallard, Antony, Tenza, Salamero, Goud, and Johannes.
**Terada, S.** *See* Nakata, Terada, and Hirokawa.
— *See* Yonekawa, Harada, Okada, Funakoshi, Kanai, Takei, Terada, Noda, and Hirokawa.
**Terlecky, L.J.** *See* Altschuler, Barbas, Terlecky, Tang, Hardy, Mostov, and Schmid.
**Teruel, M.N.** *See* Oancea, Teruel, Quest, and Meyer.
**Testa, J.R.** *See* Gonzalez, Kaya, Shi, Song, Testa, Penn, and Filmus.
**Thai, T.C.** *See* O'Grady, Thai, and Saito.
**Thangada, S.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Thatcher, J.W.** *See* Hermann, Thatcher, Mills. Hales, Fuller, Nunnari, and Shaw.
— *See* Otsuga, Keegan, Brisch, Thatcher, Hermann, Bleazard, and Shaw.
**Thierry-Mieg, D.** *See* Matthews, Carter, Thierry-Mieg, and Kemphues.
**Thomas, D.M.** *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
**Thomas, D.Y.** *See* Dominguez, Dejgaard, Füllekrug, Dahan, Fazel, Paccaud, Thomas, Bergeron, and Nilsson.
**Thomas, G.** *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
**Thomas, L.** *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
**Thompson, D.A.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Thormählen, M.** *See* Hoenger, Sack, Thormählen, Marx, Müller, Gross, and Mandelkow.
**Thornberry, N.A.** *See* Mancini, Nicholson, Roy, Thornberry, Peterson, Casciola-Rosen, and Rosen.
**Tiedge, H.** *See* Muslimov, Banker, Brosius, and Tiedge.
**Tilney, L.G., Connelly, P.S., Vranich, K.A., Shaw, M.K., and Guild, G.M.** Why are two different cross-linkers necessary for actin bundle formation in vivo and what does each cross-link contribute? 121.
**Ting-Beall, H.P.** *See* Gerald, Dai, Ting-Beall, and De Lozanne.
**Tint, I.S.** *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
**Tirnauer, J.S.** *See* Potter, Tirnauer, Janssen, Croall, Hughes, Fiacco, Mier, Maki, and Herman.
**Titorenko, V.I., Smith, J.J., Szilard, R.K., and Rachubinski, R.A.** Pex20p of the yeast *Yarrowia lipolytica* is required for the oligomerization of thiolase in the cytosol and for its targeting to the peroxisome. 142:403.
**Tögel, M., Wiche, G., and Propst, F.** Novel features of the light chain of microtubule-associated protein MAP1B: Microtubule stabilization, self interaction, actin filament binding, and regulation by the heavy chain. 143:695.
**Tolwinski, N.S.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
**Toma, J.G.** *See* Aloyz, Bamji, Pozniak, Toma, Atwal, Kaplan, and Miller.
**tom Dieck, S., Sanmartí-Vila, L., Langnaese, K., Richter, K., Kindler, S., Soyke, A., Wex, H., Smalla, K.-H., Kämpf, U., Fränzer, J.-T., Stumm, M., Garner, C.C., and Gundelfinger, E.D.** Bassoon, a novel zinc-finger CAG/Glutamine-repeat protein selectively localized at the active zone of presynaptic nerve terminals. 142: 499.
**Tomishige, M., Sako, Y., and Kusumi, A.** Regulation mechanism of the lateral diffusion of band 3 in erythrocyte membranes by the membrane skeleton. 142:989.
**Toné, S.** *See* Samejima, Toné, Kottke, Enari, Sakahira, Cooke, Durrieu, Martins, Nagata, Kaufmann, and Earnshaw.
**Tonks, N.K.** *See* Brady-Kalnay, Mourton, Nixon, Pietz, Kinch, Chen, Brackenbury, Rimm, Del Vecchio, and Tonks.
**Tooze, S.A.** *See* Urbé, Page, and Tooze.
**Torroja, L., Ortuño-Sahagún, D., Ferrús, A., Hämmerle, B., and Barbas, J.A.** *scully*, an essential gene of *Drosophila*, is homologous to mammalian mitochondrial type II Cl-3-hydroxyacyl-CoA dehydrogenase/amyloid-β peptide-binding protein. 141:1009.
**Tortorella, D., Story, C.M., Huppa, J.B., Wiertz, E.J.H.J., Jones, T.R., and Ploegh, H.L.** Dislocation of type I membrane proteins from the ER to the cytosol is sensitive to changes in redox potential. 142:365.
**Totsukawa, G.** *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
**Tran Van Nhieu, G.** *See* Duménil, Olivo, Pellegrini, Fellous, Sansonetti, and Tran Van Nhieu.
**Traub, O.** *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Trelles-Sticken, E.** *See* Jin, Trelles-Sticken, Scherthan, and Loidl.
**Triantafilou, K.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Trinczek, B.** *See* Ebneth, Godemann, Stamer, Illenberger, Trinczek, Mandelkow, and Mandelkow.
**Tripodi, M.** *See* Spagnoli, Amicone, Tripodi, and Weiss.
**Trombitás, K., Greaser, M., Labeit, S., Jin, J.-P., Kellermayer, M., Helmes, M., and Granzier, H.** Titin extensibility in situ: Entropic elasticity of permanently folded and permanently unfolded molecular segments. 140:853.
— *See* Gregorio, Trombitás, Centner, Kolmerer, Stier, Kunke, Suzuki, Obermayr, Herrmann, Granzier, Sorimachi, and Labeit.
**Trowbridge, I.S.** *See* Futter, Gibson, Allchin, Maxwell, Ruddock, Odorizzi, Domingo, Trowbridge, and Hopkins.
— *See* Gibson, Futter, Maxwell, Allchin, Shipman, Kraehenbuhl, Domingo, Odorizzi, Trowbridge, and Hopkins.
**Trowell, H.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.

**Troyanovsky, S.M.** *See* Chitaev and Troyanovsky.
**Truant, R.** *See* Herold, Truant, Wiegand, and Cullen.
**Truong, T.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Trusolino, L., Serini, G., Cecchini, G., Besati, C., Ambesi-Impiombato, F.S., Marchisio, P.C., and De Filippi, R.** Growth factor–dependent activation of αvβ3 integrin in normal epithelial cells: Implications for tumor invasion. 142:1145.
**Tsuchiya, T.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Tsuda, H.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Tsukita, S.** *See* Furuse, Fujita, Hiiragi, Fujimoto, and Tsukita.
— *See* Furuse, Sasaki, Fujimoto, and Tsukita.
**Tsukita, Sa.** *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Tsukita, Sh.** *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
— *See* Saitou, Fujimoto, Doi, Itoh, Fujimoto, Furuse, Takano, Noda, and Tsukita.
— *See* Sako, Nagafuchi, Tsukita, Takeichi, and Kusumi.
— *See* Yonemura, Hirao, Doi, Takahashi, Kondo, Tsukita, and Tsukita.
**Tu, P.-H.** *See* Elder, Friedrich, Bosco, Kang, Gourov, Tu, Lee, and Lazzarini.
— *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Tugendreich, S.** *See* Shah, Tugendreich, and Forbes.
**Tuma, M.C., Zill, A., Le Bot, N., Vernos, I., and Gelfand, V.** Heterotrimeric kinesin II is the microtubule motor protein responsible for pigment dispersion in *Xenopus* melanophores. 143:1547.
**Tung, V.W.-Y.** *See* Kong, Tung, Aghajanian, and Xu.
**Turner, F.R.** *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
**Tuvia, S., Levin, S., Bitler, A., and Korenstein, R.** Mechanical fluctuations of the membrane–skeleton are dependent on F-actin ATPase in human erythrocytes. 141:1551.

U

**Uchida, N.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Uchiyama, Y.** *See* Kawahara, Ohsawa, Matsumura, Uchiyama, and Nagata.
**Uehata, M.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Uemura, T.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Uhler, J.** *See* Prokop, Uhler, Roote, and Bate.
**Ulloa, F.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Ungermann, C., Nichols, B.J., Pelham, H.R.B., and Wickner, W.** A v-t-SNARE complex, the predominant form in vivo and on isolated vacuoles, is disassembled and activated for docking and fusion. 140:61.
**Urbani, L.** *See* Murphy, Urbani, and Stearns.
**Urbé, S., Page, L.J., and Tooze, S.A.** Homotypic fusion of immature secretory granules during maturation in a cell-free assay. 143: 1831.
**Ursa, M.A.** *See* Yáñez-Mó, Alfranca, Cabañas, Marazuela, Tejedor, Ursa, Ashman, de Landázuri, and Sánchez-Madrid.
**Usui, M.** *See* Lampe, Nguyen, Gil, Usui, Olerud, Takada, and Carter.
**Utiyama, H.** *See* Shimizu, Itoh, Utiyama, and Wahl.
**Uzbekov, R.** *See* Cubizolles, Legagneux, Le Guellec, Chartrain, Uzbekov, Ford, and Le Guellec.

V

**Vaananen, H.** *See* Piperno, Siuda, Henderson, Segil, Vaananen, and Sassaroli.
**Väänänen, K.** *See* Rahkila, Luukela, Väänänen, and Metsikkö.
**Vaisberg, E.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
**Vale, R.D.** *See* Prahlad, Yoon, Moir, Vale, and Goldman.
— *See* Romberg, Pierce, and Vale.
**Vallee, R.B.** *See* Ahmad, Echeverri, Vallee, and Baas.
**Van Brocklyn, J.R., Lee, M.-J., Menzeleev, R., Olivera, A., Edsall, L., Cuvillier, O., Thomas, D.M., Coopman, P.J.P., Thangada, S., Liu, C.H., Hla, T., and Spiegel, S.** Dual actions of sphingosine-1-phosphate: Extracellular through the $G_i$-coupled receptor Edg-1 and intracellular to regulate proliferation and survival. 142:229.
**van Delft, S.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**van den Berg, M.** *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
**van der Bliek, A.M.** *See* Smirnova, Shurland, Ryazantsev, and van der Bliek.
**van der Goot, F.G.** *See* Abrami, Fivaz, Glauser, Parton, and van der Goot.
**van der Kammen, R.A.** *See* Sander, van Delft, ten Klooster, Reid, van der Kammen, Michiels, and Collard.
**van der Meulen, J.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**van der Neut, R.** *See* Gimond, Baudoin, van der Neut, Kramer, Calafat, and Sonnenberg.
**van Deurs, B.** *See* Llorente, Rapak, Schmid, van Deurs, and Sandvig.
— *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
**van Deutekom, J.C.T.** *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
**van Donselaar, E.** *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
**Vandromme, M.** *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
**Vanhaesebroeck, B.** *See* Decoster, Cornelis, Vanhaesebroeck, and Fiers.
**van IJzendoorn, S.C.D., and Hoekstra, D.** (Glyco)sphingolipids are sorted in sub-apical compartments in HepG2 cells: A role for non-Golgi–related intracellular sites in the polarized distribution of (glyco)sphingolipids. 142:683.
**van Keymeulen, A.** *See* Depoortere, van Keymeulen, Lukas, Costagliola, Bartkova, Dumont, Bartek, Roger, and Dremier.
**Van Kouteren-Cobzaru, I.** *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
**van Leusden, M.R.** *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
**VanRheenen, S.M., Cao, X., Lupashin, V.V., Barlowe, C., and Waters, M.G.** Sec35p, a novel peripheral membrane protein, is required for ER to Golgi vesicle docking. 141:1107.
**van Roy, F.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Várnai, P., and Balla, T.** Visualization of phosphoinositides that bind pleckstrin homology domains: Calcium- and agonist-induced dynamic changes and relationship to Myo-[$^3$H]inositol-labeled phosphoinositide pools. 143:501.
**Vashishtha, M., Phalen, T., Marquardt, M.T., Ryu, J.S., Ng, A.C., and Kielian, M.** A single point mutation controls the cholesterol dependence of Semliki Forest virus entry and exit. 140:91.
**Vasioukhin, V.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
**Vassort, G.** *See* Pucéat, Roche, and Vassort.
**Vaudan, G.** *See* Irminger-Finger, Soriano, Vaudan, Montesano, and Sappino.
**Vecile, E.** *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
**Venzke, D.P.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Verheggen, C., Le Panse, S., Almouzni, G., and Hernandez-Verdun, D.** Presence of pre-rRNAs before activation of polymerase I transcription in the building process of nucleoli during early development of *Xenopus laevis*. 1167.
**Verhey, K.J., Lizotte, D.L., Abramson, T., Barenboim, L., Schnapp, B.J., and Rapoport, T.A.** Light chain–dependent regulation of kinesins' interaction with microtubules. 143:1053.
**Verkade, P.** *See* Harder, Scheiffele, Verkade, and Simons.
— *See* Lafont, Lecat, Verkade, and Simons.
— *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
**Verkman, A.S.** *See* Partikian, Ölveczky, Swaminathan, Li, and Verkman.
**Vermeulen, S.** *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
**Vernos, I.** *See* Le Bot, Antony, White, Karsenti, and Vernos.
— *See* Tuma, Zill, Le Bot, Vernos, and Gelfand.
— *See* Wittmann, Boleti, Antony, Karsenti, and Vernos.

**Verreault, A.** *See* Martini, Roche, Marheineke, Verreault, and Almouzni.
**Vestweber, D.** *See* Moll, Dejana, and Vestweber.
**Viatchenko-Karpinski, S.** *See* Kolossov, Fleischmann, Liu, Bloch, Viatchenko-Karpinski, Manzke, Ji, Bohlen, Addicks, and Hescheler.
**Vidair, C.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Vierula, M.** *See* Korpelainen, Karkkainen, Tenhunen, Lakso, Rauvala, Vierula, Parvinen, and Alitalo.
**Vignery, A.** *See* Sterling, Saginario, and Vignery.
**VijayRaghavan, K.** *See* Roy and VijayRaghavan.
**Vilhardt, F.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Villa, A.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Villa-Moruzzi, E.** *See* Andreassen, Lacroix, Villa-Moruzzi, and Margolis.
**Vincent, J.-P.** *See* White, Aberle, and Vincent.
**Virta, H.** *See* Scheiffele, Verkade, Fra, Virta, Simons, and Ikonen.
**Visa, N.** *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
**Vogt, A.B.** *See* Faigle, Raposo, Tenza, Pinet, Vogt, Kropshofer, Fischer, de Saint-Basile, and Amigorena.
**Vogt, L.** *See* Kunz, Spirig, Ginsburg, Buchstaller, Berger, Lanz, Rader, Vogt, Kunz, and Sonderegger.
**Vojtov, N.** *See* Boldogh, Vojtov, Karmon, and Pon.
**Volk, T.** *See* Strumpf and Volk.
**Volkmer, H., Zacharias, U., Nörenberg, U., and Rathjen, F.G.** Dissection of complex molecular interactions of neurofascin with axonin-1, F11, and tenascin-R, which promote attachment and neurite formation of tectal cells. 142:1083.
**Vollenweider, F., Kappeler, F., Itin, C., and Hauri, H.-P.** Mistargeting of the lectin ERGIC-53 to the endoplasmic reticulum of HeLa cells impairs the secretion of a lysosomal enzyme. 142:377.
**Voos, W., and Stevens, T.H.** Retrieval of resident late-Golgi membrane proteins from the prevacuolar compartment of *Saccharomyces cerevisiae* is dependent on the function of Grcd19p. 140: 577.
**Vorum, H.** *See* Nykjær, Christensen, Vorum, Hager, Petersen, Røigaard, Min, Vilhardt, Møller, Kornfeld, and Gliemann.
**Vranich, K.A.** *See* Tilney, Connelly, Vranich, Shaw, and Guild.
**Vu, L.** *See* Oakes, Aris, Brockenbrough, Wai, Vu, and Nomura.
**Vuori, K.** *See* Klemke, Leng, Molander, Brooks, Vuori, and Cheresh.

## W

**Wacker, U.I.** *See* Dujardin, Wacker, Moreau, Schroer, Rickard, and De Mey.
**Wagenbach, M.** *See* Maney, Hunter, Wagenbach, and Wordeman.
**Wagner, D.D.** *See* Hartwell, Mayadas, Berger, Frenette, Rayburn, Hynes, and Wagner.
**Wahl, G.M.** *See* Shimizu, Itoh, Utiyama, and Wahl.
**Wai, H.** *See* Oakes, Aris, Brockenbrough, Wai, Vu, and Nomura.
**Waldhäusl, W.** *See* Stulnig, Berger, Sigmund, Raederstorff, Stockinger, and Waldhäusl.
**Waldo, K.** *See* Huang, Cooper, Waldo, Kirby, Gilula, and Lo.
**Walensky, L.D., Gascard, P., Fields, M.E., Blackshaw, S., Conboy, J.G., Mohandas, N., and Snyder, S.H.** The 13-kD FK506 binding protein, FKBP13, interacts with a novel homologue of the erythrocyte membrane cytoskeletal protein 4.1. 141:143.
**Walter, P.** *See* Ogg, Barz, and Walter.
**Walther, Z.** *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
**Wandinger-Ness, A.** *See* Press, Feng, Hoflack, and Wandinger-Ness.
**Wang, G.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
**Wang, H.-Y., Lin, W., Dyck, J.A., Yeakley, J.M., Songyang, Z., Cantley, L.C., and Fu, X.-D.** SRPK2: A differentially expressed SR protein-specific kinase involved in mediating the interaction and localization of pre-mRNA splicing factors in mammalian cells. 140:737.
**Wang, S.X.** *See* Kumagai, Guo, Emami, Wang, and Dunphy.
**Wang, X.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Wang, Y.-l.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
**Wang, Y.-X., Catlett, N.L., and Weisman, L.S.** Vac8p, a vacuolar protein with armadillo repeats, functions in both vacuole inheritance and protein targeting from the cytoplasm to vacuole. 140: 1063.
**Wanninger, F.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
**Ward, C.L.** *See* Johnston, Ward, and Kopito.
**Ward, R.E., IV, Lamb, R.S., and Fehon, R.G.** A conserved functional domain of *Drosophila* coracle is required for localization at the septate junction and has membrane-organizing activity. 140: 1463.
**Wark, G.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**Warren, G.** *See* Shima, Cabrera-Poch, Pepperkok, and Warren.
— *See* Sönnichsen, Lowe, Levine, Jämsä, Dirac-Svejstrup, and Warren.
**Wary, K.K.** *See* Pozzi, Wary, Giancotti, and Gardner.
**Watabe-Uchida, M., Uchida, N., Imamura, Y., Nagafuchi, A., Fujimoto, K., Uemura, T., Vermeulen, S., van Roy, F., Adamson, E.D., and Takeichi, M.** α-Catenin-vinculin interaction functions to organize the apical junctional complex in epithelial cells. 142:847.
**Watanabe, N.** *See* Hirose, Ishizaki, Watanabe, Uehata, Kranenburg, Moolenaar, Matsumura, Maekawa, Bito, and Narumiya.
**Waters, J.C., Chen, R.-H., Murray, A.W., and Salmon, E.D.** Localization of Mad2 to kinetochores depends on microtubule attachment, not tension. 141:1181.
**Waters, M.G.** *See* VanRheenen, Cao, Lupashin, Barlowe, and Waters.
**Weber, M.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
**Weber, M.J.** *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Webster, P.** *See* Karsten, Qi, Beckers, Reddy, Dubremetz, Webster, and Joiner.
**Weerasinghe, D., McHugh, K.P., Ross, F.P., Brown, E.J., Gisler, R.H., and Imhof, B.A.** A role for the αvβ3 integrin in the transmigration of monocytes. 142:595.
**Wehland, J.** *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
**Wei, M.L., Bonzelius, F., Scully, R.M., Kelly, R.B., and Herman, G.A.** GLUT4 and transferrin receptor are differentially sorted along the endocytic pathway in CHO cells. 140:565
**Wei, Q.** *See* Wu, Bowers, Rao, Wei, and Hammer.
**Weidman, P.** *See* Happe and Weidman.
**Weimbs, T.** *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Weinberg, R.J.** *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
**Weiner, J.** *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
**Weinstein, D.E.** *See* Gondré, Burrola, and Weinstein.
**Weinstein, J.** *See* Kallio, Weinstein, Daum, Burke, and Gorbsky.
**Weis, K.** *See* Jenkins, McEntee, Weis, and Greene.
**Weisman, L.S.** *See* Bryant, Piper, Weisman, and Stevens.
— *See* Gary, Wurmser, Bonangelino, Weisman, and Emr.
— *See* Wang, Catlett, and Weisman.
**Weiss, A.** *See* Lowin-Kropf, Shapiro, and Weiss.
**Weiss, E.E., Kroemker, M., Rüdiger, A.-H., Jockusch, B.M., and Rüdiger, M.** Vinculin is part of the cadherin–catenin junctional complex: Complex formation between α-catenin and vinculin. 141:755.
**Weiss, M.C.** *See* Spagnoli, Amicone, Tripodi, and Weiss.
— *See* Späth and Weiss.
**Weissman, J.** *See* Aridor, Weissman, Bannykh, Nuoffer, and Balch.
**Welch, M.D.** *See* Schafer, Welch, Machesky, Bridgman, Meyer, and Cooper.
**Wellington, C.L.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.
**Wells, R.G.** *See* Gilboa, Wells, Lodish, and Henis.
**Welsh, M.J.** *See* Adams, Anderson, Motto, Price, Johnson, and Welsh.
**Wendel, M., Sommarin, Y., and Heinegård, D.** Bone matrix proteins: Isolation and characterization of a novel cell-binding keratan sulfate proteoglycan (osteoadherin) from bovine bone. 141:839.
**Wendland, B., and Emr, S.D.** Pan1p, yeast eps15, functions as a multivalent adaptor that coordinates protein–protein interactions essential for endocytosis. 141:71.
**Wendling, C.** *See* Masson, Lefebvre, Noël, Fahime, Chenard, Wendling, Kebers, LeMeur, Dierich, Foidart, Basset, and Rio.
**Wenzel, T.** *See* Elgersma, Elgersma-Hooisma, Wenzel, McCaffery, Farquhar, and Subramani.
**Wess, T.J., Purslow, P.P., Sherratt, M.J., Ashworth, J., Shuttleworth, C.A., and Kielty, C.M.** Calcium determines the supramolecular organization of fibrillin-rich microfibrils. 141:829.

**Wessely, O., Deiner, E.-M., Lim, K.C., Mellitzer, G., Steinlein, P., and Beug, H.** Mammalian granulocyte–macrophage colony-stimulating factor receptor expressed in primary avian hematopoietic progenitors: Lineage-specific regulation of proliferation and differentiation. 141:1041.
**Westphal, M.** *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Wex, H.** *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
**Weyand, I.** *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
**Whalen, A.M.** *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
**Wheatley, S.** *See* Bähler, Steever, Wheatley, Wang, Pringle, Gould, and McCollum.
**Wheeler, T.** *See* Malliri, Symons, Hennigan, Hurlstone, Lamb, Wheeler, and Ozanne.
**Whetton, A.D.** *See* Pierce, Heyworth, Nicholls, Spooncer, Dexter, Lord, Owen-Lynch, Wark, and Whetton.
**White, E.** *See* Perez and White.
**White, J.** *See* Le Bot, Antony, White, Karsenti, and Vernos.
— *See* Storrie, White, Röttger, Stelzer, Suganuma, and Nilsson.
**White, J.M.** *See* Qiao, Pelletier, Hoffman, Hacker, Armstrong, and White.
**White, P., Aberle, H., and Vincent, J.-P.** Signaling and adhesion activities of mammalian β-catenin and plakoglobin in *Drosophila.* 140:183.
**White, T.W., Goodenough, D.A., and Paul, D.L.** Targeted ablation of connexin50 in mice results in microphthalmia and zonular pulverulent cataracts. 143:815.
**Whiteheart, S.W.** *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Wiche, G.** *See* Rezniczek, de Pereda, Reipert, and Wiche.
— *See* Tögel, Wiche, and Propst.
**Wickner, W.** *See* Ungermann, Nichols, Pelham, and Wickner.
**Wiegand, H.** *See* Herold, Truant, Wiegand, and Cullen.
**Wieland, F.T.** *See* Majoul, Sohn, Wieland, Pepperkok, Pizza, Hillemann, and Söling.
— *See* Passreiter, Anton, Lay, Frank, Harter, Wieland, Gorgas, and Just.
**Wierda, A.** *See* Bartles, Zheng, Li, Wierda, and Chen.
**Wiertz, E.J.H.J.** *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
**Wiesner, B., Weiner, J., Middendorff, R., Hagen, V., Kaupp, U.B., and Weyand, I.** Cyclic nucleotide-gated channels on the flagellum control $Ca^{2+}$ entry into sperm. 142:473.
**Wiesner, J.** *See* Wünsch, Sanchez, Gekle, Große-Wortmann, Wiesner, and Lanzer.
**Wigge, P.A., Jensen, O.N., Holmes, S., Souès, S., Mann, M., and Kilmartin, J.V.** Analysis of the *Saccharomyces* spindle pole by matrix-assisted laser desorption/ionization (MALDI) mass spectrometry. 141:967.
**Wijnands, Y.M.** *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
**Wiley, H.S., Woolf, M.F., Opresko, L.K., Burke, P.M., Will, B., Morgan, J.R., and Lauffenburger, D.A.** Removal of the membrane-anchoring domain of epidermal growth factor leads to intracrine signaling and disruption of mammary epithelial cell organization. 143:1317.
**Wilkerson, C.G.** *See* Pazour, Wilkerson, and Witman.
**Wilkes, G.** *See* Aragane, Kulms, Metze, Wilkes, Pöppelmann, Luger, and Schwarz.
**Wilkinson, M.F.** *See* Misteli, Cáceres, Clement, Krainer, Wilkinson, and Spector.
**Will, B.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Willecke, K.** *See* Chanson, Fanjul, Bosco, Nelles, Suter, Willecke, and Meda.
— *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Williams, B.C.** *See* Starr, Williams, Hays, and Goldberg.
**Williams, L.** *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
**Williamson, J.** *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
**Williamson, R.** *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
**Williamson, T.L.** *See* Rao, Houseweart, Williamson, Crawford, Folmer, and Cleveland.
**Wilson, K.M.** *See* Cherry, Wilson, Triantafilou, O'Toole, Morrison, Smith, and Fernández.
**Wimer-Mackin, S.** *See* Wolf, Jobling, Wimer-Mackin, Ferguson-Maltzman, Madara, Holmes, and Lencer.
**Wimmer, C.** *See* Low, Chapin, Wimmer, Whiteheart, Kömüves, Mostov, and Weimbs.
**Winey, M.** *See* Chial, Rout, Giddings, and Winey.
**Winkler, K.** *See* Kuznetsov, Mayboroda, Kunz, Winkler, Schubert, and Kunz.
**Winterhager, E.** *See* Gabriel, Jung, Bützler, Temme, Traub, Winterhager, and Willecke.
**Witkin, J.W.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.
**Witman, G.B.** *See* Pazour, Wilkerson, and Witman.
**Wittchen, E.S.** *See* Haskins, Gu, Wittchen, Hibbard, and Stevenson.
**Wittmann, T., Boleti, H., Antony, C., Karsenti, E., and Vernos, I.** Localization of the kinesin-like protein Xklp2 to spindle poles requires a leucine zipper, a microtubule-associated protein, and dynein. 143:673.
**Wolburg, H.** *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
**Wolburg, K.** *See* Esser, Wolburg, Wolburg, Breier, Kurzchalia, and Risau.
**Wolf, A.A., Jobling, M.G., Wimer-Mackin, S., Ferguson-Maltzman, M., Madara, J.L., Holmes, R.K., and Lencer, W.I.** Ganglioside structure dictates signal transduction by cholera toxin and association with caveolae-like membrane domains in polarized epithelia. 141:917.
**Wolfraim, L.A.** *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
**Wollmann, R.L.** *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
**Wong, J.** *See* Slack, El-Bizri, Wong, Belliveau, and Miller.
**Wong, M.H., Rubinfeld, B., and Gordon, J.I.** Effects of forced expression of an $NH_2$-terminal truncated β-catenin on mouse intestinal epithelial homeostasis. 141:765.
**Wong, M.L.** *See* Frazier, Wong, Longtine, Pringle, Mann, Mitchison, and Field.
**Wood, S.A.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Wood, S.J., and Slater, C.R.** β-Spectrin is colocalized with both voltage-gated sodium channels and $ankyrin_G$ at the adult rat neuromuscular junction. 140:675.
**Woods, A.** *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Woods, D.F.** *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
**Woolf, M.F.** *See* Wiley, Woolf, Opresko, Burke, Will, Morgan, and Lauffenburger.
**Wordeman, L.** *See* Maney, Hunter, Wagenbach, and Wordeman.
**Worley, D.** *See* Tang, Worley, Sanicola, and Dressler.
**Wozniak, R.W.** *See* Marelli, Aitchison, and Wozniak.
**Wreford, N.G.** *See* Hudson, Fowler, Earle, Saffery, Kalitsis, Trowell, Hill, Wreford, de Kretser, Cancilla, Howman, Hii, Cutts, Irvine, and Choo.
**Wright, M.V.** *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
**Wu, J.** *See* Matunis, Wu, and Blobel.
**Wu, L., Osmani, S.A., and Mirabito, P.M.** A role for NIMA in the nuclear localization of cyclin B in *Aspergillus nidulans.* 141:1575.
— *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
— *See* Peracino, Borleis, Jin, Westphal, Schwartz, Wu, Bracco, Gerisch, Devreotes, and Bozzaro.
**Wu, S.** *See* Huttenlocher, Lakonishok, Kinder, Wu, Truong, Knudsen, and Horwitz.
**Wu, X., Bowers, B., Rao, K., Wei, Q., and Hammer, J.A., III.** Visualization of melanosome dynamics within wild-type and dilute melanocytes suggests a paradigm for myosin V function in vivo. 143:1899.
**—, Mogford, J.E., Platts, S.H., Davis, G.E., Meininger, G.A., and Davis, M.J.** Modulation of calcium current in arteriolar smooth muscle by $\alpha_v\beta_3$ and $\alpha_5\beta_1$ integrin ligands. 143:241.
**Wünsch, S., Sanchez, C.P., Gekle, M., Große-Wortmann, L., Wiesner, J., and Lanzer, M.** Differential stimulation of the $Na^+/H^+$ exchanger determines chloroquine uptake in *Plasmodium falciparum.* 140:335.
**Wurmser, A.E.** *See* Gary, Wurmser, Bonangelino, Weisman, and Emr.

X

**Xu, E.Y.** *See* Li, Xu, Cecil, Turner, Megraw, and Kaufman.
**Xu, J., Zutter, M.M., Santoro, S.A., and Clark, R.A.F.** A three-dimensional collagen lattice activates NF-κB in human fibroblasts: Role in integrin $\alpha_2$ gene expression and tissue remodeling. 140:709.
**Xu, X.-Z.S., Choudhury, A., Li, X., and Montell, C.** Coordination of an array of signaling proteins through homo- and heteromeric interactions between PDZ domains and target proteins. 142:545.
**Xu, Z.** *See* Kong, Tung, Aghajanian, and Xu.

Y

**Yagi, K.** *See* Shirai, Kashiwagi, Yagi, Sakai, and Saito.
**Yamada, K.M.** *See* Gu, Tamura, and Yamada.
**Yamada, T.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Yamada, Y.** *See* Honda, Yamada, Endo, Ino, Gotoh, Tsuda, Yamada, Chiba, and Hirohashi.
**Yamakita, Y.** *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
**Yamamoto, R.** *See* Kutzleb, Sanders, Yamamoto, Wang, Lichte, Petrasch-Parwez, and Kilimann.
**Yamamoto, T.** *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
**Yamamoto-Hino, M., Miyawaki, A., Segawa, A., Adachi, E., Yamashina, S., Fujimoto, T., Sugiyama, T., Furuichi, T., Hasegawa, M., and Mikoshiba, K.** Apical vesicles bearing inositol 1,4,5-trisphosphate receptors in the $Ca^{2+}$ initiation site of ductal epithelium of submandibular gland. 141:135.
**Yamashina, S.** *See* Yamamoto-Hino, Miyawaki, Segawa, Adachi, Yamashina, Fujimoto, Sugiyama, Furuichi, Hasegawa, and Mikoshiba.
**Yamashiro, S.** *See* Matsumura, Ono, Yamakita, Totsukawa, and Yamashiro.
**Yamate, T.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
**Yamazaki, T.** *See* Sloan-Lancaster, Presley, Ellenberg, Yamazaki, Lippincott-Schwartz, and Samelson.
**Yáñez-Mó, M., Alfranca, A., Cabañas, C., Marazuela, M., Tejedor, R., Ursa, M.A., Ashman, L.K., de Landázuri, M.O., and Sánchez-Madrid, F.** Regulation of endothelial cell motility by complexes of tetraspan molecules CD81/TAPA-1 and CD151/PETA-3 with α3β1 integrin localized at endothelial lateral junctions. 141:791.
**Yang, C.** *See* D'Souza-Schorey, van Donselaar, Hsu, Yang, Stahl, and Peters.
— *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
**Yang, F.-C.** *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
**Yang, H.** *See* Lu, Yang, Lenox, and Raizada.
**Yang, J., Drazba, J.A., Ferguson, D.G., and Bond, M.** A-kinase anchoring protein 100 (AKAP100) is localized in multiple subcellular compartments in the adult rat heart. 142:511.
— *See* Taverna, Disatnik, Rayburn, Bronson, Yang, Rando, and Hynes.
**Yang, X.** *See* Purdue, Yang, and Lazarow.
**Yang, Y.** *See* Isaac, Yang, and Meier.
**Yang, Z.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Yap, A.S., Niessen, C.M., and Gumbiner, B.M.** The juxtamembrane region of the cadherin cytoplasmic tail supports lateral clustering, adhesive strengthening, and interaction with $p120^{ctn}$. 141:779.
**Yasui, Y., Amano, M., Nagata, K.-i., Inagaki, N., Nakamura, H., Saya, H., Kaibuchi, K., and Inagaki, M.** Roles of Rho-associated kinase in cytokinesis; mutations in Rho-associated kinase phosphorylation sites impair cytokinetic segregation of glial filaments. 143: 1249.
**Yates, J.R., III** *See* Carroll, Altman, Schieltz, Yates, and Kellogg.
**Yeakley, J.M.** *See* Wang, Lin, Dyck, Yeakley, Songyang, Cantley, and Fu.
**Yeh, E.** *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
**Yen, M.** *See* Hutton, Paladini, Yu, Yen, Coulombe, and Fuchs.
**Yen, T.J.** *See* Chan, Schaar, and Yen.
— *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
**Yin, H.** *See* Chen, Yin, and Huffaker.
**Yin, M.** *See* Gallicano, Kouklis, Bauer, Yin, Vasioukhin, Degenstein, and Fuchs.
**Ying, Y.-S.** *See* Kamal, Ying, and Anderson.
— *See* Mineo, Ying, Chapline, Jaken, and Anderson.
**Yohn, C.B., Cohen, A., Rosch, C., Kuchka, M.R., and Mayfield, S.P.** Translation of the chloroplast *psbA* mRNA requires the nuclear-encoded poly(A)-binding protein, RB47. 142:435.
**Yokoyama, N.** *See* Nakamura, Masuda, Horii, Kuma, Yokoyama, Ohba, Nishitani, Miyata, Tanaka, and Nishimoto.
**Yoneda, T.** *See* Mbalaviele, Nishimura, Myoi, Niewolna, Reddy, Chen, Feng, Roodman, Mundy, and Yoneda.
**Yonekawa, Y., Harada, A., Okada, Y., Funakoshi, T., Kanai, Y., Takei, Y., Terada, S., Noda, T., and Hirokawa, N.** Defect in synaptic vesicle precursor transport and neuronal cell death in KIF1A motor protein–deficient mice. 141:431.
**Yonemura, S., Hirao, M., Doi, Y., Takahashi, N., Kondo, T., Tsukita, Sa., and Tsukita, Sh.** Ezrin/radixin/moesin (ERM) proteins bind to a positively charged amino acid cluster in the juxta-membrane cytoplasmic domain of CD44, CD43, and ICAM-2. 140:885.
— *See* Matsui, Maeda, Doi, Yonemura, Amano, Kaibuchi, Tsukita, and Tsukita.
**Yoon, M., Moir, R.D., Prahlad, V., and Goldman, R.D.** Motile properties of vimentin intermediate filament networks in living cells. 143:147.
— *See* Prahlad, Yoon, Moir, Vale, and Goldman.
**Yoon, Y., Pitts, K.R., Dahan, S., and McNiven, M.A.** A novel dynamin-like protein associates with cytoplasmic vesicles and tubules of the endoplasmic reticulum in mammalian cells. 140:779.
**Yoshida, M.** *See* Suzuki, Sugiyama, Hayashi, Nyu-i, Yoshida, Nonaka, Ishiura, Arahata, and Ohno.
**Young, A.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Youngman, K.R.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Yu, Q.-C.** *See* Hutton, Paladini, Yu, Yen, Coulombe, and Fuchs.
**Yuan, L., Pelttari, J., Brundell, E., Björkroth, B., Zhao, J., Liu, J.-G., Brismar, H., Daneholt, B., and Höög, C.** The synaptonemal complex protein SCP3 can form multistranded, cross-striated fibers in vivo. 142:331.
**Yuste, M.** *See* Jiménez, Cid, Cenamor, Yuste, Molero, Nombela, and Sánchez.

Z

**Zacchi, P., Stenmark, H., Parton, R.G., Orioli, D., Lim, F., Giner, A., Mellman, I., Zerial, M., and Murphy, C.** Rab17 regulates membrane trafficking through apical recycling endosomes in polarized epithelial cells. 140:1039.
**Zacharias, U.** *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
**Zaidi, M.** *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
**Zakharenko, S., and Popov, S.** Dynamics of axonal microtubules regulate the topology of new membrane insertion into the growing neurites. 143:1077.
**Zanolari, B.** *See* Hicke, Zanolari, and Riezman.
**Zardi, L.** *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
**Zatloukal, K.** *See* Magin, Schröder, Leitgeb, Wanninger, Zatloukal, Grund, and Melton.
**Zecevic, M., Catling, A.D., Eblen, S.T., Renzi, L., Hittle, J.C., Yen, T.J., Gorbsky, G.J., and Weber, M.J.** Active MAP kinase in mitosis: Localization at kinetochores and association with the motor protein CENP-E. 142:1547.
**Zeng, C.** *See* Skelton, Zeng, Nocks, and Stamenkovic.
**Zerges, W., and Rochaix, J.-D.** Low density membranes are associated with RNA-binding proteins and thylakoids in the chloroplast of *Chlamydomonas reinhardtii*. 140:101.
**Zerial, M.** *See* Zacchi, Stenmark, Parton, Orioli, Lim, Giner, Mellman, Zerial, and Murphy.
**Zha, X., Pierini, L.M., Leopold, P.L., Skiba, P.J., Tabas, I., and Maxfield, F.R.** Sphingomyelinase treatment induces ATP-independent endocytosis. 140:39.
**Zhang, B.** *See* Elder, Friedrich, Kang, Bosco, Gourov, Tu, Zhang, Lee, and Lazzarini.
**Zhang, Q.** *See* Sakai, Zhang, Fässler, and Mosher.
**Zhang, Q.-J.** *See* Gabathuler, Alimonti, Zhang, Kolaitis, Reid, and Jefferies.
**Zhang, T.** *See* Hackam, Singaraja, Wellington, Metzler, McCutcheon, Zhang, Kalchman, and Hayden.

**Zhang, X., and Bennett, V.** Restriction of $^{480}/_{270}$-kD ankyrin$_G$ to axon proximal segments requires multiple ankyrin$_G$-specific domains. 142:1571.
**Zhang, Y.** *See* Jiang, Mak, Devidas, Schwiebert, Bragin, Zhang, Skach, Guggino, Foskett, and Engelhardt.
— *See* Siddhanta, McIlroy, Shah, Zhang, and Backer.
**Zhang, Z.** *See* Matter, Zhang, Nordstedt, and Ruoslahti.
**Zhao, J.** *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
— *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
**Zhao, J.-H., Reiske, H., and Guan, J.-L.** Regulation of the cell cycle by focal adhesion kinase. 143:1997.
**Zheng, L.** *See* Bartles, Zheng, Li, Wierda, and Chen.
— *See* Siegel, Martin, Zheng, Ng, Bertin, Cohen, and Lenardo.
**Zheng, Y.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
— *See* Martin, Gunawardane, Iwamatsu, and Zheng.
— *See* Moritz, Zheng, Alberts, and Oegema.
**Zhong, C., Chrzanowska-Wodnicka, M., Brown, J., Shaub, A., Belkin, A.M., and Burridge, K.** Rho-mediated contractility exposes a cryptic site in fibronectin and induces fibronectin matrix assembly. 141:539.
**Zhou, D., Lambert, S., Malen, P.L., Carpenter, S., Boland, L.M., and Bennett, V.** Ankyrin$_G$ is required for clustering of voltage-gated Na channels at axon initial segments and for normal action potential firing. 143:1295.
— *See* Scotland, Zhou, Benveniste, and Bennett.
**Zhou, L.** *See* Foote, Zhou, Zhu, and Nicholson.
**Zhu, Q., Lindenbaum, M., Levavasseur, F., Jacomy, H., and Julien, J.-P.** Disruption of the NF-H gene increases axonal microtubule content and velocity of neurofilament transport: Relief of axonopathy resulting from the toxin β,β′-iminodipropionitrile. 143:183.
**Zhu, X.** *See* Foote, Zhou, Zhu, and Nicholson.
**Zhu, Y.-H.** *See* Kyriakides, Zhu, Smith, Bain, Yang, Lin, Danielson, Iozzo, LaMarca, McKinney, Ginns, and Bornstein.
**Zhurinsky, J.** *See* Simcha, Shtutman, Salomon, Zhurinsky, Sadot, Geiger, and Ben-Ze'ev.
**Zicha, D.** *See* Allen, Zicha, Ridley, and Jones.
— *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
**Zigmond, S.H., Joyce, M., Yang, C., Brown, K., Huang, M., and Pring, M.** Mechanism of Cdc42-induced actin polymerization in neutrophil extracts. 142:1001.
**Zill, A.** *See* Tuma, Zill, Le Bot, Vernos, and Gelfand.
**Zimmerberg, J.** *See* Chernomordik, Frolov, Leikina, Bronk, and Zimmerberg.
— *See* Coorssen, Blank, Tahara, and Zimmerberg.
**Zimmerman, W.** *See* Dictenberg, Zimmerman, Sparks, Young, Vidair, Zheng, Carrington, Fay, and Doxsey.
**Zinn, K.** *See* Gindhart, Desai, Beushausen, Zinn, and Goldstein.
**Ziv, N.E., and Spira, M.E.** Induction of growth cone formation by transient and localized increases of intracellular proteolytic activity. 140:223.
**Zlotnik, A.** *See* Campbell, Bowman, Murphy, Youngman, Siani, Thompson, Wu, Zlotnik, and Butcher.
**Zöller, M.** *See* Claas, Seiter, Claas, Savelyeva, Schwab, and Zöller.
**Zondag, G.C.M.** *See* Postma, Hengeveld, Alblas, Giepmans, Zondag, Jalink, and Moolenaar.
**Zurzolo, C.** *See* Lipardi, Mora, Colomer, Paladino, Nitsch, Rodriguez-Boulan, and Zurzolo.
**Zutter, M.M.** *See* Xu, Zutter, Santoro, and Clark.
**Zweibaum, A.** *See* Huet, Hennebicq-Reig, de Bolos, Ulloa, Lesuffleur, Barbat, Carrière, Kim, Real, Delannoy, and Zweibaum.
**Zweyer, M.** *See* Baldini, Baldini, Wang, Weber, Zweyer, Bareggi, Witkin, and Martelli.

# SUBJECT INDEX VOLUMES 140–143


14-3-3, in caffeine-sensitive checkpoint pathway, 142:1559
*Acanthamoeba castellani*, myosin-IB isolated from, 141:155
Acetylcholine receptor
  agrin–neuregulin interaction mediates expression of, 141:715
  α7β1 integrin and clustering of, 143:1067
  tyrosine phosphatase cluster dispersal/formation of, 141:1613
Acinar cells, coupling of inversely related to amylase secretion, recruitment of, 141:1267
Actin
  filamentous, assembly to ring structure involved in cytokinesis, 140:355
  linkage to cadherin mediated by protein tyrosine phosphatase 1B, 143:523
  organization dependent on Myo5p, 141:1357
  reduced dynamics in vivo, rapid filament turnover, filament stabilization, 142:1289
  *Shigella*-induced polymerization of, 143:1003
  twinfillin forms molar complex with, 142:723
  two different cross-linkers in filament–bundle connection, 143:121
Actin assembly
  visualization and molecular analysis of, 143:1919
  in *Xenopus* egg extracts, 140:1125
Actin cables
  and E-cadherin in cell–cell adhesion dynamics, 142:1105
  tropomyosin essential for stability of, polarize secretion in yeast, 143:1931
Actin cytoskeleton
  assembly/function of, relationship between cables and patches, 142:1501
  and cell motility/invasion, 143:1087
  formation of preassembled complexes associated with, 140:1211
  interaction with Fus1, 141:1217
  interaction with mitochondria in budding yeast, 141:1371
  interaptin as link between membrane compartments and, 142:735
  link to microtubule cytoskeleton, 140:897
  mediation of Cdc42p effects on, 142:443
  monitored by morphogenesis checkpoint, 142:1487
  novel proteins control rearrangement of, 141:187
  phosphatidylinositol 3′-kinases and regulation of, 143:1647
  regulated by actinin-4, 140:1383
  regulated by calcium and protein kinase C, dynamics in synaptic terminal, 143:1661
  regulation during phagocytosis, 141:1529
  SCAR and organization of, WASP/WASP-related proteins and organization of, 142:1325
Actin filaments
  barbed ends and Cdc-induced actin polymerization, 142:1001
  Cyk1p and recruitment of, 140:355
  decorated with inactive myosin-IB, 141:155
  MAP1B light chain domains for binding of, 143:695
  spectrin recruited to, 142:485
Actin polymerization, induced by Cdc42, and actin filament barbed ends, 142:1001
Actin remodeling, during cell spreading, regulated by calpain, 141:647
Actin ring, imp2 involved in organization of, 143:415
Actin stress fibers, ARF1 potentiates formation of, 143:1981
Actin-binding protein
  filament-stabilizing functions of, 142:1289
  280, interaction of tissue factor cytoplasmic domain with, 140:1241
  nexilin as, 143:1227
Actin-binding sites, in small espin, 143:107
Actin-cytoskeleton organization, Pan1p and, 141:71
α-Actinin, binding sites in titin, 143:1013
Actinin-4, regulates actin cytoskeleton, increases cell motility, and metastatic potential of human cancers, 140:1383
Action potential firing, of Purkinje cells, $ankyrin_G$ and, 143:1295
Activator protein-1, required for activation of Rho-like GTPases, and cell motility, and cell invasion, 143:1087
Actomyosin, Rho-kinase essential for regulation of, 143:1249
Actomyosin contractile ring, not essential for yeast cytokinesis, 142:1301
Actomyosin ring, Cyk2 regulates dynamics of, 143:1947
γ-Adaptin, endosomal clathrin-coated buds contain, 141:611
Adaptor-3 complex, recruitment to membranes, regulated by ADP-ribosylation factor-1, 142:391
Adaptor protein-1, mannose 6–phosphate colocalizes with, 141:359
Adaxonal cytoplasm, diffusion between perinuclear cytoplasm and, 142:1095
Adducin, as in vivo substrate for protein kinase C, phosphorylation of, and reorganization of cytoskeletal structures, and recruitment of spectrin to actin filaments, 142:485
Adenomatous polyposis coli, unaffected by β-cadherin mutant (ΔN89β-catenin), 141:765
Adherens junction (cell–matrix), nexilin localized to, 143:1227
Adhesion
  CD44 and, 143:837
  and cytoskeletal organization, Rho family GTPases and, 142:573
  integrin-mediated, role of protein tyrosine phosphatase 1B in, 143:861
  mediated by lymphocyte function–associated antigen, 140:699
  regulated by E-cadherin membrane–proximal region, 142:1605
Adhesive interaction, reciprocal role of ankyrin binding in, 142:251
Adipocytes
  bone morphogenetic protein receptor in speciation/differentiation of, 142:295
  insulin-regulated signaling in, 140:1211
A-domain, from integrin CR3, two functional states of, 143:1523
ADP-ribosylation factor, involvement in peroxisome biogenesis, 141:373
ADP-ribosylation factor-1, regulates adaptor-3 complex membrane association, influences coat assembly, 142:391
ADP-ribosylation factor 6, localization to intracellular compartment in pericentriolar region, targets recycling vesicles to plasma membrane, 140:603
Adrenergic agonists, activate p38-MAPK pathway, 142:523
Adrenocorticotropin, Rab3D and secretion of, 140:305
Aerolysin, interaction with GPI-anchored protein, effects on mammalian cells, 140:525
*Aeromonas hydrophila*, pore-forming toxin produced by, 140:525
AF-6, as substrate for Fam, function at cell–cell adhesions, ubiquitinated in intact cells, forms complex with Fam, Fam prevents ubiquitination of, 142:1053
a-Factor, dual roles of Ste24p in maturation of, single role of Rce1p in maturation of, 142:635
a-Factor receptor, yeast, ubiquitination/endocytosis/vacuolar degradation of, 142:949
Affinity modulation, complements receptor clustering in $\alpha_{IIb}\beta_3$, 141:1685
Aggregation
  E-cadherin membrane–proximal region and, 142:1605
  polyglutamine-mediated, nuclear environment promotes, 143:1457
Aggresomes, intracellular formation of, as response to protein misfolding, 143:1883
Agrin
  interaction with neuregulin mediates acetylcholine receptor expression, 141:715
  and neuromuscular junction formation, 143:1067
AIR-2 (Aurora/Ipl1-related protein kinase), required for cytokinesis, required for polar body extrusion, 143:1635
AKAP100 (A-kinase anchoring protein 100), expression/localization in the heart, colocalization with protein kinase A type II regulatory subunit, 142:511
Alphavirus, apoptosis induced by, 141:1479
Alternate splicing, modulates neurofascin activities, 142:1083
Alternative splicing, confers distinct association properties on α-dystrobrevins, 142:1269
Alzheimer's Disease
  overexpression of tau protein in, gradual degeneration of neurons in, 143:777
  pathogenesis of amyloid β deposition in, 141:1031

Amylase, enhanced secretion in connexin32-deficient mice, secretion of inversely related to acinar cell coupling, 141:1267
Amyloid β protein (insoluble), accumulation in neurons, 141:1031
Amyloid-beta peptide, α5β1 integrin mediates elimination of, 141:1019
Anaphase
in absence of centrosomes, 141:1383
individual roles for kinesins during, 143:687
kinetochore microtubule attachment and, 141:1181
mitotic centromere–associated kinesin essential for, 142:787
p55CDC involved in regulating onset of, 141:1393
premature induction of, 141:1193
Anaphase A, poleward microtubule flux predominates during (in *Xenopus* extracts), kinetochore mechanism predominates during (in vertebrate cells), two distinct mechanisms of, 141:703
Anaphase chromosomes
cohesion protein MEI-S332 delocalizes from, 140:1003
movement, in *Xenopus* extracts vs. vertebrate somatic cells, 141:703
Angiogenesis
fibroblast growth factor-2 and vascular endothelial growth factor in, autocrine mechanism contributing to, 141:1659
sustained MAP kinase activity during, 140:1255
Angiotensin II, regulation of neuromodulation induced by, 142:217
Anion channels (swelling-induced), $p56^{lck}$ and activation of, 141:281
Ankyrin, recruitment to cell contact sites, and stabilization of adhesive interaction, amino acid sequence required for binding of, 142:251
$Ankyrin_B$, role in nervous system, interaction with cell adhesion molecule L1, 143:1305
$Ankyrin_G$
and clustering of voltage-gated sodium channels, and action potential firing of Purkinje cells, 143:1295
β-spectrin colocalizes with, 140:675
targeting to axon-proximal segments, 142:1571
Annexin VI, and spectrin loss during coated pit budding, 142:937
Annexin XIIIb, association with lipid domains, participates in apical delivery, localization of, 142:1413
Anti-coilin antibody, promotes disappearance of coiled bodies, 142:899
Antigenic peptides, transporter-dependent secretion of, 140:17
Antigen-presenting cells, T cell polarization induced by, 140:861
AP-2, interacts with Eps15 for receptor-mediated endocytosis, 140:1055
AP-3 pathway, Vam3p transported through, 142:913
apCAM, regulates growth cone motility, cross-linking promotes neuronal growth/reorientation, association with retrograde F-actin flow, nucleation of F-actin assembly, 141:227
Apical cell surface, annexin XIIIb localized to, 142:1413
Apical delivery, annexin XIIIb participates in, 142:1413
Apical glycoproteins, intracellular transport blocked by GalNAc-α-*O*-benzyl, 141:1311
Apical junctional complex, role of αE-catenin–vinculin interaction in assembly of, 142:847
Apical membrane proteins, cholesterol and sorting of, 140:1357
Apical plasma membrane
distribution of 5′ nucleotidase in, 142:69
rhodospin targeted to, 142:1245
vesicle fusion with, 141:1503
Apical plasma membrane proteins, basolateral–apical transcytosis in WIF-B hepatocytes, 141:115
Apical polarity, of extracellular matrix metalloproteinase inducer, of neural cell adhesion molecule, 142:697
Apical recycling endosome, rab17 regulates traffic through, 140:1039
Apical sorting, and detergent-insoluble membrane domains, signal in transmembrane domain, 142:51
Apical sorting signal, in cytoplasmic tail of rhodospin as, in Madin-Darby canine kidney cells, 142:1245
Apical surface, transcytosis of membrane proteins to, 142:153
Apical transport
role of caveolin-1 homooligomers in, 140:795
SNARE machinery involved in, 141:1503
Apical vesicles, in $Ca^{2+}$ initiation site, 141:135
Apical–basolateral trafficking, non-Golgi–related compartment in, 142:683
Apolipoprotein B-100, two regions exposed to cytosol, transmembrane orientation in ER membrane, 141:585
Apoptosis
and Bax-induced cytochrome C release from mitochondria, 143:217
caspase-dependent, via Fas-associated protein with death domain, 143:1353
caused by γ-sarcoglycan deficiency, 142:1279
and cytochrome c, 142:1583
Fas-mediated, inhibited by E1B 19K, multimerization of FADD as novel mechanism for, 141:1255
induced by E4orf4, p53-independent, 140:637
induced by glypican-3, 141:1407
inhibited by Bcl-2, 142:537
α5β1 integrin protects against, 141:1019
in α5-integrin–deficient muscle fibers, 143:849
neuronal, cyclin-dependent kinases and, 143:457
neuronal, p53 and, 143:1691
nuclear, downstream of caspases, 143:225
of oligodendrocytes, 140:925
p75 neurotrophin receptor and, 140:911
and plasma transglutaminase, 142:1135
reactive oxygen species production during, 141:1423
regulated by NF-κB activity, 141:1479
regulated by p53 in absence of focal adhesion kinase, 143:547
ribosomal protein S3a and, 141:741
SAPK2/p38-dependent membrane blebbing during, 143:1361
suppressed by sphingosine-1-phosphate, 142:229
and translocation of BAX to mitochondria, 143:207
triggered by death-effector filaments, 141:1243
of unorganized endothelial cells, 143:1341
UV-induced by direct activation of CD95, 140:171
Apoptotic blebbing, regulated by myosin phosphorylation, role of Rho signaling in, 140:627
Apoptotic signaling, caspase-3 and, 140:1485
Apoptotic stress, mutant huntingtin results in increased susceptibility to, 141:1097
ARF and Golgi transport, 140:511
ARF1, mediates paxillin recruitment to focal adhesions, 143:1981
Arp2/3 complex, and regulation of actin assembly, visualization of, 143:1919
Arterioles, vasoactive effects of integrin ligands on, 143:241
*Ascaris* sperm, lamellipodial motility in, 140:367
ASIP, association with atypical protein kinase C in tight junctions, and epithelial cell polarity, 143:95
*Aspergillus nidulans*
novel requirement for nuclear migration in, 143:1239
nuclear localization of cyclin B in, 141:1575
Assembly, of chromatin, linked to DNA repair, 143:563
*asterless*, and aster formation during male meiosis, and centrosome assembly, spindle self-organization and cytokinesis in mutants, normal central spindles in mutants, 142:751
Ataxia, hereditary, study of ataxin-3 in, aggregate formation in, 143:1457
ATP production (mitochondrial), and $Ca^{2+}$ release dynamics, 142:1235
ATP release, cystic fibrosis transmembrane conductance regulator–associated, controlled by chloride sensor, 143:645
ATPase activity, complete Hsp90 protein required for, 143:901
AtT-20 cells, impaired adrenocorticotropin secretion in, 140:305
Atypical protein kinase C, and epithelial cell polarity, association with ASIP in tight junctions, 143:95
Autocrine signaling, converted to intracrine signaling, 143:1317
Axon initial segments, clustering of $ankyrin_G$ and neurofascin at, 143:1295
Axonal caliber, and lack of neurofilament heavy subunit, 143:183
Axonal growth cone, response to oligodendrocytes and myelin-associated glycoprotein during differentiation, 142:191
Axonal microtubules, and new membrane insertion into growing neurites, 143:1077
Axonal outgrowth, neurofascin and, 142:1083
Axonal plasma membrane, $ankyrin_G$ restricted to, 142:1571
Axonal transport
KIF1A-mediated, 141:431
kinesin light chains essential for, 141:443
Axonin-1
interaction between neurofascin and, and neurite growth of tectal cells, 142:1083
interaction with axonin-1, and neurite fasciculation interaction with NgCAM, 143:1673
Axonin-1–NgCAM complex, neurite fasciculation mediated by, 143:1673
Axonopathy (induced by β,β′-iminodipropionitrile), neurofilament heavy protein as mediator of, 143:183
Axons
large diameter, heavy neurofilament subunit and development of, 143:195
living, synaptic vesicle proteins in, plasma membrane proteins in, *trans*-Golgi network residual proteins in, 140:659

microtubule transport into, 140:391
premyelinated, ankyrin$_B$–L1 interaction in, 143:1305
size regulated by mid-sized neurofilament subunit, 141:727
Axoplasm, role of neurofilament heavy subunit in structuring of, 143:171
Ax12p, transport depends on Erv14p, 142:1209
1B5 cell line, lacking skeletal isoform of ryanodine receptor, 140:843
Baby hamster kidney cells, effects of aerolysin on, 140:525
Baculovirus gp64, fusogenic activity depends on stable trimers, 143:1155
Balbiani ring ribonucleoprotein particles, new protein component in, 142:1181
Band 3, hop diffusion of, 142:989
Barbed ends of actin filaments, Cdc42-induced actin polymerization and, 142:1001
*Bard1*, repressed in mammary epithelial cells, correlation with *Brca1*, 143:1329
Basal bodies, novel protein in linker between cytoplasmic microtubules and, 140:1149
Basal lamina, laminin α5 present in, and embryogenesis, 143:1713
Basolateral signal recognition, suppressed by retinal pigment epithelium, 142:697
Basolateral surface, membrane proteins transported to, 142:153
Basolateral vesicles, arise from clathrin-γ-adaptin–coated domains, 141:611
Bassoon, as novel presynaptic cytoskeleton component, colocalizes with synaptophysin and Piccolo, in axon terminals of hippocampal neurons, and cytomatrix organization, 142:499
BAX, targeting to mitochondria, 143:207
Bax, triggers release of cytochrome C from mitochondria, 143:217
BC1 RNA, activity-dependent regulation of, 141:1601
Bcl-2, and myogenesis, inhibits apoptosis, promotes clonal expansion of muscle cells, 142:537
Biogenesis, peroxisomal, of Pex7p and PTS2 targeting, 143:1859
Blebbing
apoptotic, regulated by myosin phosphorylation, role of Rho signaling in, 140:627
SAPK2/p38-mediated, dissociated from caspase activation and DNA fragmentation, 143:1361
Blood vessels, cell–cell interactions during development of, 141:805
Bone formation, heparin-binding growth-associated molecule/N-syndecan interaction in, 143:1113
Bone matrix protein, novel cell-binding (osteoadherin, 141:839
Bone morphogenetic protein, signaling essential in chondrocytes, 140:409
Bone morphogenetic protein receptors, in osteoblast and adipocyte speciation/differentiation, 142:295
Brain cells, α5β1 integrin regulates survival of, 141:1019
Brain neurons, regulation of neuromodulation in, 142:217
Brain-derived neurotrophic factor, and developmental neuron death, 143:1691
*Brca1*, correlation with *Bard1*, 143:1329
Breast cancer, *Bard1* and *Brca1* as tumor suppressors, 143:1329
Bristles (*Drosophila*), two cross-linker species for bristle development in, 143:121
BRUCE (BIR repeat–containing ubiquitin-conjugating enzyme), association with Golgi compartment, association with vesicular system, features baculovirus inhibitor of apoptosis repeat motif, 141:1415
Brush border membrane glycoproteins, α2-3 sialylation involved in apical targeting of, 141:1311
Brush border microvilli, small espin in, 143:107
Brush border myosin-I, vs. structure of myosin-IB, 141:155
Bub1
essential for spindle checkpoint and normal mitosis, 143:1775 recruitment to centromeres, 143:1775
kinetochore localization of, 142:1
Bub3, and kinetochore localization of Bub1, 142:1
Budding
Cdc31p and Kic1p in, 143:751
promoted by Iqgp1, 142:443
Budding yeast, cytokinesis in, 140:355
Bullous pemphigoid antigen 180, and hemidesmosome formation, direct interaction with β4 integrin, 142:271
$Ca^{2+}$
heterogeneity of in endoplasmic reticulum, role in nonmuscle cell signaling and function, 142:1395
homeostasis in agonist-sensitive internal store, release altered by mitochondrial ATP production, explosive signals generated by mitochondria, 142:1235
intracellular, regulates actin cytoskeleton during phagocytosis, 141:1529
level in endoplasmic reticulum, lack of clear threshold, low rate of inactivation, 140:325
and muscle dysfunction in troponin T mutants, 143:1201
and nucleotide-gated channels, entry into sperm, 142:473
$Ca^{2+}$ channels, ryanodine receptors and function of, 140:843
$Ca^{2+}$ initiation site, apical vesicles in, 141:135
$Ca^{2+}$ sensing, attenuated by interleukin-6, and osteoblastic bone resorption, 142:1347
$Ca^{2+}$ sensitivity, of fusion, SNARE complex and, 143:1845
$Ca^{2+}$ signaling, spatiotemporal pattern of, and $IP_3$ receptor distribution, 141:135
$Ca^{2+}$ waves, differential properties displayed by SERCA2 isoforms, 142:963
CAAX processing, human Ste24p and, 142:635
Cables, morphology and dynamics of, relationship between patches and, 142:1501
Cadherin
inhibits transcriptional activity of β-catenin, 141:1433
juxtamembrane region of cytoplasmic tail, p120$^{ctn}$ involved in clustering of, 141:779
protein tyrosine phosphatase 1B modulates function of, linkage to actin, 143:523
Cadherin-6, in osteoclast precursors, in osteoblast/stromal cells, role in osteoclastogenesis, 141:1467
Cadherin receptors, synergy between integrin receptors and, 141:515
Cadherin–catenin complex
association between PTPμ and, 141:287
vinculin as part of, 141:755
Cadherins
compete for junctional localization, function depends on other cadherins expressed, 140:1475
desmosomal, and cell–cell adhesion, 143:2009
PTPμ associates with, reversible tyrosine phosphorylation and regulation of, 141:287
*Caenorhabditis elegans*
AIR-2 required for polar body extrusion and cytokinesis in, 143:1635
catenin–cadherin system in, 141:297
ciliary assembly in sensory neurons of, 141:993
β-filagenin coassembles with myosin and paramyosin in, 140:347
mutation of troponin T-1 gene in, 143:1201
regulation of cell size in, regulation of ribosome synthesis in *ncl-1*, represses ribosome synthesis and cell growth, 140:1321
*Unc-45* mutations in, assembly of myosin isoforms in, 143:1215
ZYG-9 as component of spindle poles of, 141:1159
Caffeine, disrupts Xchk1 function, and checkpoint response to unreplicated DNA, 142:1559
Calcium
focal release from sarcoplasmic reticular stores, uptake by mitochondria, 142:975
organizes fibrillin-rich microfibrils, 141:829
regulates actin cytoskeleton, 143:1661
and regulation of polysialic acid synthesis, 140:1177
required for adhesive E-cadherin complex formation, 142:837
Calcium current, modulation in arteriolar smooth muscle, 143:241
Calcium homeostasis
CALNUC plays key role in, 141:1515
and PDMP, 142:25
Calcium release units, assembly in skeletal muscle, 140:831
Calcium signaling cascade, essential for myosin thick filament assembly, 141:1349
Calmodulin, association with INAD signaling complex, 142:545
Calnexin
facilitates insulin receptor folding, 141:637
interaction with monoglucosylated oligosaccharides, 143:625
CALNUC, as Golgi resident protein, role in calcium homeostasis, 141:1515
Calpain
regulates cell spreading, and actin remodeling, 141:647
regulates lymphocyte function–associated antigen-1 adhesion, 140:699
Calpastatin, inhibits cell spreading, 141:647
Calreticulin
facilitates insulin receptor folding, 141:637
modulation of SERCA2 isoforms by, 142:963
cAMP, stimulates tyrosinase expression and melanogenesis, 142:827
Cancer, actinin-4 and metastatic potential of, 140:1383
Capping protein, and regulation of actin assembly, visualization of, 143:1919
Carboxypeptidase Y, degradation of, 142:1223
Carcinoma cells
growth inhibited by E-cadherin, 142:557
hepatocyte growth factor/scatter factor as autocrine factor for, 142:1145

α6β4 integrin stimulates chemotactic migration of, 143:1749
Cardiac development, gap junction communication and, 143:1725
Cardiac precursor cells, functional characteristics of, tissue-specific GFP expression in, 143:2045
Cardiomyocytes
focal sarcoplasmic reticular calcium release in, 142:975
functional characteristics of, tissue-specific GFP expression in, 143:2045
regulation of intracellular pH in, 141:1637
Cardiomyopathy (human), troponin T mutations and, 143:1201
Cartilage fibrils, decorin and collagen IX in, biochemical heterogeneity of, 142:285
CAS/Crk coupling, induces cell migration, contributes to tumor invasiveness, 140:961
CASK, interaction with syndecan in neuronal synapses, potential role in adhesion/signaling at neuronal synapses, 142:139
CASK/LIN-2
binds to COOH-terminal tail of syndecans, 142:139
binds syndecan-2 and protein 4.1, localizes to basolateral membrane of epithelial cells, 142:129
Caspase-3, cytosolic and mitochondrial distribution of, and apoptotic signaling, 140:1485
Caspases
cell killing mediated by, cell killing independent of, 143:1353
E1B 19K inhibits adaptor-dependent activation of, 141:1255
membrane blebbing dissociated from, 143:1361
nuclear apoptosis downstream of, 143:225
recruited by death-effector filaments, 141:1243
role in lens fiber differentiation, 140:153
Castanospermine, and insulin receptor misfolding, 141:637
Cataracts, in connexin50-knockout mice, 143:815
Catenin
αE-, interaction with vinculin, 142:847
endothelial, degradation mediated by neutrophil protease, 140:403
α-Catenin
complex formation between vinculin and, ligand-binding activity of, 141:755
inhibits transcriptional activity of β-catenin, 141:1433
β-Catenin
dephosphorylated by protein tyrosine phosphatase 1B, 143:523
effects on intestinal epithelium, forced expression of mutant version of (ΔN89β-catenin), 141:765
nuclear translocation/transactivation activity of, complexes with lymphoid-enhancing factor and vinculin, cadherin and α-catenin inhibit transcriptional activity of, 141:1433
signaling activities in *Drosophila*, 140:183
Catenin–cadherin system, mediates *Caenorhabditis elegans* morphogenesis, and cytoskeletal organization, 141:297
Catenins, required for adhesive E-cadherin complex formation, 142:837
Cathepsin D, localization and targeting of, 140:1075
Caveolae
cholera toxin association with, 141:917
dynamin and fission/internalization of, 141:101
dynamin-mediated internalization of, 141:85
targeting of protein kinase Cα to, 141:601
as vehicle for cholera toxin entry/activation, 141:905
Caveolae formation, in epithelial cells, 140:617
Caveolae-like membrane domains
cholera toxin association with, 141:917
as vehicle for cholera toxin entry/activation, 141:905
Caveolin
colocalization between dynamin and, 141:85
and sorting of GPI-anchored proteins, 140:617
*Caveolin1* gene, transfected into Fischer rat thyroid cells, effect on GPI-anchored protein sorting/clustering, 140:617
Caveolins, biosynthesis and transport of, in exocytic pathway of MDCK cells, heterooligomers formed in endoplasmic reticulum, heterooligomers involved in caveolar biogenesis, 140:795
CCR7 (6CK/SLC and MIP-3β receptor), chemokine 6CK/SLC signals through, and physiological recirculation/homing of lymphocytes, 141:1053
CD43, ezrin/radixin/moesin bind to cytoplasmic domain of, 140:885
CD44
controls macrophage multinucleation, 143:837
ezrin/radixin/moesin bind to cytoplasmic domain of, 140:885
glycosylation affects binding to hyaluronan, 140:431
CD95, directly stimulated by UV light, induces apoptosis independently of CD95L, 140:171
CD11b A-domain, two functional states of, 143:1523
Cdc2, and mitotic entry/exit in cells, 141:875
Cdc6, function in early initiation, 140:271
Cdc12, FH3 domain of, 141:1217
Cdc25, in caffeine-sensitive checkpoint pathway, 142:1559
Cdc42
actin polymerization induced by, 142:1001
activation regulated by fibronectin matrix, 143:267
regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 142:573
small GTP-binding protein, required for phosphoinositide-induced actin assembly, 140:1125
Cdc47, role in chemotaxis-induced macrophage migration, 141:1147
Cdc31p, Kic1p function depends on, required for spindle pole body duplication, required for cell integrity/morphogenesis, 143:751
Cdc42p, mediation of effects on actin cytoskeleton, 142:443
CDK2, p21 as critical regulator of, 141:503
cdk2, and preinitiation step in DNA replication, 140:271
CDO, mediates myogenic differentiation, 143:403
Cell adhesion
and amino-terminal type I repeats of fibronectin and, 141:241
cadherin-mediated, protein tyrosine phosphatase 1B and regulation of, 143:523
function of thrombospondin 2 in, 140:419
integrin-mediated, *kakapo* and, 143:1271
mediated by tissue factor, 140:1241
novel proteins control changes in, 141:187
$p120^{ctn}$ involved in, 141:779
to P-selectin, and dimerization of P-selectin glycoprotein ligand-1, 142:263
Cell adhesion molecule L1
developmentally regulated in renal epithelium, involvement in kidney morphogenesis, 143:2067
interaction with $ankyrin_B$, and nervous system development, loss of function, 143:1305
Cell adhesion molecule NgCAM, binding pattern with axonin-1, interaction with NgCAM, and neurite fasciculation, 143:1673
Cell aggregation, and neuroglian expression, 142:251
Cell contact sites, recruitment of ankyrin to, 142:251
Cell contacts, coclustering of axonin-1 and NgCAM at, 143:1673
Cell crawling, traction step of, myosin and, 141:1
Cell cycle
*Bard1* required for normal progression of, 143:1329
centrosome duplication and, 140:1417
fibronectin matrix regulates progression of, 143:267
heterochromatin-binding proteins in, 140:1297
and nuclear import of HMG proteins, 143:1427
progression of, effect on chromosome organization, 143:13
r-eag $K^+$ channels modulated by, 143:767
regulated by focal adhesion kinase, 143:1997
regulation of centriole–centriole cohesion during, 141:1563
and regulation of MyoD and Myf-5, 142:1447
reorganization of kinetoplast DNA proteins during, 143:911
reversed by chromosome damage checkpoint control, 142:1013
Swe1p-dependent delay of, actin perturbation triggers delay of, 142:1487
ZPR1 interacts with translation elongation factor-1α during, 143:1471
Cell cycle molecules, and neuronal death signaling evoked by DNA damage, 143:457
Cell cycle–related proteins, in nucleolus, 143:279
Cell death, and plasma transglutaminase, 142:1135
Cell development, distribution of polycomb-group proteins during, 141:469
Cell differentiation, mediated by CDO, 143:403
Cell division
distribution of polycomb-group proteins during, 141:469
p55CDC regulates progression of, 141:1393
and septin polymerization, and organized filament arrays, 143:737
Cell fusion
Kel1p involved in, 143:375
in *Saccharomyces cerevisiae*, Rvs161p has direct role in, 141:567
yeast, role of protease in morphogenic responses during, pheromone responses coupled to, 142:1473
Cell growth, repressed by *ncl-1*, 140:1321
Cell invasion, transcription factor activator protein-1 and, 143:1087
Cell locomotion, localization of phosphorylated myosin II during, 140:119

Cell membrane fluctuations, effect of intracellular MgATP on, association with F-actin ATPase activity, 141:1551
Cell migration
activation of Src pathway and, 141:1647
focal adhesion kinase signaling in, p130$^{Cas}$ and, 140:211
function of thrombospondin 2 in, 140:419
induced by CAS/Crk coupling, 140:961
α6A integrin splice variant involved in, 143:253
promoted by Tiam1/Rac signaling, role for phosphatidylinositol 3-kinase in, 143:1385
stimulated by RET-GDNF pathway, 142:1337
Cell morphology
influences microtubule requirement for secretion, 140:1277
Kel1p involved in, 143:375
and LAR–laminin-nidogen binding, 141:1675
Rho family GTPases and, 142:573
Cell motility
and dynamics of actin filament assembly, 143:1919
increased by actinin-4, 140:1383
transcription factor activator protein-1 and, 143:1087
Cell polarity
microtubules and, 142:181
regulated by microtubules, 142:457
RhoA and Rac1 and development of, 142:85
role of protein complex in establishment/maintenance of, 143:95
Cell proliferation
activation of MAP kinase pathway and, 141:1647
and cytoplasmic dynein heavy chain, 141:51
integrin α1β1 and, 142:587
*Merlin* required for regulation of, 141:1589
Cell shape, microtubules and, 142:181
Cell signaling
and LAR–laminin-nidogen binding, 141:1675
protein tyrosine phosphatase 1B and, 143:861
Cell spreading
inhibited by PTEN, 143:1375
regulated by calpain, inhibited by calpastatin and MDL, 141:647
Cell surface receptor, sphingolipid-1-phosphate as ligand for, 142:229
Cell survival, after myoblast transplantation and gene transfer, improved by muscle-derived stem cell selection, improved by inflammation control, 142:1257
Cell wall, Cdc31p and Kic1p required for integrity/morphogenesis, 143:751
Cell–cell adhesion
high-resolution tracking of, E-cadherin and actin coordinate in dynamics of, three sequential stages in, 142:1105
keratinocyte, controlled by tyrosine phosphorylation and Src family kinases, 141:1449
mediated by KSA antigen, 140:1519
promoted by Tiam1/Rac signaling, 143:1385
Cell–cell contacts, Fam accumulates in, function of AF-6 at, 142:1053
Cell–cell communication
G protein–mediated loss of, 140:1199
mediated by gap junction, 143:1725
Cell–cell fusion, in *Chlamydomonas*, *gsp1* and, 143:1971
Cell–cell junctions
cadherin localization at, 140:1475
novel protein at, 142:117
Cell–matrix interactions, talin in, 142:1121
Cellular migration, and urokinase-type plasminogen activator, 140:233
Cellular proliferation, regulated by sphingosine-1-phosphate, 142:229
*CENP-B* gene, null mutation in, and centromere assembly/function, and meiosis, and mitosis, 141:309
CENP-E, kinetochore binding domain of, associates with CENP-F and hBUBR1 kinase, 143:49
CENP-F kinase, CENP-E associates with, 143:49
Central spindle
in *asterless* mutants, not required for signaling cytokinesis, 142:751
ZYG-9 as transient component of, 141:1159
Centrin, regulates a protein kinase, 143:751
Centriole–centriole cohesion, Nek2 and C-Nap1 in the regulation of, 141:1563
Centrioles, as centrosome organizers, 143:1575
Centromere protein B, role in centromere function, model for functional redundancy of, 141:309
Centromere-binding protein E, association of MAP kinase with, 142:1547
Centromeres
clustering in yeast, 141:21
inner centromere protein targeted to, 143:1763
recruitment of Bub1 to, 143:1775
role of CENP-B in assembly/function of, 141:309
Centrosomal function, regulated by Ran through RanBPM, 143:1041
Centrosome scaffolds (salt-stripped), recruitment of γ-tubulin complex to, 142:775
Centrosome(s)
*asterless* and assembly of, 142:751
C-Nap1 as core component of, 141:1563
duplication and cell cycle, 140:1417
microtubule nucleation at, 142:775
organized by centrioles, 143:1575
pericentrin and γ-tubulin assemble into lattice at, 141:163
role of Xgrip109 in function of, γ tubulin recruited to, 141:675
Spc98p concentrated in, 141:689
spindle assembly and mitosis in absence of, 141:1383
Centrosomin, function in spermatogenesis, 141:455
Ceramide, and protein sorting, and trafficking of secretory vesicles in yeast, 143:1167
Chaperone function, of Scj1p and Jem1p, 143:921
Checkpoint, septin-dependent, for cytokinesis, 143:1617
Checkpoint control
during early prophase, guards entry into mitosis, reverses cell cycle, downregulates cyclin-dependent kinase 1 activity, 142:1013
hBUBR1 and, 143:49
role of Xchk1 in, caffeine-sensitive and -insensitive steps in, 142:1559
Chediak-Higashi syndrome, endosomal and sorting mechanisms in, 141:1121
Chemotaxis
G protein beta subunit–null mutants impaired in, 141:1529
macrophage migration induced by, 141:1147
stimulated by α6β4 integrin, 143:1749
Chinese hamster ovary cells
GLUT4 trafficking in, 140:565
modulation of r-eag $K^+$ channel permeability in, 143:767
Chk1 protein kinase, role in checkpoint control, 142:1559
*Chlamydomonas*
intraflagellar transport in, 143:1591
kinesin II–dependent intraflagellar transport in, 141:993
light chain 8 and intraflagellar transport in, 141:979
sex-limited homeodomain protein in, 143:1971
Tctex1 present in flagella of, 140:1137
*Chlamydomonas reinhardtii*
mutants lacking *psbA* RNA translation, 142:435
processing of *psbA* 5′ untranslated region in, 143:1145
RNA-binding proteins in chloroplasts of, 140:101
Chloride channels, swelling-induced, p56$^{lck}$ and activation of, 141:281
Chloride sensor, controls cystic fibrosis transmembrane conductance regulator–associated ATP release, 143:645
Chloroplast
elaboration of thylakoid membrane, normal gene expression, membrane biogenesis linked to gene expression, 141:385
light-activated translational regulation in, RB47 as translational activator in, 142:435
*psbA* maturation and translation in, 143:1145
RNA-binding proteins in, thylakoids in, 140:101
Tic20 and Tic22 as protein import components of, 143:991
Chloroquine, uptake in *Plasmodium falciparum*, activates $Na^+/H^+$ exchanger, 140:335
Cholera toxin
filipin-dependent inhibition of, internalization/activation of, 141:905
sorted by ganglioside GM1, 141:917
Cholera toxin A subunit, retrograde transport from Golgi, 143:601
Cholesterol
required for influenza hemagglutinin transport, and sorting of apical membrane proteins, 140:1357
role in membrane fusion and virus exit, 140:91
CHO1/MKLP1, expression in podocytes, microtubular polarity established by, and process formation, 143:1961
Chondrocytes
bone morphogenetic protein signaling and, 140:409
hypertrophic, upregulate plasma transglutaminase synthesis, activate plasma transglutaminase zymogen, 142:1135
Chromatin
assembly linked to DNA repair, 143:563
HMG protein association with, 143:1427
Chromatin assembly factor I, and ultraviolet irradiation, and linking of chromatin assembly to DNA repair, 143:563
Chromatin inactivation, *Xist* localization and, 142:13
Chromatin loops, SATB1 binds to base of, 141:335
Chromogranin B (human), sorting of, mutant form lacking disulfide bonded loop, 140:1331

Chromosome alignment, during metaphase, role of CLIP-170 in, 141:849
Chromosome breakage, p53 minimizes probability of, 140:1307
Chromosome condensation, in *Xenopus* egg extracts, pEg7 required for, 143:1437
Chromosome congression, coordinated by AIR-2 during metaphase, 143:1635
Chromosome movement, occurs at similar rate as poleward microtubule flux, 141: 703
Chromosome segregation, during anaphase, 142:787
Chromosome territories, relationship with transcription sites in wheat root tissue, 143:5
Chromosome-associated proteins, pEg7 and, 143:1437
Chromosomes
  association of minichromosome maintenance proteins with, 140:451
  cohesion protein MEI-S332 in, 140:1003
  double-minute, removal from nucleus, 140:1307
  homologous pairing of, 141:5
  movements during interphase, 143:13
  as primary organizer of bipolar spindle in absence of centrosomes, 141:1383
  titin as component of, 141:321
Cilia, assembly in sensory neurons, 141:993
*cis*-Golgi cisternae, CALNUC concentrated in, CALNUC and calcium homeostasis, 141:1515
*cis*-Golgi network
  CALNUC concentrated in, CALNUC and calcium homeostasis in, 141:1515
  gp25L/emp24/p24 proteins reside in, 140: 751
6CK/SLC (chemokine), as agonist for MIP-3β receptor CCR7, and physiological recirculation/homing of lymphocytes, 141:1053
Clathrin
  clusters LDL receptors, 142:59
  endosomal buds coated with, 141:611
  and formation of neuroendocrine synaptic vesicles, 143:947
  hub fragments inhibit sorting in major histocompatibility complex class II pathway, 140:1023
  and Shiga toxin B-fragment sorting, 143: 973
Clathrin-coated pits, association with P-selectin, 142:859
Clathrin-coated vesicles, and differential sorting of class II/I chain complex and HLA-DM, 140:1023
Claudin-1 and -2
  novel integral membrane protein, peptide sequence similarity to occludin, localization at tight junctions, 141:1539
  reconstitute tight junction strands in fibroblasts, recruit occludin in fibroblasts, 143:391
Clb5, and early spindle pathway events, 143: 135
CLIP-170, role in metaphase chromosome alignment, and dynein/dynactin complex, 141:849
C-Nap1 (novel centrosomal coiled-coil protein), molecular characterization of, as candidate substrate of Nek2, as core component of centrosome, and regulation of centriole–centriole adhesion, 141:1563
CO-029, rat homologue of, 141:267
Coagulation, and D6.1A (a tetraspanin molecule), 141:267
Coat assembly, influenced by ADP-ribosylation factor-1, 142:391
Coated pits, annexin VI and budding of, 142: 937
Coatomer, involvement in peroxisome biogenesis, 141:373
Cofilin, excluded from cytoplasmic cables, 142:1289
Cohesion protein MEI-S332, present during embryogenesis, associates with centromeres of mitotic/meiotic chromosomes, delocalized from anaphase chromosomes, 140:1003
Coiled bodies
  disappear after anti-coilin antibody microinjection, nucleus unaffected by disappearance of, 142:899
  linked to nucleolus by Nopp140, 142:319
Coiled coils
  kinesin neck region, not essential for processivity, and single-molecule motility, 140:1407
  in SMC and MukB proteins, 142:1595
Coilin, antibody against, 142:899
*COL2A1* gene, regulation of expression, 141:1291
Collagen fibril assembly, regulated by lumican, 141:1277
Collagen fibrillogenesis, disordered in thrombospondin 2–null mice, 140:419
Collagen II, and vertebral column development, 143:1399
Collagen IX, in cartilage fibrils, 142:285
Collagenous matrices, α1β1 integrin regulates cell proliferation in, 142:587
Collecting duct, cell adhesion molecule L1 and development of, 143:2067
Colony-stimulating factor-1, macrophage migration induced by, 141:1147
Compaction, E-cadherin membrane–proximal region and, 142:1605
Computer image segmentation, and analysis of DNA replication sites, 143:1415
Condensation/decondensation, during interphase of late-replicating, heterochromatic homogeneously staining region, 140:975
Connective tissue, abnormalities caused by lack of thrombospondin 2, 140:419
Connexin 32, disulfide linkages in extracellular loop regions of, 140:1187
Connexin43, disrupted cell–cell communication in cells expressing, 140:1199
Connexin46, and lens development, 143:815
Connexin50, and lens development, 143:815
Connexin docking domains, structure of, 140:1187
Connexin26 gap junction channels, and transfer of maternal nutrients/embryonic waste products, and embryonic development, 140:1453
Connexin32 protein, deficiency alters function of exocrine pancreas, 141:1267
Connexins
  and formation of gap junctions, 142:1095
  $\alpha_1$, mediate gap junction communication, and cardiac neural crest migration, 143: 1725
Consumption coagulopathy, metastasis-associated tetraspanin molecule and, 141:267
Contractile apparatus, ryanodine receptor and myosin light chain kinase in construction of, 141:1349
Contractility, exposes cryptic site in fibronectin, induces fibronectin matrix assembly, 141:539
COOH terminus, role in signaling regulation, 140:183
COP I and II coatomer, gp25L/emp24/p24 proteins bind both, 140:751
COPI
  and Golgi–endoplasmic reticulum transport, 143:589
  and retrograde transport from Golgi, 143: 601
COPI vesicles, docked by giantin on vesicles, docked by GM130 on Golgi membranes, 140:1013
COPII, role in selective transport from the endoplasmic reticulum, 141:61
Coracle (*Drosophila*), localization at septate junction, membrane-organizing activity of, binds to cytoplasmic domain of neurexin, 140:1463
Cornea, lumican necessary for transparency of, 141:1277
Cortical actin cytoskeleton, regulated by twinfillin, 142:723
Cortical cytoskeleton
  paralemmin as membrane anchor for, 143: 795
  racE essential for organization of, 141: 483
Cortical vesicles, SNAREs and $Ca^{2+}$-triggered fusion of, 143:1845
Cotranslational translocation
  facilitated by Sec61β, 141:887
  signal sequence recognition in, 142:355
cRac1B, induces neuritogenesis/neurite branching, 142:815
*Crithidia fasciculata*, reorganization of kinetoplast DNA replication proteins in, 143:911
CRM1, mediates nuclear import of nuclear factor of activated T cells, 141:863
Cross-links, need for two separate species of, 143:121
Cross-linking, and analysis of sarcoglycan complex, 143:2033
Crystal structures, open and closed, active/inactive states of CD11b domain correspond to, 143:1523
C-type lectins, layilin contains homology with, 143:429
Cyclic AMP, and chemotactic migration, and lamellae formation, 143:1749
Cyclic nucleotide-gated channels, molecular composition of, expression pattern of, in flagellum, as $Ca^{2+}$ entry pathway, 142:473
Cyclin B, nuclear localization of, 141:1575
Cyclin B1, nuclear import controls mitosis, 141:875
Cyclin B splice variant, production in oocytes and embryos, 140:283
Cyclin D3, essential in thyrotropin/cAMP-dependent mitogenesis, involvement in G1 phase progression, 140:1427
*Cyclin E*, promotes chromosome association of DmMCM2, 140:451
Cyclin E–cdk2 complex, fibronectin matrix and activity of, 143:267
Cyclin-dependent kinase 1, downregulated by chromosome damage checkpoint, downregulation correlates with prophase reversal, 142:1013
Cyclin-dependent kinase 4, required for thyrocyte proliferation, 140:1427
Cyclin-dependent kinases, and neuronal apoptosis, 143:457
Cyclosome/anaphase-promoting complex, association with Mad2, 141:1393
Cyk2, regulates actomyosin ring dynamics, regulates septin distribution, overexpression blocks cytokinesis, 143:1947
Cyk1p, role in recruiting actin filaments, 140: 355
Cysteine-rich domains, as indicators for diacylglycerol signaling, 140:485

Cystic fibrosis transmembrane conductance regulator, and modulation of ATP release, 143:645
Cytochrome c
Bax-induced release potentiated by $Mg^{2+}$ ions, Bax induces release independently of permeability transition pore, two distinct mechanisms for release of, 143:217
and neuronal apoptosis, 142:1583
Cytokeratin filaments, interaction between plectin and, 141:209
Cytokinesis
AIR-2 required for, 143:1635
blocked by Cyk2 overexpression, 143:1947
in budding yeast, actomyosin-based contractile ring involved in, 140:355
disrupted by dominant mutant of inner centromere protein, 140:991
in *gin4* mutant strains, unaffected by septin reorganization, 143:719
imp2 and, 143:415
morphogenesis beyond arrest of, cooperative roles of setpin and Cdc15p in, 143:1617
novel function of dynein/dynactin complex during, 142:1023
partitioning during, 141:955
*polo* required for, 143:659
promoted by Iqgp1, 142:443
role for racE in, 141:483
roles of Rho-associated kinase in, 143:1249
and septin polymerization, and organized filament arrays, 143:737
spatial and temporal coordination with mitosis, 143:1603
yeast, actomyosin contractile ring and, septin required for, facilitated by F-actin, 142:1301
Cytomatrix, Bassoon and organization of, 142:499
Cytoplasmic cables, cofilin excluded from, fimbrin and organization of, 142:1289
Cytoplasmic domain, of P-selectin, role in granular targeting and early inflammatory responses, 143:1129
Cytoplasmic dynein heavy chain, and formation/positioning of Golgi complex, and cell proliferation, and lysosome distribution, and endosome distribution, 141:51
Cytoplasmic dynein light chain, and nuclear migration, and dynein heavy chain localization, 143:1239
Cytoplasmic linker protein–170, association with a class VI unconventional myosin, 140:897
Cytoplasmic microtubules
novel protein in linker between basal bodies and, 140:1149
oriented by Kar9p, 140:377
Cytoplasmic tubules, dynamin-like protein associates with, 140:779
Cytoplasmic vesicles, dynamin-like protein associates with, 140:779
Cytoskeletal linkage, desmoplakin and, 143:2009
Cytoskeletal structures, adducin phosphorylation and reorganization of, 142:485
Cytoskeleton
catenin–cadherin system and organization of, 141:297
α3β1 integrin regulates assembly of, 142:1357
*kakapo* and assembly of, 143:1283
linking of integrins to, 143:1271
regulated by fibronectin matrix, 143:267
Rho family GTPases and organization of, 142:573
*Shigella*-induced rearrangement of, 143:1003
Cytosol
dislocation of endoplasmic reticulum membrane proteins to, 142:365
distribution of caspase-3 in, 140:1485
Pex20p binds thiolase in, 142:403
two regions of apolipoprotein exposed to, 141:585
Cytosolic chaperones, involved in peroxisomal protein import, 421
Cytotoxicity, by TNF/LT-α, modulation of cellular sensitivity to, 143:2057
D6.1A, and coagulation, and metastasis, expressed on mesenchyme-derived cells, homology to CO-029, 141:267
Dam1p, involved in mitotic spindle function, 143:1029
Death-effector filaments, recruit caspases, trigger apoptosis, 141:1243
Decorin, in cartilage fibrils, 142:285
Degradation–synthesis coupling, and homeostatic control of neuron size, and nerve growth factor, 142:1313
Dendrites
*kakapo* and sprouting of, 143:1283
modulated by neurofilament subunit composition, 140:1167
Dendritic growth cone, response to oligodendrocytes and myelin-associated glycoprotein during differentiation, 142:191
Dendritic spines, adducin phosphorylation in, 142:485
Dense core granules, Rab3D and distribution of, 140:305
Dense granules, *Toxoplasma gondii* targets proteins to, 141:1323
Desmoplakin
anchors to desmosomal cadherins and to plakoglobin, 141:1229
critical to early embryo development, required for desmosome assembly, and cytoskeletal architecture, 143:2009
Desmosomes
desmoplakin required for assembly of, and cell–cell adhesion, 143:2009
interactions between intermediate filaments and, 141:1229
Detergent-insoluble membrane domains, and apical sorting, 142:51
Development, laminin α5 and, 143:1713
Diacylglycerol, fluorescent indicators for signaling of, subcellular signaling functions of, 140:485
Diamide, and TCR α chain dislocation from endoplasmic reticulum, 142:365
Dictyostelium, racE and cortical tension in, 141:483
*Dictyostelium*, suppression of receptor defects in development of, 142:1325
Differentiation
and cell cycle–specific MyoD and Myf-5 ratios, 142:1447
of endothelial cells, three-dimensional spheroid model, 143:1341
and $p21^{WAF}$, inhibited by NAB2, 142:1075
Dihydropyridine receptors, targeting to junctional regions, formation of tetrads, 140:831
Di-leucine, and Vam3p sorting, 142:913
Dimerization, E-cadherin membrane–proximal region prevents, 142:1605
Dipeptidyl aminopeptidase, Grd19p interacts with cytosolic domain of, 140:577
DISC, integral protein sequestered from, 141:1255
Disulfide bonded loop, and sorting chromogranin B to immature secretory granules, mutant chromogranin B lacking, 140:1331
Disulfide bonds, formed by sarcoglycans, 143:2033
Disulfides, linkage patterns in extracellular loop regions of connexin, 140:1187
*DJP1* gene, deletion of, 142:421
Djp1p, required for peroxisomal protein import, 142:421
DNA damage, neuronal apoptosis induced by, 143:457
DNA fragmentation, membrane blebbing dissociated from, 143:1361
DNA polymerase β, colocalization with topoisomerase II, 143:911
DNA repair, chromatin assembly linked to, 143:563
DNA replication, regulation in absence of mitosis, 140:451
DNA replication sites, spatial and temporal dynamics of, 143:1415
Dnm1p, controls mitochondrial morphology, GTPase domain of, 143:333
Docking, vacuolar v–t-SNARE complex and, 140:61
Dorsal longitudinal muscle, transformation of residual larval muscles during, 141:1135
Dorsal root ganglion neurons, $ankyrin_G$ restricted to axon-proximal segments of, 142:1571
*Drosophila*
chromosomal movements during interphase in, 143:13
chromosome association of minichromosome maintenance in, 140:451
distribution of polycomb-group proteins in, 141:469
flight muscle patterning in, 141:1135
heterochromatin protein 1 localization in, 142:307
L-3-hydroxyacyl-CoA dehydrogenase/ERAB in, 141:1009
isolation/characterization of *moesin* and *Merlin* in, 141:1589
*kakapo* and integrin-mediated adhesion in, 143:1271
*kakapo* and neuronal branching in, 143:1283
kinesin light chain function in, 141:443
molecular/genetic analysis of *kakapo* gene, muscle-dependent tendon cell differentiation in, 143:1259
novel DEG/ENaC family members from, 140:143
nucleoporins and gametogenesis in, 142:1195
shared cell polarity mechanism between yeast and, *cornichon* gene product related to Erv14p, 142:1209
signaling activities of β-catenin and plakoglobin in, 140:183
two cross-linker species for bristle development in, 143:121
unconventional myosin associates with cytoplasmic linker protein at posterior pole of, 140:897
*Drosophila melanogaster*
asterless mutants of, 142:751
centrosomin in, 141:455
heterochromatin-binding proteins in, 140:1297
homologous chromosome pairing in, 141:5
*Drosophila polo* gene, required for cytokinesis, 143:659
Drp1, controls distribution of mitochondrial tubules, 143:351
Duo1p, involved in mitotic spindle function, 143:1029

Dynactin
p22 subunit of, 142:1023
recruited to kinetochore by ZW10, 142:763
and transport of microtubules into axon, 140:391
Dynamin
mediates caveolar fission/internalization, 141:101
mediates clathrin-dependent endocytosis, mediates caveolae internalization, colocalization between caveolin and, 141:85
mutant, inhibits ricin toxicity and transport to Golgi, redistribution of mannose-6-phosphate receptor in cells with, affects endosome-to-Golgi transport, 140:553
related protein associates with endoplasmic reticulum, 140:779
Dynamin isoforms, redundant/distinct functions of, 143:1871
Dynamin-related protein
Dnm1p, novel mitochondrial function of, 143:333
Drp1, molecular and functional characterization of, novel mitochondrial function of, 143:351
Dynein
recruited to kinetochore by ZW10, role in kinetochore, 142:763
required for localization of Xklp2 to spindle poles, 143:673
and transport of microtubules into axon, 140:391
Dynein light chain 8, required for intraflagellar transport, 141:979
Dynein localization, cytoplasmic dynein light chain functions in, 143:1239
Dynein/dynactin complex
CLIP-170 and, 141:849
novel function during cytokinesis, localization to midbody of dividing cells, 142:1023
α-Dystrobrevins, regulated pairing with dystrophin and utrophin, distinct association properties conferred by alternative splicing, 142:1269
α-Dystroglycan, association with sarcolemma, 142:1461
Dystrophin
normal content/localization in γ-sarcoglycan deficient mice, 142:1279
regulated pairing of α-dystrobrevins with, 142:1269
Early initiation, origin recognition complex and cdc6 function in, 140:271
E1B 19K, inhibits Fas-mediated apoptosis, disrupts FADD multimerization, sequesters integral protein from DISC, 141:1255
E-cadherin
activation mediates effects of hepatocyte nuclear factor 4, 140:935
cell–cell adhesion mediated by, role for phosphatidylinositol 3-kinase in, promoted by Tiam1/Rac signaling, 143:1385
coordinates with actin cables in cell–cell adhesion dynamics, 142:1105
cytoplasmic motional regulation of, corralling and tethering by membrane skeleton, 140:1227
direct interaction with integrin $\alpha_E\beta_7$, 140:197
as major growth suppressor, 142:557
membrane-proximal region, regulates adhesion, prevents lateral dimerization of extracellular domain, and aggregation, 142:1605
E-cadherin complexes, adhesive, formation requires calcium and catenins, distinct from lateral E-cadherin adhesion complexes, 142:837
E-cadherin–green fluorescent protein, visualization of cell–cell adhesion dynamics with, 142:1105
Egg activation, involvement of phospholipase Cγ1 in, 142:1063
Egg extracts (*Xenopus*), pEg7 and chromosome condensation in, 143:1437
Ehlers-Danlos syndrome, and lumican-null mutation, 141:1277
Embryo
epithelial V-like antigen expression in epithelia of, 141:1061
mouse, connexin26 gap junction channels and growth of, 140:1453
regulation of integrin function in, 141:1073
Embryogenesis
cohesion protein MEI-S332 present during, 140:1003
cyclin B splice variant produced in, 140:283
laminin and, basal lamina and, 143:1713
Embryonic development, desmoplakin required in, 143:2009
Embryonic stem cells, focal adhesion assembly in, 142:1121
Embryonic waste, transport through placenta, 140:1453
Endocytic pathway
DM and DR-1 chain transport in, 140:1023
followed by GLUT4 in Chinese hamster ovary cells, followed by transferrin receptor in Chinese hamster ovary cells, 140:565
Endocytic recycling compartment, TGN38 transport through, 142:923
Endocytosis
clathrin-dependent, mediated by dynamin, 141:85
directed by ubiquitin, STE3 sequence required for, 142:949
Pan1p and, regulatory complex for, 141:71
phosphatidylinositol 3′-kinases and, 143:1647
phosphorylation-dependent, and downregulation of G protein–coupled receptor activity, 141:349
receptor-mediated, AP-2/Eps15 interaction required for, 140:1055
receptor-mediated, effects of dynamin-1 and -2 on, 143:1871
spectrin removal during, 142:937
sphingomyelin-induced, 140:39
TGN38 transport and, 142:923
Endolyn-78, passes through subapical compartment in WIF-B hepatocytes, 141:115
Endoplasmic reticulum
affected by overexpression of tau protein, 143:777
assembly of vacuolar ATPase in, Vma12p/Vma22p interacts with $V_o$ subunit of, 142:39
$Ca^{2+}$ level in, 140:325
$Ca^{2+}$-related interaction between mitochondria and, 142:1235
cargo selection during export from, 141:61
degradation of misfolded glycoproteins in, 142:1223
dislocation of membrane proteins from, 142:365
dynamin-like protein associates with, 140:779
Erv14p required for specific secretory cargo export from, 142:1209
heterooligomeric complexes of caveolin-1 and -2 formed in, 140:795
recycling of Golgi glycosyltransferases through, 143:1505
retrograde transport from Golgi, 140:1
role in Xklp3 in trafficking between Golgi and, 143:1559
*Schizosaccharomyces pombe* viability during extreme stress to, 143:625
Scj1p and protein folding in, 143:921
signal recognition particle receptor associates with, 142:341
and signal sequence recognition, 142:355
TGF-β type I and II receptors form homodimers in, 140:767
toxin-induced vacuolation of, 140:525
translocation of peptides into, 140:17
transport from Golgi to, 143:589
tropoelastin–FKBP65 association in, 140:295
Endoplasmic reticulum $Ca^{2+}$, heterogeneity of, role in nonmuscle cell signaling and function, 142:1395
Endoplasmic reticulum membrane, transmembrane orientation of apolipoprotein B-100 in, 141:585
Endoplasmic reticulum/Golgi SNAREs, localization, dynamics, and interactions among, 141:1489
Endoplasmic reticulum–Golgi transport, in the absence of microtubules, microtubule requirement for, 140:1277
Endoplasmic reticulum–Golgi vesicle docking, Sec35p required for, 141:1107
Endosomal resident proteins, sorting into late multivesicular endosomes, 141:1121
Endosome, differential sorting of occupied receptors within, 143:81
Endosome tubules, clathrin-coated domains on, 141:611
Endosome vacuoles, response to dimeric IgA/polymeric Ig receptor, 143:81
Endosome–Golgi retrograde transport, membrane coat complex essential for, 142:665
Endosome–lysosome fusion, dependent on NEM-sensitive factor, produces hybrid organelle, mediates delivery of endocytosed ligands, and lysosome maintenance/function, 140:591
Endosomes
cytoplasmic dynein heavy chain and distribution of, 141:51
fusion with lysosomes, 140:591
mutant dynamin affects transport to Golgi from, 140:553
Shiga toxin B-fragment transported to Golgi from, 143:973
sorting regulated by PP2A isoform, 142:1399
syntaxin 13 localized in, 143:957
TGN38 accumulation in, 142:923
Endothelial cell junctions, tetraspan molecules at, 141:791
Endothelial cells
development of fenestrations in, 140:947
integration in multicellular spheroids, responsiveness to survival factor activities, apoptosis of, 143:1341
integrin-mediated survival of, 141:1083
modulation of vascular endothelial growth factor expression in, 141:1659
and recruitment of 10T1/2 cells, 141:805
storage pool of P-selectin in, 143:1129
VE- and N-cadherin competition in, 140:1475
Endothelial selectins, as signaling and adhesion receptors, adhere leukocytes, mediate endothelial stimulation, 142:1381

Endothelin-1, and p38-MAPK pathway activation, 142:523
Endothelium, differential membrane targeting of cadherins in, 140:1475
E4orf4 (ED4 adenoviral protein), induces p53-independent apoptosis, 140:637
Epidermal growth factor
assists in epimorphin-dependent morphogenesis, 140:159
function of membrane-anchoring domain, 143:1317
induces ZPR1 interaction with translation elongation factor-1α, redistributes ZPR1 and translation elongation factor-1α to nucleus, 143:1471
myosin VI stimulated by, 143:1535
Epidermal growth factor receptor, activation of Rho-like GTPases by, 143:1087
Epidermal growth factor receptor pathway, activated by Vein, and tendon cell differentiation, 143:1259
Epidermis, affected by K16, 142:1035
Epimorphin, as key morphogen in mammary gland, 140:159
Epithelia
cell–cell adhesion dynamics in, 142:1105
differences between keratins in stratified and simple, 143:487
keratin 17 and morphogenesis of, relationship between wound repair and development of, 143:469
Epithelial cell, malignant, stromelysin-3 promotes homing of, 140:1535
Epithelial cell adhesion molecule, mediates cell–cell adhesion, morphoregulatory role in pancreatic islet ontogeny, 140:1519
Epithelial cells
adhesion to laminin 5, 143:1735
CASK/LIN-2 localizes to basolateral membrane of, 142:129
caveolae formation in, 140:617
growth factor–driven integrin activation in, 142:1145
occludin-deficient, 141:397
pancreatic, cell–cell adhesion in, 140:1519
organization of apical junctional complex in, 142:847
rab17 and polarized sorting in, 140:1039
*Shigella* invasion of, 143:1003
Epithelial marker genes, hepatocyte nuclear factor 4 provokes expression of, 140:935
Epithelial morphogenesis, and liver-enriched transcription factor expression, and hepatocyte growth factor/scatter factor signaling, 143:1101
Epithelial tight junction, RhoA and Rac1 regulate structure/function of, 142:101
Epithelial V-like antigen, expression in embryonic epithelia, as homotypic adhesion molecule in thymus histogenesis, selective regulation by T cell maturation, 141:1061
Epithelium, renal, cell adhesion molecule L1 developmentally regulated in, 143:2067
Eps15, interacts with AP-2 for receptor-mediated endocytosis, and function of plasma membrane–coated pits, 140:1055
ER lectin chaperones, affect glycoprotein function, control $Ca^{2+}$ release and uptake, 142:963
Erd2p (KDEL receptor), retrograde transport mediated by, 143:601
Erect wing protein, in remnant larval nuclei during muscle differentiation, 141:1135
ERGIC-53, and secretion of procathespin C, and intracellular transport of glycoproteins, 142:377
ERK (extracellular signal–regulated kinase), novel role in mitosis, 142:1533
ERM proteins, cellular functions in developing neurons, 143:443
Erv14p, Ax12p transport depends on, and specific secretory cargo export from endoplasmic reticulum, relation to *Drosophila cornichon* gene product, 142:1209
Erythrocyte membranes, lateral diffusion of band 3 in, 142:989
Erythrocytes
cell membrane fluctuations in, 141:1551
FKBP13 in, 141:143
E-Selectin, as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 142:1381
Espin, ~30-kD isoform in rat intestine and kidney, 143:107
Estrogen receptor, interaction with vault particles in MCF-7 breast cancer cells, 141:1301
Euchromatin, and GAGA factor/proliferation disruptor protein movement, 140:1297
Excitation–contraction coupling, relationship among triadic proteins in, 140:843
Exencephaly, in laminin α5 knockout embryos, 143:1713
Exocytosis
of cell body–derived vesicles, 143:1077
and overexpression of tau protein, 143:777
spatial regulation of, 142:609
triggered by $Ca^{2+}$, SNAREs and, 143:1845
in yeast, v-SNARE–independent, 143:1167
Extracellular matrix
CAS and Crk regulate cell migration on, 140:961
focal adhesion kinase transmits survival signals from, and suppression of p53-regulated apoptotic pathway, 143:547
integrin regulation by, 140:709
*kakapo* and adhesion to, 143:1271
plasma transglutaminase activity externalized to, 142:1135
Extracellular matrix metalloproteinase inducer, apical polarity of, 142:697
Extracellular matrix–associated growth factors, required for stromelysin-3 paracrine function, 140:1535
Ezrin/radixin/moesin proteins
binding partners for, 140:885
cellular function of, 141:1589
phosphorylated by Rho-associated kinase, head-to-tail association regulated by Rho-associated kinase, 140:647
F11, interaction between neurofascin and, and neurite growth of tectal cells, 142:1083
201-F, and study of functional specialization of microtubules, 142:153
Fab1p, functions with Vac7p, and PtdIns(3)P 5-kinase activity, and maintenance of vacuolar size and membrane homeostasis, 143:65
F-actin
cell membrane fluctuations and ATPase activity of, 141:1551
facilitates yeast cytokinesis, 142:1301
SAPK2/p38-dependent reorganization of, 143:1361
α-Factor receptor, cytoplasmic tail phosphorylation of, ubiquitination and internalization of, 141:349
FADD, multimerization as novel mechanism for apoptosis induction, multimerization disrupted by E1B 19K, recruitment of FLICE by, 141:1255
Fam, AF-6 forms complex with, AF-6 as substrate for, prevents ubiquitination of AF-6, accumulates at cell–cell contact sites, 142:1053
Fas-associated protein with death domain, caspase-independent cell killing by, 143:1353
Fascin, forked directs binding of, 143:121
Fatty acids, involvement in protein kinase C signaling pathways, 143:511
Fenestrae, induced by vascular endothelial growth factor, 140:947
Fertility, male, regulated by vascular endothelial growth factor, 143:1705
Fertilization, in *Chlamydomonas*, regulation of, *gsp1* and, 143:1971
FGF-1, cell migration and proliferation induced by, 141:1647
FGF-2, endothelial cell responsiveness to, 143:1341
FGF receptor–1, intracellular domain regulates myogenesis, intracellular domain insufficient for skeletal muscle cell proliferation, 142:241
FH3 domains, proteins at multiple sites interact with, targets Fus1 to projection tip during conjugation, fusion with green fluorescent protein, target formins to their sites of action, 141:1217
Fibrillin-1, mutant production/assembly in *tight skin* mice, 140:1159
Fibroblast growth factor-2, modulates endothelial cell expression of vascular endothelial growth factor, 141:1659
Fibroblasts
activation of NF-κB in, 140:709
reconstitution of tight junction strands in, recruitment of occludin in, 143:391
Fibronectin
cryptic site in, induction of matrix assembly, 141:539
and $\alpha_5\beta_1$ signaling pathway activation, and cell growth/differentiation/adhesion/motility, 141:241
transduction of survival signals from, 143:547
Fibronectin domain ED-A, crucial for induction of myofibroblastic phenotype, 142:873
Fibronectin matrix, role in cytoskeletal regulation, and cell cycle progression, and cyclin E–cdk2 activity, and growth factor responses, 143:267
β-Filagenin, and thick filament assembly, coassembles with myosin and paramyosin, 140:347
Filament arrays, and septin function, 143:737
Filaments
assembly of, 140:367
formed by synaptonemal complex protein 3, 142:331
Filipin, and cholera toxin inhibition, 141:905
Fimbrin, role in organizing cytoplasmic cables, 142:1289
Fischer rat thyroid cells, *caveolin1* gene transfected into, GPI-anchored protein sorting/clustering, 140:617
Fission yeast
cell polarity regulated by microtubules in, 142:457
septation in, 143:415
FKBP13, interacts with novel homologue of protein 4.1, outside the endoplasmic reticulum, physiologic binding target of, as component of membrane cytoskeletal scaffolds, 141:143
FKBP65, tropoelastin as ligand for, 140:295
Flagella, assembly of, temperature-sensitive mutants of, retrograde transport of protein particles within, 143:1591

Flagellar axoneme, centrosomin required for assembly of, 141:455
Flagellar dyneins, involvement in meiotic drive, 140:1137
Flagellum, cyclic nucleotide-gated channels in, 142:473
FLICE, recruitment by FADD, and apoptosis, 141:1255
Flight muscles, patterning of, 141:1135
Focal adhesion kinase
  cell migration promoted by, 140:211
  integrin signaling through, role in cell cycle regulation, 143:1997
  talin head domain and binding of, 143:429
  transmits survival signals from extracellular matrix, p53-dependent apoptotic pathway activated in absence of, 143:547
Focal adhesion kinase/p130$^{Cas}$ complex, downstream pathways targeted by, 140:211
Focal adhesions
  assembly of, paxillin recruited to, vinculin recruited to, 143:1981
  cross-talk between microtubules and, capture and stabilize microtubules, as preferred sites of microtubule polymerization, 142:181
  in embryonic stem cells, talin and, 142:1121
  protein tyrosine phosphatase 1B and adhesion/formation/spreading of, 143:861
Focal contact, novel actin-binding protein at, 143:1227
Forked, and aggregation of actin bundles, directs fascin binding, 143:121
Formins, novel homology region of (FH3), targeted to sites of action, 141:1217
Fructose-1,6-bisphosphatase, Vid24p localizes to vesicles containing, Vid24p regulates vesicle–vacuole targeting of, 140:1347
Furin, routed from early endosomes to *trans*-Golgi network, 142:1399
Fus1, FH3 domain of, interaction with actin cytoskeleton, 141:1217
Fusion
  CD44 and, 143:837
  of immature secretory granules, 143:1831
  mediated by influenza hemagglutinin, 140:1369
  SNARE complex modulates $Ca^{2+}$ sensitivity of, 143:1845
  vacuolar v–t-SNARE complex and, 140:61
Fusion pore dilation, in human immunodeficiency virus–1, mediated by gp120-gp41, 140:315
Fusion protein assembly, formation/stabilization of, 143:1155
Fus2p, Rvs161p interacts with, 141:567
Fyn, activates anion exchanger in cardiomyocytes, 141:1637
Fzo1p, required for mitochondrial fusion in yeast, 143:359
G1 cell cycle phase, Rb and p21 as critical regulators of, 141:503
G1 phase progression, involvement of cyclin D3 in, 140:1427
G protein
  and loss of cell–cell communication, 140:1199
  in phagocytosis, 141:1529
G protein–coupled receptor, downregulation of activity of, 141:349
G protein–coupled signaling, SCAR as conserved negative regulator of, 142:1325
GAGA factor, heterochromatic binding of, moves from high affinity sites in euchromatin, 140:1297
Gametogenesis, *Nup154 Drosophila* gene essential for, 142:1195
Ganglioside GM1, sorting of cholera toxin by, 141:917
Gap junction communication, promoted by integrin α3β1–laminin 5 interaction, and protein membrane trafficking, 143:1735
Gap junctions
  model for the docking interface of, 140:1187
  modulate neural crest migration, 143:1725
  requirements for closure of, 140:1199
  in rodent lens fibers, connexins 46 and 50 in, 143:815
  in Schwann cell myelin sheath, connexins and formation of, pathway mediated by, 142:1095
Geldanamycin (binding site of), compared to Hsp90 nucleotide binding site, 143:901
Gene regulation (T cell–specific), chromatin loop domain structure involved in, 141:335
Gene silencing, disruption of heterochromatic associations correlated with, 143:13
Gene targeting studies, reveal function of neurofilament proteins, 143:1
Gene transfer, cell survival after, 142:1257
Genome, dynamics during *Xenopus laevis* development, 142:1159
Germline formation, role of *scully* in, 141:1009
Giant cells, CD44 and differentiation of, 143:837
Giantin, role in docking COPI vesicles to Golgi membranes, 140:1013
Gin4 protein kinase, septins required for activation of, 143:709
Gin4p protein kinase, role in septin assembly, 143:719
Glial cell–derived neurotrophic factor, as chemoattractant for RET-expressing epithelial cells, 142:1337
Glial filaments, segregation of, Rho-associated kinase and, 143:1249
Glucose
  decreased transplacental uptake in connexin26-deficient mice, 140:1453
  and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 142:1429
Glucosylation (protein), in *Schizosaccharomyces pombe*, 143:625
GLUT4
  distribution in skeletal muscle fibers, distinct storage compartments recruited by insulin and contractions, 142:1429
  movement from intracellular vesicles to cell surface, 140:1211
  trafficking in Chinese hamster ovary cells, sorted from transferrin receptor, distinct endocytic pathway followed by, 140:565
Glutamine-repeat diseases, protein recruitment in, role of nuclear localization in, 143:1457
Glutathione, and reactive oxygen species production, 141:1423
Glycoprotein folding, facilitation of, 143:625
Glycoprotein traffic, blocked by GalNAc-α-*O*-benzyl, 141:1311
Glycoproteins
  ER lectin chaperones affect function of, 142:963
  ERGIC-53 and intracellular transport of, 142:377
  misfolded, degradation of, 142:1223
Glycosylation, and CD44–hyaluronan binding, 140:431
Glycosylphosphatidylinositol-anchored protein, imaging fluorescence resonance energy transfer of, 142:69
Glycosyltransferase
  Golgi-resident, recycling through endoplasmic reticulum, 143:1505
  localization to Golgi, and high osmolarity glycerol pathway, 143:935
Glypican-3, induces apoptosis in cell line–specific manner, 141:1407
GM130, TAP/p115 binds to, 143:319
$G_2$/M transition, checkpoint control of, 142:1013
Golgi
  Erd2p-mediated retrograde transport from, 143:601
  localization of α-1,3-mannosyltransferase to, 143:935
  mutant dynamin affects transport to, inhibition of ricin transport to, 140:553
  nucleobindin (CALNUC) as resident protein of, 141:1515
  ordered inheritance strategy for, 141:955
  resident proteins recycle through endoplasmic reticulum, scattering induced by nocodazole, 143:1505
  retrograde transport from, 140:1
  retrograde transport from endosome to, 142:665
  retrograde transport in, 140:541
  role of Xklp3 in trafficking between endoplasmic reticulum and, 143:1559
  Shiga toxin B-fragment transported from early endosome to, 143:973
  TAP/p115 dynamics in, 143:319
  transport to endoplasmic reticulum from, 143:589
Golgi compartment, BRUCE associated with, 141:1415
Golgi complex
  cytoplasmic dynein heavy chain and formation/positioning of, 141:51
  myosin VI localized to, 143:1535
Golgi enzymes, recycling of, transport between Golgi subcompartments, 140:541
Golgi membranes, COPI vesicles docked to, 140:1013
Golgic transport, compartment specific and ARF independent, 140:511
Golgi–endoplasmic reticulum transport, blocked by PDMP, 142:25
Golgi–plasma membrane trafficking, of vesicular stomatitis virus G protein fused to green fluorescent protein, 143:1485
gp25L/emp24p/p24 proteins, reside in *cis*-Golgi network, bind COP I and COP II coatomer, 140:751
gp120-gp41, fusion pore dilation mediated by, 140:315
GPI-anchored proteins
  caveolin and sorting of, 140:617
  interaction of aerolysin with, 140:525
Granular targeting, role of P-selectin cytoplasmic domain in, 143:1129
Granulocyte–macrophage colony-stimulating factor receptor, in avian hematopoiesis, regulates progenitor proliferation/differentiation, cell type–specific functions of, alpha chain of, 141:1041
Grd19p, and retrieval of late-Golgi membrane proteins, localizes to prevacuolar compartment, interacts with cytosolic domain of dipeptidyl aminopeptidase, 140:577
Green fluorescent protein
  diffusion in mitochondrial matrix, 140:821

FH3 domains of Fus1 and Cdc12 fused to, 141:1217
tissue-specific expression in cardiac precursor cells, 143:2045
vesicular stomatitis virus G protein fused to, Golgi–plasma membrane trafficking of, 143:1485
and visualization of diacylglycerol signaling, 140:485
and visualization of fatty acid involvement in protein kinase C signaling pathways, 143:511
and visualization of intermediate filament networks, 143:147
and visualization of phosphoinositides, 143:501
and visualization of ZAP-70 with T cell receptor ζ, 143:613
Growth cone
development/maintenance regulated by radixin and moesin, 143:443
formation by proteolytic activity, 140:223
motility regulation, 141:227
Growth factors
assist in epimorphin-dependent morphogenesis, 140:159
effect of fibronectin matrix on, 143:267
in nucleolus, 143:279
p42/p44 MAPK nuclear translocation induced by, 142:625
PTEN inhibits signaling mediated by, 143:1375
*gsp1* (gamete-specific plus molecule 1), and flagellar adhesion in *Chlamydomonas*, identification/characterization of cDNA for, expresses sex-limited expression, 143:1971
Hair, keratin 17 and development of, 143:469
hBubR1, localization to kinetochores, 142:1
hBUBR1 kinase, CENP-E associates with, multiple roles in mitosis, regulation of kinetochore and spindle midzone, 143:49
Heart
expression/localization of AKAP100 in, 142:511
α6A integrin splice variant and development/function of, 143:253
Heat shock protein 27, role in membrane blebbing, 143:1361
Heat shock protein 90, $NH_2$-terminal domain of, in vivo function of, as an ATP-dependent chaperone, interaction with p23, 143:901
Heat shock protein 70 family, regulation of, 143:921
Heavy neurofilament subunit, and development of large-diameter axons, effect on interfilament spacing, effects of null mutation, 143:195
Hemagglutinin, apical sorting signal in transmembrane domain, polarity of transport reversed, 142:51
Hematopoiesis, granulocyte–macrophage colony-stimulating factor receptor in, 141:1041
Hematopoietic progenitor cells, activated protein kinase C α gives differentiation signal for, 140:1511
Hemidesmosomes
β4 integrin and formation of, 142:271
laminin-5 processing and assembly of, 141:255
stabilized by plectin, 141:209
Hemifusion, mediated by influenza hemagglutinin, 140:1369
Hemostasis, $\alpha_v\beta_3$–prothrombin interaction in, 143:2081
Heparan sulfate proteoglycan, aggregated on muscle fiber surface, 141:715
Heparin-binding growth-associated molecule, interaction with N-syndecan, role in bone formation, 143:1113
Hepatic cell lines (Met murine), bipotential precursor cell in, 143:1101
Hepatocyte growth factor
assists in epimorphin-dependent morphogenesis, 140:159
and mammary gland development, 143:533
Hepatocyte growth factor/scatter factor
as autocrine factor for carcinoma cells, 142:1145
and epithelial morphogenesis, and liver-enriched transcription factor expression, 143:1101
Hepatocyte nuclear factor 4, provokes expression of epithelial marker genes, morphogenic activity in hepatoma cells, effects mediated by E-cadherin activation, 140:935
Hepatocytes, palmate cells as precursors of, 143:1101
Hepatoma cells, morphogenic activity of hepatocyte nuclear factor 4 in, 140:935
Hepatotoxic injury, keratin phosphorylation protects against, 143:2023
HepG2 cells
polarized distribution of sphingolipids in, sub-apical compartments operative in, 142:683
transmembrane orientation of apolipoprotein B-100 in ER membrane of, 141:585
Heterochromatic homogeneously staining region (late-replicating), interphase cell cycle dynamics of, 140:975
Heterochromatic protein HP1, interaction with inner centromere protein, 143:1763
Heterochromatin
arrangements during interphase, 143:13
association with polycomb group, 142:887
localization of heterochromatin protein 1 into, 142:307
Heterochromatin protein 1, cytoplasmic and nuclear fractions of, localization into heterochromatin, origin recognition complex and localization of, 142:307
Heterochromatin-binding proteins, in cell cycle, 140:1297
Heterogeneous ribonucleoproteins, specific flow patterns during nucleocytoplasmic transport, 142:1181
Heterotrimeric kinesin II, and pigment dispersion, 143:1547
High endothelial venules, L-selectin ligands on, lymphocyte rolling on, 140:721
High osmolarity glycerol pathway, and localization of Golgi proteins, 143:935
Hippocampal neurons, Bassoon in axon terminals of, 142:499
HIV-1, nuclear import of Vpr protein, replication in nondividing cellular hosts, 143:875
HMG-14/-17 proteins, cell cycle–related nuclear import of, association with chromatin, 143:1427
*hmp-1* and *hmp-2*, and morphogenesis, 141:297
*hmr-1*, and morphogenesis, 141:297
Homeodomain protein, sex-limited, gamete-specific, in *Chlamydomonas*, 143:1971
Homodimerization, impairs insulin receptor folding, 141:637
Homologous chromosome pairing, in *Drosophila melanogaster*, 141:5
Homologous sites, pairing of, 141:5
hrp23, identification and characterization of, present in nucleolus, release from Balbiani ring particles, 142:1181
HT-29 cells, intracellular transport of apical glycoproteins in, mucus secretion in, 141:1311
Human immunodeficiency virus–1, fusion pore dilation, 140:315
Human leukocyte antigen-DR, dimers of dimers of, 140:71
Huntingtin, protein length and cell death, polyglutamine size and cell death, mutations and susceptibility to apoptotic stress, 141:1097
Huntington disease, pathogenesis of, 141:1097
Hyaluronan, glycosylation affects CD44 binding to, 140:431
L-3-hydroxyacyl-CoA dehydrogenase/ERAB (vertebrate type II), *scully* homologous to, 141:1009
Hydroxyapatite, osteoadherin binds to, 141:839
Hypertrophy (cardiac myocyte), p38-MAPK pathway and, 142:523
$I_{CRAC}$ ($Ca^{2+}$ release–activated $Ca^{2+}$ current), activation of, simultaneous measurement of intraluminal $Ca^{2+}$ and, 140:325
ICAM-1, migration of monocytes on, 142:595
ICAM-2, ezrin/radixin/moesin bind to cytoplasmic domain of, 140:885
ICE protease activity, required for increase in reactive oxygen species, 141:1423
Ig segments, entropic elasticity of, serial linking of, 140:853
Ig superfamily, members interact with neurofascin, 142:1083
Imaging fluorescence resonance energy transfer, of glycosylphosphatidylinositol-anchored protein, 142:69
β,β′-Iminodipropionitrile, neurofilament heavy protein mediates axonopathy induced by, 143:183
Immature secretory granules, homotypic fusion of, 143:1831
Immunoprecipitation, and analysis of sarcoglycan complex, 143:2033
Immunoreceptor tyrosine-based activation motif, regulates T cell polarization, 140:861
imp2, role in fission yeast septation, 143:415
Importin α, domain organization of, sequences involved in nuclear localization signal binding/nuclear export, 143:309
Importin β, major binding sites for, 141:31
INAD, rhodospin, protein kinase C, and calmodulin bind to, ion channel TRPL binds to, phototransduction-related proteins coupled to, homomultimerization occurs through two PDZ domains, 142:545
Infertility, caused by overexpression of vascular endothelial growth factor, 143:1705
Inflammation, P-selectin and early stages of, 143:1129
Inflammation control, and cell survival improvement, 142:1257
Influenza hemagglutinin
hemifusion and fusion mediated by, and lipidic fusion pore formation, 140:1369
"spring loaded" conformational change in fusion mechanism of, 141:1335
Influenza virus hemagglutinin
cholesterol required for surface transport of, 140:1357
targeting during myogenesis of L6 muscle cells, 140:1101
Inhibitor of apoptosis proteins, giant ubiquitin-conjugating enzyme related to, structural diversity of, 141:1415

Inner centromere protein
dominant mutant disrupts prometaphase congressing and cytokinesis, function in mitosis, 140:991
interaction with heterochromatic protein HP1, centromere- and midbody-targeting molecule in, 143:1763
Insulin, and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 142:1429
Insulin receptor monomers, chaperone function in folding/assembly, folding impaired by rapid dimerization, 141: 637
Insulin receptor substrate-1, binds to phosphatidylinositide 3-kinase, and formation of preassembled complexes associated with actin cytoskeleton, 140: 1211
Integrin
α5-, novel form of muscular dystrophy dependent on, 143:849
α1β1, activates Shc-mediated growth pathway, unique in vivo signaling function of, 142:587
α5β1, mediates elimination of amyloid-β peptide, protects against apoptosis, as regulator of brain cell survival, 141: 1019
$\alpha_5\beta_1$, modulates calcium current in arteriolar smooth muscle, 143:241
α6β4, release of cAMP gating by, stimulates chemotaxis, and lamellae formation, 143:1749
α7β1, and laminin-induced acetylcholine receptor clustering, and neuromuscular junction formation, 143:1067
$\alpha_E\beta_7$, direct interaction with E-cadherin, 140:197
$\alpha_{IIb}\beta_3$, complementary roles of receptor clustering and affinity modulation in function of, 141:1685
β1, talin essential for expression of, 142: 1121
β1A, tyrosine residues of, modulation of functions, 141:527
β4, and hemidesmosome formation, direct interaction with bullous pemphigoid antigen 180, 142:271
affinity modulation in, 143:1523
cell adhesion/spreading mediated by, 143: 861
controlled by cytokine-based autocrine loops, 142:1145
*kakapo* and adhesion mediated by, 143: 1271
mediates endothelial cell survival, 141:1083
modulation of activity vital for morphogenesis, α subunit cytoplasmic domain controls adhesion of, 141:1073
PTEN inhibits signaling mediated by, 143: 1375
regulation by extracellular matrix, 140:709
released from cytoskeletal control, 140:699
signaling regulated by Rho family of GTPases, 142:573
signaling through focal adhesion kinase, 143:1997
Integrin α3β1
interaction with laminin 5 promotes gap junction communication, 143:1735
interaction with tetraspan molecules, 141: 791
regulates cytoskeletal assembly, as trans-dominant inhibitor of integrins, 142: 1357
Integrin αvβ3
growth factor–dependent activation of, in carcinoma cells, in normal epithelial cells, 142:1145
and sustained MAP kinase activity during angiogenesis, 140:1255
and transmigration of monocytes, 142:595
Integrin $\alpha_v\beta_3$
mediates osteoadherin cell-binding function, 141:839
modulates calcium current in arteriolar smooth muscle, 143:241
prothrombin as ligand for, 143:2081
Integrin ligands, vasoactive effects on arterioles, and wound repair, 143:241
Integrin receptors, synergy between cadherin receptors and, 141:515
Integrin splice variant α6A, inactivation of, role in lymphocyte migration, and heart development/function, 143:253
Integrin $\beta_4$ subunit, interaction between plectin and, 141:209
Interaptin, as link between membrane compartments and actin cytoskeleton, and trafficking of secretory vesicles, 142:735
Intercellular junctions, cadherin localization at, 140:1475
Interferon α, inhibits *Shigella* invasion, 143: 1003
Interferon regulatory factor-2, activates vascular cellular adhesion molecule-1 in muscle, 140:1265
Interfilament spacing, affected by heavy neurofilament subunit spacing, 143:195
Interleukin-6, and mature osteoclasts, interaction with extracellular $Ca^{2+}$, 142: 1347
Intermediate filaments
anchored to desmosomes by desmoplakin, 143:2009
interaction with microtubule systems, kinesin and local regulation of assembly, 143:159
interactions between desmosomes and, 141:1229
motile properties of, interaction with microtubules and microfilaments, 143: 147
phosphorylation sites and protection from cell stress, 143:2023
Rho-kinase involved in reorganization of, 143:1249
Interphase
chromosomal movements during, 143:13
subcellular localization of protein phosphatase-1 during, 141:1207
Interphase cell cycle dynamics, of late-replicating, heterochromatic homogeneously staining region, 140:975
Intestinal epithelium, effects of β-catenin on, 141:765
Intestine (rat), small espin in, 143:107
Intracellular signaling, and ZAP-70–T cell receptor ζ interaction, 143:613
Intracellular transport
role of tau protein in, 143:777
of Shiga toxin B-fragment, early endosome to Golgi, 143:973
Intracrine signaling, converted from autocrine signaling, 143:1317
Intraflagellar particles (complex A), involvement in retrograde intraflagellar movement, 143:1591
Intraflagellar transport
dynein light chain 8, 141:979
kinesin II–dependent, and ciliary development in sensory neurons, 141:993
retrograde, distinct mutants of, 143:1591
Intraluminal $Ca^{2+}$, simultaneous measurement of $I_{CRAC}$ and, 140:325
Invasion, ZAP-70 required for, 142:1371
Invertebral discs, collagen II essential for formation of, 143:1399
$IP_3$ receptors, distribution of, and $Ca^{2+}$ signaling, 141:135
IQGAP, yeast homologue of, 142:443
Iqg1p, promotes budding and cytokinesis, mediates Cdc42p effects on actin cytoskeleton, 142:443
Islets of Langerhans, transforming growth factor-β and morphogenesis of, 143:827
Jem1p, partially overlapping function with Scj1p, 143:921
Junctional adhesion molecule, as new component of endothelial and epithelial junction, regulates monocyte transmigration, codistributes with tight junction components, 142:117
K16, delays skin maturation, 142:1035
Kakapo, essential for Vein localization, 143: 1259
*kakapo*
encodes large cytoskeletal linker protein, and integrin adhesion, 143:1271
role in neuronal branching, 143:1283
*kar9* mutants, nuclear migration/microtubule orientation defect in, 140:377
Kar2p, and protein folding, Scj1p cooperates with, 143:921
Kar9p, orients cytoplasmic microtubules, 140:377
Karyogamy, *thi1*$^+$ required for nuclear fusion during, 140:247
Karyomeres, as independent units of replication, 142:1159
Karyopherin Kap121p, association with nuclear pore complex, binds nucleoporin Nup53p, 143:1813
Karyopherins
and import of transcription factor TFIIS, 143:1447
and nuclear import of La proteins, 143:887
KDEL receptor (Erd2p), retrograde transport mediated by, 143:601
Kel1p, identified in *Saccharomyces cerevisiae*, involvement in cell fusion and morphology, antagonizes Pkc1 pathway, 143:375
Kelch domain, in cell fusion/morphology protein, 143:375
Keratan sulfate proteoglycan, novel cell-binding (osteoadherin), 141:839
Keratin
novel filaments in keratin 18 knockout mice, ablation of (leads to accumulation of its single partner), 140:1441
phosphorylation protects against liver injury, 143:2023
Keratin 7, downregulation in keratin 18 knockout mice, 140:1441
Keratin 17, expression during skin morphogenesis, regulation of, 143:469
Keratin intermediate filaments, ordered array of nontransmembrane proteins bind to, plakophilin associates with, 141:1229
Keratin 18 knockout mice, distinctive liver pathology in, downregulation of keratin 7, formation of novel keratin filaments in, 140:1441
Keratin 8–positive aggregates, in keratin 18 knockout mice, 140:1441
Keratinocyte cell adhesion, controlled by tyrosine phosphorylation and Src family kinases, 141:1449
Keratinocytes
ability to form hemidesmosome structures, 142:271
adhesion to laminin 5, 143:1735
α3β1 integrin as trans-dominant integrin inhibitor in, adhesion/migration during wound healing, 142:1357
skin, effect of K16 on, 142:1035

Keratins, functional differences in stratified and simple epithelia, 143:487
Kic1p, function depends on Cdc31p, mediates cell integrity/morphogenesis, 143:751
Kidney (rat), small espin in, 143:107
Kidney morphogenesis, cell adhesion molecule L1 involved in, 143:2067
KIF1A motor protein, and synaptic vesicle precursor transport, and neuron viability/function, 141:431
Kinesin
and distribution of nonmembranous protein cargo, rapid vimentin movements are dependent on, local regulation of intermediate filament assembly, 143:159
individual mitotic roles for, 143:687
interaction with microtubules, 143:1053
monomeric and dimeric, microtubules decorated with (image reconstructions of), 141:419
processivity requires two heads, 140:1395
role of neck region in microtubule-based motility, 140:1407
Kinesin II
intraflagellar transport dependent on, 141:993
and pigment dispersion, 143:1547
Xklp3 subunit of, role in membrane transport, 143:1559
Kinesin light chains
essential for axonal transport in *Drosophila*, 141:443
and function of kinesin, 141:443
Kinesin motors, 140:1281
Kinesin-like protein, localization to spindle poles, 143:673
Kinesin–microtubule complex, structure of, 141:419
Kinetics, of Golgi–plasma membrane trafficking, 143:1485
Kinetochore function, CLIP-170 involved in, 141:849
Kinetochores
hBUBR1 and regulation of, assembly of, 143:49
localization of Bub1 to, localization of hBubR1 to, 142:1
localization of Mad2 to, taxol reduces tension at, 141:1181
localization of MAP kinase at, 142:1547
Xmad1 targets Xmad2 to, 143:283
ZW10 recruits dynactin and dynein to, role of dynein in, 142:763
Kinetoplast DNA replication proteins, reorganization of, 143:911
Knockout mice
desmoplakin null, embryonic lethality in, 143:2009
lacking $\alpha_1$ connexin, 143:1725
lacking laminin α5 chain, 143:1713
KSA antigen, function as epithelial cell adhesion molecule, and cell–cell adhesion, morphoregulatory role in pancreatic islet development, 140:1519
L1 cell adhesion molecule, interaction with ankyrin$_B$, loss of function, and nervous system development, 143:1305
L6 muscle cells, targeting of viral glycoproteins during myogenesis of, 140:1101
La protein, nuclear import of, evolution of, 143:887
Lamellae, α6β4 integrin and formation of, 143:1749
Laminin
acetylcholine receptor clustering induced by, and neuromuscular junction formation, 143:1067
α6A integrin splice variant and lymphocyte migration on, 143:253
required in embryogenesis, 143:1713
Laminin 5, interaction with integrin α3β1 promotes gap junction communication, adhesion of keratinocytes to, 143:1735
Laminin-5, processing of, as motility factor, as adhesive factor, 141:255
Laminin–nidogen complex, binds transmembrane protein tyrosine phosphatase LAR, 141:1675
LAR (transmembrane protein tyrosine phosphatase), bound to laminin–nidogen complex, 141:1675
Larval fibers, transformation of, 141:1135
Late endocytic compartments, microtubule-dependent transport into, 141:1121
Late secretory pathway, Smy1p acts at specific step of, 140:873
Late-Golgi membrane proteins, Grd19p and retrieval of, 140:577
Lateral elements, synaptonemal complex protein 3 forms fibrous core in, 142:331
Layilin, localized to membrane ruffles, as membrane-docking site for talin, homology with C-type lectins, 143:429
LDL receptor clustering motif, interacts with clathrin terminal domain, 142:59
Lens development, unique roles of connexins 50 and 46 in, 143:815
Lens fiber differentiation, role of caspases in, components of programmed cell death involved in, 140:153
Leucine zipper, required for localization of Xklp2 to spindle poles, 143:673
Leukocyte adhesion, and P-selectin association with clathrin-coated pits, 142:859
Leukocytes
endothelial selectins and, vascular cell adhesion molecule-1 and, 142:1381
recruitment to sites of myogenic regeneration, 140:1265
LFA-1, triggers ZAP-70 activity, not involved in stromal cell–derived factor-1–induced migration, 142:1371
Ligand-binding activity, of α-catenin and vinculin, 141:755
Light chain
cytoplasmic dynein, and nuclear migration, and dynein heavy chain localization, 143:1239
and regulation of kinesin–microtubule interaction, 143:1053
role in function of Myo2p, 142:711
Light neurofilament, levels regulated by mid-sized neurofilament subunit, 141:727
Limb deformities, in laminin α5 knockout embryos, 143:1713
Lineage commitment, granulocyte–macrophage colony-stimulating factor receptor and, 141:1041
Linear motors, kinesin, 140:1281
Lipid domain structure, of plasma membrane, 141:929
Lipid domains, annexin XIIIb associates with, 142:1413
Lipid flux, restriction of, 140:1369
Lipidic fusion pore, influenza hemagglutinin and formation of, 140:1369
Liver
development/differentiation of, 143:1101
keratin phosphorylation protects against injury, 143:2023
Liver-enriched transcription factors, and epithelial morphogenesis, and hepatocyte growth factor/scatter factor signaling, 143:1101
Long chain fatty acid, and trafficking of secretory vesicles in yeast, 143:1167
Low density lipoproteins, delivery to lysosomes, 142:937
L-selectin ligands, and lymphocyte binding to high endothelial venules, resistant to *O*-glycoprotease, distinct from MECA-79 antigen, 140:721
Lumican, regulates collagen fibril assembly, and development of highly organized collagenous matrix, essential for corneal transparency, null mutation and Ehlers-Danlos syndrome, 141:1277
Lymphocyte function–associated antigen-1, regulation of adhesion mediated by, 140:699
Lymphocytes
activation of swelling-induced $Cl^-$ channels in, 141:281
α6A integrin splice variant and migration of, 143:253
respond to 6CK/SLC and MIP-3β, physiological recirculation/homing of, 141:1053
rolling on high endothelial venules, 140:721
Lymphoid enhancer factor-1, role in keratin 17 regulation, 143:469
Lymphoid-enhancing factor, β-catenin complexes with, 141:1433
Lymphotoxin-α, membrane retention of, modulates TNF/LT-α resistance, 143:2057
Lysophosphatidic acid, generates stable microtubules, 141:175
Lysosomal trafficking coordinator, and microtubule-dependent transport into late endocytic compartments, 141:1121
Lysosome–endosome fusion, dependent on NEM-sensitive factor, produces hybrid organelle, mediates delivery of endocytosed ligands, and lysosome maintenance/function, 140:591
Lysosomes
cytoplasmic dynein heavy chain and distribution of, 141:51
fusion with late endosomes, 140:591
kinesin-dependent movement of, 143:1547
low density lipoproteins delivered to, 142:937
targeting of urokinase receptro to, 141:815
M phase, function of p55CDC during, 141:1393
Machado-Joseph disease, study of ataxin-3 in, aggregate formation in, 143:1457
Macrophage migration, chemotaxis-induced, 141:1147
Macrophages
activated protein kinase C α causes development of, 140:1511
CD44 controls multinucleation of, 143:837
Mad2
association with cyclosome/anaphase-promoting complex, binding with Cdc27 and Cdc16, 141:1393
localization to kinetochores, necessary for maintenance of taxol-induced mitotic arrest, 141:1181
Mad2 protein, essential for timing of anaphase onset, antibody induces premature anaphase, spindle checkpoint as component of, 141:1193
Madin-Darby canine kidney cells
activation of RET pathway in, 142:1337
apical plasma membrane trafficking in, 141:1503
novel apical sorting signal in, 142:1245
MAGUK protein family, novel member of, 141:199
Major histocompatibility complex, interaction with T cell receptors, 140:71

Major histocompatibility complex class II pathway, clathrin hubs inhibit sorting in, 140:1023
Major sperm protein, pressure effects on cytoskeleton of, locomotion-associated polymerization of, 140:367
Mallory bodies, in keratin 18 knockout mice, 140:1441
Mammary epithelial cells
autocrine regulation of, 143:1317
*Bard1* repression in, 143:1329
epimorphin as key morphoregulator in, 140:159
Mammary glands
branching and alveolar morphogenesis, c-met and c-erbB2 signaling in development of, 143:533
epimorphin as key morphogen in, 140:159
Mannose 6-phosphate receptor/insulin-like growth factor–II receptor, binds urokinase receptor to lysosomes, 141:815
Mannose 6–phosphate receptors
cation-independent, localization and targeting of, 140:1075
colocalize with adaptor protein-1, removal from immature granules, 141:359
Mannosidase, and glycoprotein degradation, 142:1223
α-1,3-Mannosyltransferase, localization to Golgi, and high osmolarity glycerol pathway, 143:935
MAP kinase
function in high osmolarity glycerol pathway, 143:935
and mammary gland development, 143:533
PTEN inhibits activity of, 143:1375
role in mitosis, localization at kinetochores, association with centromere-binding protein E, 142:1547
MAP kinase pathway
cell proliferation correlates with activation of, 141:1647
multiple functions during mitosis, 142:1533
MAPK nuclear translocation, requires p42/p44 MAPK activation, nuclear anchoring proteins, 142:625
MARKS, involved in neuromodulation, 142:217
MARKS-related domain, phosphorylation of, 142:485
Maternal nutrients, transplacental uptake of, 140:1453
Mating (yeast), pheromone control of Fus2p-based fusion events during, 142:1473
Mating cell differentiation, novel pheromone-induced genes required for, in *Saccharomyces cerevisiae*, 140:461
Matrix metalloproteinase, urokinase-type plasminogen activator and proteolysis of, 140:233
Matrix metalloproteinase 2, activity controlled by transforming growth factor-β, 143:827
Matrix metalloproteinase inhibitors, stromelysin-3 as target for, 140:1535
Matrix-assisted laser desorption/ionization, identification of components of large cellular organelle by, 141:967
MCF-7 breast cancer cells, vault particles interact with estrogen receptor in, 141:1301
M1c1p, as light chain for Myo2p, 142:711
MDCK cells
caveolins in exocytic pathway of, 140:795
dynamin-1 and -2 affect membrane trafficking in, 143:1871
sorting mechanisms on apical transcytotic pathway of, 143:81
MDL, inhibits cell spreading, 141:647
Mdm20p, excludes cofilin from cytoplasmic cables, 142:1289
MECA-79 antigen, L-selectin ligands distinct from, 140:721
Mechanosensory neurons, expression of Ripped pocket and pickpocket proteins in, 140:143
Medial bud, preferential transmission of mitochondrial DNA to, 142:613
Meiosis
AIR-2 function in, 143:1635
*CENP-B* and, 141:309
male, spindle self-organization and cytokinesis during, aster formation during, 142:751
membrane formation during, 140:81
*polo* and, 143:659
reduced centromere clustering during, 141:21
Meiotic centrosomes
centrosomin as component of, 141:455
cohesion protein MEI-S332 associates with, 140:1003
Meiotic drive, flagellar dyneins in, of mouse *t* haplotypes, 140:1137
Meiotic spindle, ZYG-9 as component of, 141:1159
Melanocytes, *dilute*, melanosome dynamics within, 143:1899
Melanocyte-stimulating hormone, pigment dispersion by, 142:803
Melanogenesis, stimulated by cAMP, microphthalmia and, 142:827
Melanophores
kinesin II and pigment dispersion in, 143:1547
regulation of organelle transport in, 142:803
Melanosomes
dispersion of, aggregation of, 142:803
role of myosin Va in transport and distribution of, 143:1899
Membrane coat complex, involvement in endosome–Golgi retrieval, 142:665
Membrane compartments, interaptin as link between actin cytoskeleton and, 142:735
Membrane domains (detergent-resistant), altered by polyunsaturated fatty acids, 143:637
Membrane fusion
Fzo1p and, 143:359
mediated by baculovirus gp64, inhibition of, 143:1155
SNARE complex modulates $Ca^{2+}$ sensitivity of, 143:1845
Membrane fusion mechanism (in influenza hemmaglutinin), "spring-loaded" conformational change required for, 141:1335
Membrane insertion, into nerve processes, axonal microtubules and, 143:1077
Membrane morphology, Dnm1p and, 143:333
Membrane proteins
transcytosis to apical surface (dynamically unstable microtubules and), transport to basolateral surface (stable microtubules and), 142:153
two separate pathways to vacuoles, 143:1183
Membrane retention, of tumor necrosis factor or lymphotoxin-α, 143:2057
Membrane ruffles, layilin localized to, 143:429
Membrane skeleton
corralling and tethering by, 140:1227
mechanical fluctuations of, 141:1551
regulates lateral diffusion of band 3, 142:989
Membrane trafficking
effects of dynamin-1 and -2 on, 143:1871
role for syntaxin 13 in, 143:957
sphingolipid–cholesterol rafts in, 140:1357
Membrane transport
endoplasmic reticulum–Golgi, role of Xklp3 in, 143:1559
role of TAP/p115 in, 143:319
Membranes
phospholipase D and formation of, formation during meiosis, 140:81
role of cholesterol in fusion of, 140:91
ruffling and traffic pathways, role of myosin VI in, 143:1535
Mental retardation, loss of ankyrin$_B$ and L1 functions in, 143:1305
Merlin protein, cellular function of, essential functions occur at cytoplasmic face of cell membrane, functions mediated by conserved $NH_2$-terminal region of, 141:1589
Met murine hepatic cell lines, bipotential precursor cell in, 143:1101
Metaphase, chromosome alignment during, 141:849
Metastasis
actinin-4 and potential for, 140:1383
tetraspanin molecule associated with, 141:267
ZAP-70 required for, 142:1371
MgATP (intracellular), effect on cell membrane fluctuations, 141:1551
Mice
ankyrin$_B$ knockout, 143:1305
chimeric, α5-integrin deficient, 143:849
connexin50 knockout, ocular defects in, 143:815
expressing P-selectin with deleted cytoplasmic domain, 143:1129
heavy neurofilament knockout, 143:195
α6A knockout, 143:253
lacking cerebellar ankyrin$_G$, 143:1295
neurofilament heavy knockout, 143:183
neurofilament heavy null, 143:171
Microautography, of peroxisomes, 141:625
Microfibrillar arrays, calcium and structural organization of, 141:829
Microfibrils, in *tight skin* mice, 140:1159
Microfilaments, interaction with intermediate filaments, 143:147
Micronucleation (S phase), increased by p53 inactivation, 140:1307
Microphthalmia
in connexin50-knockout mice, 143:815
mediates cAMP effect of tyrosinase promoter, in cAMP-mediated melanogenesis, in pigment cell differentiation, 142:827
Microtubule assembly, Spc72p required for, affected by *spc72* mutation, 141:1169
Microtubule cytoskeleton, link to actin cytoskeleton, 140:897
Microtubule minus ends, localization of Xklp2 to, 143:673
Microtubule motors
and melanosome transport, 143:1899
and pigment dispersion in melanophores, 143:1547
Microtubule nucleation
induced by RanBPM overexpression, 143:1041
molecular mechanism of, 141:663
Microtubule-associated protein, required for localization of Xklp2 to spindle poles, 143:673
Microtubule-associated protein 1B, functional domain analysis of, 143:695
Microtubule-organizing center, reorientation in absence of Ras activation, reorientation abolished by lack of Lck, 140:861

Microtubules
axonal, and new membrane insertion into growing neurites, 143:1077
cross-talk between focal adhesions and, influence on cell shape and polarity, stabilization against nocodazole assembly, target contact sites, 142:181
decorated with monomeric and dimeric kinesins (image reconstructions of), 141:419
dynamics in permeabilized cells, treadmilling and turnover of, 142:1519
effect of MAP1B light chain on, resistant to nocodazole and taxol, 143:695
and endosomal protein sorting into late multivesicular endosomes, 141:1121
interaction with intermediate filaments, 143:147
interaction with kinesin, 143:1053
intermediate filament interaction with, rapid movement of vimentin on, 143:159
*kakapo* required for organization of, 143:1283
not required by Smy1p, 140:873
pericentrin–γ-tubulin lattice and nucleation/organization of, 141:163
PKA mediates dynamics of, 140:131
polarity established by CHO1/MKLP1, 143:1961
protein transport and stability of, 201-F as tool for studying functional specialization of, 142:153
and regulation of cell polarity, 142:457
requirement for secretion, endoplasmic reticulum–Golgi transport in absence of, 140:1277
rho mediates stability of, lysophosphatidic acid and stabilization of, 141:175
stabilized by STOP proteins, 142:167
transport from centrosome into axon, 140:391
γ-tubulin ring complex require for nucleation of, 142:775
ZYG-9 required for organization/function of, 141:1159
Microvilli (brush border), small espin in, 143:107
Midbody, localization of dynein/dynactin to, 142:1023
Midbrain neuroepithelium, *COL2A1* expression in, 141:1291
Mid1p, and determination of cell division sites, regulated by polo kinase, 143:1603
Mid-sized neurofilament subunit, regulates light neurofilament levels, and axonal diameter, and neurofilament content, 141:727
Migration
chemotactic, of carcinoma cells, 143:1749
integrin/cadherin regulation of, 141:515
Minichromosome maintenance proteins, association with chromosomes, in *Drosophila* endocycles, 140:451
MIP-3β, and physiological recirculation/homing of lymphocytes, 141:1053
Mitochondria
Bax triggers cytochrome C release from, 143:217
$Ca^{2+}$-related interaction between endoplasmic reticulum and, and generation of explosive $Ca^{2+}$ signals, 142:1235
cross-talk between sarcoplasmic reticulum and, uptake of calcium by, 142:975
distribution of caspase-3 in, 140:1485
Dnm1p controls morphology of, 143:333
Drp1 controls distribution of, 143:351
functional imaging of, two topological subsets of, 140:1091
Fzo1p required for fusion of, 143:359
interaction with actin cytoskeleton in budding yeast, mitochondrial actin-binding protein docks to, 141:1371
regulated targeting of BAX to, 143:207
trafficking inhibited by overexpression of tau protein, 143:777
Mitochondrial actin-binding protein, docks to surface of yeast mitochondria, 141:1371
Mitochondrial DNA, sorting in zygotes, preferential transmission to medial bud, 142:613
Mitochondrial electron transport chain, generates reactive oxygen species, 141:1423
Mitochondrial matrix, diffusion of solutes within, 140:821
Mitochondrial proteins, sorting in zygotes, 142:613
Mitogen-activated protein kinase, sustained activity during angiogenesis, 140:1255
Mitogenesis
role of phosphatidylinositol 3′-kinases in, 143:1647
thyrotropin/cAMP-dependent, cyclin D3 essential for, 140:1427
Mitosis
in absence of centrosomes, 141:1383
Bub1 and, 143:1775
*CENP-B* and, 141:309
centriolar function in, 143:1575
checkpoint control guards entry into, 142:1013
controlled by nuclear import of cyclin B1, and Cdc2 phosphorylation, 141:875
cytoskeletal functions of inner centromere protein action during, 143:1763
function of inner centromere protein in, 140:991
Golgi membrane organization during, 141:955
individual roles for kinesins during anaphase, 143:687
localization of phosphorylated myosin II during, 140:119
multiple functions of MAP kinase pathway during, novel role of extracellular signal–regulated kinase in, 142:1533
novel proteins involved in, 143:1029
p55CDC and late events of, 141:1393
polycomb group–heterochromatin association maintained throughout, 142:887
regulation of DNA replication in absence of, 140:451
role of MAP kinase in, 142:1547
septins and, Gin4 kinase regulation and, 143:709
spatial and temporal coordination with cytokinesis, 143:1603
subcellular localization of protein phosphatase-1 during, 141:1207
taxol-induced arrest of, 141:1181
timing mechanism for, 141:1193
Xmad1 localizes to unattached kinetochores during, 143:283
Mitosis-promoting factor, and blockage of r-eag $K^+$ channels, 143:767
Mitotic centromere–associated kinesin, essential for anaphase, 142:787
Mitotic chromosomes
cohesion protein MEI-S332 associates with, 140:1003
pEg7 and condensation of, 143:1437
Mitotic spindle
and Golgi membrane organization during mitosis, 141:955
ZYG-9 as component of, 141:1159
MKBP (myotonic dystrophy protein kinase binding protein), constitutes novel stress-responsive system in muscle cells, binds and activates myotonic dystrophy protein kinase, and pathogenesis of myotonic dystrophy, 140:1113
Mmm1p and Mmm10p, required for mitochondria–actin cytoskeleton link, 141:1371
Moesin
binds to cytoplasmic domains of CD43, ICAM-2, and CD44, 140:885
colocalization with myosin-binding subunit, relationship with Rho targets, regulation of phosphorylation, 141:409
function in developing neurons, 143:443
Molecular chaperone (ATP-dependent), Hsp90 as, 143:901
Molecular segments (permanently folded and unfolded), entropic elasticity of, serial linking of, 140:853
Monocytes
αvβ3 integrin and transmigration of, 142:595
transmigration regulated by junctional adhesional molecule, 142:117
Monoglucosylated oligosaccharides, interaction with calnexin, 143:625
Morphogenesis
beyond cytokinetic arrest, 143:1617
and cell fusion, *AXL1* required for, *RSR1* and *BUD3* required for, 142:1473
epimorphin-dependent, 140:159
of islets of Langerhans, role of transforming growth factor-β in, 143:827
of kidney, cell adhesion molecule L1 involved in, 143:2067
of mammary epithelial cells, *Bard1* and, 143:1329
mediated by catenin–cadherin system, and *hmp-1/hmp-2/hmr-1* genes, 141:297
modulation of integrin activity vital for, 141:1073
septins and, Gin4 kinase regulation and, 143:709
Morphogenesis checkpoint (yeast), monitors actin cytoskeleton, 142:1487
Motile activity, integrin/cadherin regulation of, 141:515
Motility
microtubule-based, role of kinesin neck region in, 140:1407
number of single-headed molecules required for, 140:1395
Motor molecules, motor activity and surface density of, 140:1395
Motor neurons, neurofilament heavy subunit and efficiency/survival of, 143:171
mRNA processing, of *psbA* 5′ untranslated region, 143:1145
mRNA transport, role of Tpr in, 143:1801
Mucus, intracellular transport blocked by GalNAc-α-*O*-benzyl, α2-3 sialylation involved in secretion of, 141:1311
MukB proteins, symmetrical structure of, coiled coils in, 142:1595
Multidrug resistance proteins, and PDMP, 142:25
Multinucleation, prevented by CD44, 143:837
Muscle, interferon regulatory factor-2 activates vascular cellular adhesion molecule-1 in, 140:1265
Muscle cells
Bcl-2 and development of, 142:537
MKBP constitutes novel stress-responsive system in, 140:1113
targeting of viral glycoproteins during myogenesis of, 140:1101

Muscle contractions, and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 142:1429
Muscle dysfunction, $Ca^{2+}$-dependent, caused by troponin T mutation, 143:1201
Muscle membrane, γ-sarcoglycan deficiency causes defects in, 142:1279
Muscle-derived stem cells, and cell survival improvement, 142:1257
Muscle–tendon junction site, localization/accumulation of Vein at, 143:1259
Muscular dystrophy
caused by γ-sarcoglycan deficiency, dystrophin-independent, 142:1279
limb-girdle type 2D, in α-sarcoglycan–deficient mice, 142:1461
novel form, α5-integrin dependent, 143:849
pathophysiological role of sarcoglycan mutations in, 143:2033
Myelin sheath, gap junctions in, 142:1095
Myelin-associated glycoprotein, differentiating neuronal growth cones respond to, 142:191
Myf-5, cell cycle–dependent regulation of, and differentiation, 142:1447
Myf5, cell cycle–regulated expression of, 140:111
Myo2p
M1c1p as light chain for, 142:711
polarized delivery of secretory vesicles by, 143:1931
Myo5p, multistep model for targeting of, assembly of patches, actin organization dependent on, 141:1357
Myoblast transplantation, cell survival after, 142:1257
Myoblasts
cell cycle–regulated expression of Myf5, 140:111
and patterning of dorsal longitudinal muscle fibers, 141:1135
Myocardium, tyrosine kinases and cellular function of, 141:1637
Myocytes
activation of p38-MAPK pathway in, 142:523
distribution of protein kinase A type I and II regulatory subunits in, 142:511
myosin thick filament assembly in, 141:1349
MyoD
cell cycle–dependent regulation of, and differentiation, 142:1447
and myogenic differentiation, 143:403
Myofibers, functional imaging of mitochondria in, 140:1091
Myofibrillogenesis, developmental role of ryanodine receptor and myosin light chain kinase in, 141:1349
Myofibroblastic phenotype, induction by transforming growth factor-β1, and fibronectin domain ED-A, 142:873
Myogenesis
Bcl-2 and, 142:537
mediated by CDO, 143:403
muscle organizers in, 141:1135
regulated by FGF receptor–1 intracellular domain, 142:241
Myogenic cell line, lacking skeletal isoform of ryanodine receptor, 140:843
Myosin
*Drosophila* 95F unconventional, association with cytoplasmic linker protein–170, 140:897
β-filagenin coassembles with, 140:347
I, function and localization to yeast, verprolin as binding partner for SH3 domain of, 141:1357
role in retrograde flow, role in cell crawling traction, 141:1
role of UNC-45 in assembly of, 143:1215
Va, role in melanosome transport and distribution, 143:1899
VI, localization and phosphorylation of, stimulated by epidermal growth factor, role in membrane ruffling, role in membrane traffic pathways, 143:1535
Myosin heavy chain IIa, functionally distinct from myosin heavy chain IId, 141:943
Myosin heavy chain IId, functionally distinct from myosin heavy chain IIa, 141:943
Myosin II
assembly to ring structure involved in cytokinesis, 140:355
phosphorylated, localization during cell locomotion and mitosis, 140:119
Myosin light chain kinase
developmental role during myofibrillogenesis, 141:1349
as key regulator of apoptotic blebbing, 140:627
Myosin thick filament, assembly in *Xenopus* myocytes, 141:1349
Myosin-binding subunit, colocalization with moesin, 141:409
Myosin-IB (*Acanthamoeba castellani*), three-dimensional structure of, vs. structure of brush border myosin-I, 141:155
Myotonic dystrophy, protein interaction and pathogenesis of, 140:1113
Myotonic dystrophy protein kinase, MKBP binds and activates, and pathogenesis of myotonic dystrophy, 140:1113
Myotubes
differential processing/membrane transport for viral glycoproteins during formation of, 140:1101
molecular organization of sarcoglycans in, 143:2033
NAB2, overexpression inhibits PC12 cell differentiation, and $p21^{WAF}$ downregulation, 142:1075
$Na^+/H^+$ exchanger, role in chloroquine uptake, activated by chloroquine, 140:335
N-cadherin, protein tyrosine phosphatase 1B regulates function of, 143:523
Ndc1p, localizes to nuclear pore complexes and spindle pole bodies, 143:1789
Necrosis, caspase-independent, via Fas-associated protein with death domain, 143:1353
Nek2, C-Nap1 as candidate substrate of, and regulation of centriole–centriole adhesion, 141:1563
NEM-sensitive factor, lysosome–endosome fusion dependent on, 140:591
NEM-sensitive fusion protein, required for immature secretory granule fusion, 143:1831
Nerve growth factor
and p53 expression, and developmental neuron death, 143:1691
proliferation/differentiation of PC12 cells in response to, 142:1075
and protein degradation–synthesis coupling, 142:1313
Nervous system
$ankyrin_B$ and development of, 143:1305
unconventional myosin associates with cytoplasmic linker protein in, 140:897
*N*-Ethylmaleimide, inhibits dislocation of TCR α chain from endoplasmic reticulum, 142:365
Neural cell adhesion molecule, apical polarity of, 142:697
Neural crest, migration modulated by gap junction, 143:1725
Neural regeneration, genetically controlled acceleration of, 141:493
Neuregulin
interaction with agrin mediates acetylcholine receptor expression, 141:715
and mammary gland development, 143:533
Neurexin, Coracle binds to cytoplasmic domain of, localization to septate junction, 140:1463
Neurite fasciculation, mediated by axonin-1–NgCAM complex, 143:1673
Neurites
formation modulated by radixin and moesin, 143:443
new membrane insertion into, 143:1077
remodeling regulated by Rho-associated protein kinase, 141:1625
STOP proteins required for normal formation of, 142:167
Neuritogenesis
induced by proteolytic activity, 140:223
role of cRac1B during, 142:815
Neuroblastoma N1E-115 cells, neurite remodeling in, 141:1625
Neurodegeneration, study of ataxin-3 in, aggregate formation in, 143:1457
Neurofascin
$ankyrin_G$ and localization to Purkinje cell neurons, 143:1295
$ankyrin_G$ membrane-binding domain and, 142:1571
modulated by alternative splicing, molecular interactions of, and axonal outgrowth, 142:1083
Neurofilament content, regulated by mid-sized neurofilament subunit, 141:727
Neurofilament heavy gene, disruption of, role in neuronal function, 143:183
Neurofilament heavy subunit, radial growth of axons without, and axonal organization of neurofilaments, 143:171
Neurofilament proteins, function revealed by gene targeting studies, 143:1
Neurofilaments
axonal organization of, neurofilament heavy subunit not required for, 143:171
neurofilament heavy subunit not required for formation of, neurofilament heavy subunit and velocity of transport, 143:183
subunit composition modulates dendrites, 140:1167
Neuroglian, requirements for signaling by, and recruitment of ankyrin to cell contact sites, expression leads to cell aggregation, 142:251
Neuromodulation, involvement of MARKS in, 142:217
Neuromuscular junctions
formation of, 143:1067
*kakapo* and growth at, 143:1283
regulation of acetylcholine receptor gene expression at, 141:715
β-spectrin colocalizes with voltage-gated sodium channels and $ankyrin_G$ at, 140:675
Neuronal apoptosis, p53 and, 143:1691
Neuronal branching, role of *kakapo* in, 143:1283
Neuronal cell adhesion molecules, polysialylation of, 140:1177
Neuronal cell differentiation, increased STOP and STOP variant levels expressed during, 142:167
Neuronal determination, retinoblastoma family required for, 140:1497
Neuronal differentiation, NRP/B is involved in, 141:553
Neuronal growth cones, respond to inhibitory cues, 142:191

Neuronal migration, involvement of protein tyrosine zeta and pleiotropin in, 142:203
Neurons
accumulation of insoluble amyloid β protein in, 141:1031
activity-dependent regulation of BC1 RNA in, 141:1601
adducin phosphorylation in, 142:485
apCAM and growth/reorientation of, 141:227
cRac1B induces neuritogenesis in, cRac1B increases neurite branching in, 142:815
cyclin-dependent kinases and death of, 143:457
cytochrome c activity and apoptosis, 142:1583
degradation–synthesis coupling in, homeostatic control of size and function, 142:1313
KIF1A and viability/function of, 141:431
overexpression of tau protein and gradual degeneration of, 143:777
p75 neurotrophin receptor and naturally occurring sympathetic death of, interactions with targets, 140:911
paralemmin expression in, 143:795
radixin and moesin function in development of, 143:443
STOP proteins and microtubule stabilization in, 142:167
unconventional myosin associates with cytoplasmic linker protein in, 140:897
Neurotransmitter, regulated release at synapse, 140:685
Neurotrophin signal transduction, p53 and, and developmental neuron death, 143:1691
Neutrophil extracts, Cdc42-induced actin polymerization in, 142:1001
Neutrophil protease, endothelial catenin degradation mediated by, 140:403
Nexilin, as novel actin filament–binding protein, localized to cell–matrix adherens junction, 143:1227
NF-κB
activated by three-dimensional collagen lattice, role in integrin $\alpha_2$ gene expression, role in tissue remodeling, 140:709
role in regulating apoptosis, 141:1479
NIMA, role in nuclear localization of cyclin B, 141:1575
Nocodazole, Golgi scattering induced by, 143:1505
Nonmuscle cell signaling and function, heterogeneity of ER $Ca^{2+}$ has role in, 142:1395
Nopp140, as link between nucleolus and coiled bodies, 142:319
Notochord, collagen II essential for removal of, 143:1399
NRP/B, cloning/expression/characterization of, associates with $p110^{RB}$, is involved in neuronal differentiation, 141:553
Nsp1p, localization within nuclear pore complex, 143:577
N-syndecan, interaction with heparin-binding growth-associated molecule, role in bone formation, 143:1113
Nuclear anchoring proteins, and MAPK nuclear translocation, 142:625
Nuclear budding (S phase), increased by p53 inactivation, 140:1307
Nuclear envelope
association of RanGAP1 with, 140:259
nuclear pore complex and spindle pole body assembly into, common mechanism for, 143:1789
nucleolar contact with (in rDNA deletion mutants), 143:23
*thl1*$^+$ required for fusion of, 140:247
Nuclear events, coordination of centrosome reproduction with, 140:1417
Nuclear export
importin α sequences involved in, 143:309
shuttling factors in, 141:863
Tpr and, 143:1801
Nuclear export signals, nuclear localization signals unable to function as, 143:309
Nuclear factor-κB, and integrin-mediated cell survival, 141:1083
Nuclear factor of activated T cells, nuclear export of, 141:863
Nuclear fusion, *thl1*$^+$ required for, 140:247
Nuclear import
of HIV-1 Vpr, 143:875
of HMG proteins, 143:1427
of La proteins, 143:887
of transcription factor TFIIS, 143:1447
Nuclear localization, role in glutamine-repeat diseases, promotes aggregation, 143:1457
Nuclear localization sequence, of Tpr, 143:1801
Nuclear localization signals, importin α sequences involved in binding of, inability to function as nuclear export signals, 143:309
Nuclear migration
Cib5 and, 143:135
cytoplasmic dynein light chain required for, 143:1239
Nuclear organization, and activation/propagation of S phase, 140:1285
Nuclear pore complex
accessed by HIV Vpr, 143:875
karyopherin docking complex within, 143:1813
molecular architecture of, Nsp1p and interacting partners within, 143:577
shared component of spindle pole bodies and, 143:1789
targeting of RanGAP1 to, 140:499
Tpr localized to intranulcear filaments of, 143:1801
Nuclear positioning, during interphase of late-replicating, heterochromatic homogeneously staining region, 140:975
Nuclear protein import, and RanGAP1, 140:259
Nuclear translocation, of p42/p44 MAPK, 142:625
Nuclear transport factor (Kap121p), association with nuclear pore complex, 143:1813
Nucleation reaction, Spc98p required for, 141:689
Nucleobindin, as Golgi resident protein, role in calcium homeostasis, 141:1515
Nucleocytoplasmic transport, behavior of heterogeneous ribonucleoproteins during, 142:1181
Nucleolus
building process during *Xenopus laevis* development, pre-ribosomal RNAs and organization of, organization unrelated to polymerase I transcription, 142:1167
growth factors in, cell cycle–related proteins in, 143:279
hrp23 present in, 142:1181
linked to coiled bodies by Nopp140, 142:319
perinucleolar compartment structurally distinct from, 143:35
structure and localization in *Saccharomyces cerevisiae*, contact with nuclear envelope (in rDNA deletion mutants), 143:23
Nucleoporins
in *Drosophila*, 142:1195
and Nsp1p localization within nuclear pore complex, 143:577
Nup53p, Nup59p, Nup170p, localization within nuclear pore complex, interaction with one another, karyopherin Kap121p binds Nup53p, 143:1813
5′ nucleotidase, distribution in apical plasma membrane, imaging fluorescence resonance energy transfer of, 142:69
Nucleus
removal of double-minute chromosomes from, 140:1307
unaffected by disappearance of coiled bodies, 142:899
in wheat, transcription sites not correlated with chromosome territories in, 143:5
Nup153, as major binding site for importin β, 141:31
*Nup154 Drosophila* gene, cloning/characterization of, protein product localization, involvement in male/female gametogenesis, relationship to *Nup155* vertebrate nucleoporin gene, 142:1195
*Nup155* vertebrate nucleoporin gene, *Nup154 Drosophila* gene related to, 142:1195
Occludin
epithelial cells deficient in, 141:397
peptide sequence similarity to claudin-1 and -2, 141:1539
recruited in fibroblasts, 143:391
ZO-3 interacts with, 141:199
OCI-5/GPC3, induces apoptosis in cell line–specific manner, 141:1407
Ocular defects, in connexin50-knockout mice, 143:815
*O*-glycoprotease, L-selectin ligands resistant to, 140:721
Ogranelle motility, myosin V and, 143:1899
Oleamide, and cardiac neural crest migration, 143:1725
Oligodendrocytes
apoptosis of, in Pelizaeus-Merzbacher disease, accumulation of *Plp* gene products in, 140:925
differentiating neuronal growth cones respond to, 142:191
Oligosaccharide structure, and glycoprotein degradation, 142:1223
Oncoprotein 18, downregulated by PKA phosphorylation, and regulation of microtubule system, 140:131
Oocytes
cyclin B splice variant produced in, 140:283
localization of cohesion protein MEI-S332 in, 140:1003
Organelle, regulation of transport, 142:803
Organelle morphology, Fzo1p and, 143:359
Origin recognition complex
function in early initiation, 140:271
and heterochromatin protein 1 localization, 142:307
Osmotic swelling, and increased activity of immunoprecipitated $p56^{lck}$, 141:281
Osteoadherin, isolation and characterization of, integrin-dependent cell-binding activity of, binds to hydroxyapatite, 141:839
Osteoblast recruitment, heparin-binding growth-associated molecule/N-syndecan interaction in, 143:1113
Osteoblasts, bone morphogenetic protein receptor in speciation/differentiation of, 142:295
Osteoblast/stromal cells, cadherin-6 in, 141:1467

Osteoclast precursors, cadherin-6 in, 141: 1467
Osteoclastic bone resorption, regulated by interleukin-6, extracellular $Ca^{2+}$ and regulation of, 142:1347
Osteoclastogenesis, role of cadherin-6 in, 141:1467
Osteoclasts
CD44 and differentiation of, 143:837
interleukin-6–extracellular $Ca^{2+}$ interactions in, 142:1347
β-Oxidation, *Drosophila* enzyme related to, 141:1009
p21, as critical CDK2 regulator, and regulation of G1, 141:503
$p21^{WAF}$, restores PC12 cell differentiation, downregulation caused by NAB2 overexpression, 142:1075
p23
Hsp90 protein interacts with, 143:901
and retrograde transport from Golgi, 143: 601
$p27^{KIP1}$, mediates E-cadherin–dependent growth suppression, E-cadherin and elevation of, 142:557
p53
apoptosis triggered independently of, 140: 637
minimizes probability of chromosome breakage, 140:1307
monitors survival signals from extracellular matrix and focal adhesion kinase, apoptotic pathway regulated by, 143:547
and retrograde transport from Golgi, 143: 601
$p56^{lck}$, activates swelling-induced $Cl^-$ channels, 141:281
$p110^{RB}$, NRP/B associates with, 141:553
p115, and COPI vesicle docking to Golgi membranes, 140:1013
$p120^{ctn}$, involved in cadherin clustering/cell adhesion, 141:779
$p130^{Cas}$, mediates focal adhesion kinase–promoted cell migration, 140:211
p38 MAPK pathway, activated by G protein–coupled receptor agonists, activation in myocytes, and cardiac myocyte hypertrophy, 142:523
p75 neurotrophin receptor, mediates neuronal apoptosis, and naturally occurring sympathetic neuron death, and establishment of neuron–target interactions, 140:911
p24 proteins, reside in the *cis*-Golgi network, 140:751
PACS-1 (phosphorylation state-dependent sorting protein), required for furin cycling loop, 142:1399
*PAG* gene products, and microautographic degradation of peroxisomes, 141:625
Palmate cell, clonal isolation of, and liver development, 143:1101
Pancreas (exocrine), connexin32 deficiency alters function of, 141:1267
Pancreatic development, transforming growth factor-β and, 143:827
Pancreatic islets, epithelial cell adhesion molecule and development of, 140: 1519
Pan1p, and endocytosis, and actin-cytoskeleton organization, 141:71
Paralemmin, characterization of, expression of, and control of cell shape, 143:795
Paramyosin, β-filagenin coassembles with, 140:347
Patches, morphology and dynamics of, relationship between cables and, 142: 1501
Paxillin, recruitment to focal adhesions mediated by ARF1, 143:1981
PC12 cells
differentiation inhibited by NAB2, $p21^{WAF}$ restores differentiation of, proliferation/differentiation in response to nerve growth factor, 142: 1075
synaptic vesicle generation in, 143:947
p55CDC, mediates association of Mad2 with cyclosome/anaphase-promoting complex, and anaphase onset, and late mitotic events, 141:1393
PDMP, and Golgi–endoplasmic reticulum transport, and multidrug resistance, and calcium homeostasis, 142:25
PDZ domains, and INAD homomultimerization, 142:545
pEg7, and chromosome condensation, as component of 13S condensin complex, 143:1437
Pelizaeus-Merzbacher disease, disrupted proteolipid protein trafficking in, oligodendrocyte apoptosis in, hypothesis for pathogenesis in, 140:925
Peptides, transporter-dependent secretion of, 140:17
Pericentrin, forms lattice with γ-tubulin, as component of protein complex in *Xenopus* eggs, 141:163
Perinuclear cytoplasm, diffusion between adaxonal cytoplasm and, 142:1095
Perinucleolar compartment, and transcription, structurally distinct from nucleolus, involved in RNA metabolism, 143:35
Peripheral nerves, function of SCIP during regeneration of, 141:493
Permeability transition pore, Bax induces cytochrome C release independently of, 143:217
Permeabilized cells
microtubule dynamics in, 142:1519
and study of focal adhesion assembly, 143: 1981
Peroxins, novel pair essential for peroxisomal targeting, 143:1859
Peroxisomal biogenesis, of Pex7p and PTS2 targeting, 143:1859
Peroxisomal protein import
Djp1p required for, cytosolic chaperones involved in, 142:421
in *Pichia pastoris*, 140:807
Peroxisomal targeting signal II, import of proteins containing, Pex7p as mobile receptor to, 140:807
Peroxisomal targeting signal pathway, role of Pex17p in, 140:49
Peroxisome biogenesis, role of Pex11p in, ADP-ribosylation factor involved in, coatomer involved in, 141:373
PEVK segments, entropic elasticity of, serial linking of, 140:853
Peroxisomes
degradation by microautography, 141:625
Djp1p required for protein import to, 142: 421
Pex7p targeted to, 143:1859
targeting of thiolase to, 142:403
Pex7p
and peroxisomal targeting signal II protein transport, functions as receptor, 140:807
targeting to peroxisomes, 143:1859
Pex11p, role in peroxisome biogenesis, 141:373
Pex17p, as component of peroxisomal import machinery, 140:49
Pex20p, role in oligomerization of thiolase, role in peroxisomal import of thiolase, 142:403
Phagocytosis, G protein beta subunit–null mutants impaired in, regulation of actin cytoskeleton during, 141:1529
Phenylphrine, and p38-MAPK pathway activation, 142:523
Pheromones, novel genes regulated by, 140: 461
Phosphatidylinositide 3-kinase, binds to insulin receptor substrate-1, and formation of preassembled complexes associated with actin cytoskeleton, 140: 1211
Phosphatidylinositol 3-kinase, acts upstream of Tiam1 and Rac, role in cell migration, role in E-cadherin–mediated cell adhesion, 143:1385
Phosphatidylinositol 3′-kinases, and vesicular trafficking, and actin cytoskeleton regulation, and mitogenesis, 143:1647
Phosphodiesterase, and lamellae formation, and chemotactic migration, 143:1749
Phosphoinositides
imaging of, 143:501
work with Cdc42 to induce actin assembly, 140:1125
Phospholipase C
regulates actin cytoskeleton during phagocytosis, 141:1529
and visualization of phosphoinositides, 143:501
Phospholipase Cγ1, involvement in truncated c-kit–induced egg activation, 142:1063
Phospholipase D, mediates membrane formation, 140:81
Phosphorylation
of keratin, and liver injury, 143:2023
of proteins, in recruitment of proteins to transcription sites, 143:297
Phototransduction proteins, coupled to INAD, 142:545
PI3 kinase, and mammary gland development, 143:533
Piccolo, Bassoon colocalizes with synaptophysin and, 142:499
*Pichia pastoris*
microautography of peroxisomes in, 141: 625
peroxisomal import mutants in, 140:807
Pickpocket (novel *Drosophila* protein), expressed in early development and mechanosensory neurons, 140:143
Pigment cells, microphthalmia and differentiation of, 142:827
Pigment dispersion, in *Xenopus* melanophores, kinesin II and, 143:1547
PKA (cAMP-dependent protein kinase), regulation of microtubule dynamics, downregulates oncoprotein 18, 140:131
Pkc1 pathway, antagonized by Kel1p, 143: 375
Placenta
in laminin α5 knockout embryos, 143:1713
nutrient/waste transport through, 140:1453
Plakoglobin
anchors to desmosomal cadherins and to desmoplakin, binds preferentially to desmoglein1, 141:1229
nuclear translocation/transactivation of, complexes with lymphoid-enhancing factor and vinculin, 141:1433
signaling activities in *Drosophila*, 140:183
Plakophilin 1, associates with keratins, binds preferenitally to desmocollin 1a, 141: 1229
Plant cells, membrane proteins sorted to vacuoles in, 143:1183
Plasma membrane
ADP-ribosylation factor 6 targets recycling vesicles to, 140:603
basolateral, caveolar biogenesis in, 140: 795
lipid domain structure, 141:929

myosin-binding subunit colocalizes with myosin at, 141:409
oligomerization and channel formation in, 140:525
secretory protein transport to, 142:153
sorting of GLUT4 from transferrin receptor occurs at, 140:565
TGF-β type I and II receptor homodimers in, 140:767
trafficking from Golgi to, of vesicular stomatitis virus G protein fused to green fluorescent protein, 143:1485
transport of newly synthesized proteins to, and synaptic vesicle precursors, 140:659
UV light affects targets at, 140:171
vesicle-associated membrane protein sorting at, 143:947
Plasma membrane proteins
syntaxin 13 and recycling of, 143:957
transport in living axons, 140:659
Plasma membrane traffic, paralemmin involved in, 143:795
Plasma membrane–coated pits, Eps involved in function of, 140:1055
Plasma transglutaminase, synthesis upregulated in hypertrophic chondrocytes, zymogen activation, and cell death, activity externalized into extracellular matrix, 142:1135
Plasmin
and laminin-5 processing, 141:255
urokinase-type plasminogen activator and proteolysis of, 140:233
*Plasmodium falciparum*, chloroquine uptake in, 140:335
Platelets, requirements for optimal $\alpha_{IIb}\beta_3$ function in, 141:1685
Pleckstrin homology domains, visualization of phosphoinositides that interact with, 143:501
Plectin, stabilizes hemidesmosomes, interaction with integrin $\beta_4$ subunits and cytokeratin filaments, as cytoskeletal linker protein, 141:209
Pleiotropin, involvement in neuronal migration, protein tyrosine phosphate zeta as neuronal receptor of, 142:203
*Plp* gene products, accumulation in oligodendrocytes, 140:925
Podocytes, microtubular polarity in, CHO1/MKLP1 expression in, process formation of, 143:1961
Polar bodies, AIR-2 required for extrusion of, 143:1635
Polarity, of secretory vesicles, and tropomyosin-containing actin cables, 143:1931
Polarized membrane traffic, role of SNAREs in, 141:1503
Poleward microtubule flux, as predominant mechanism for anaphase A, occurs at similar rate as chromosome movement, 141:703
*polo*, required for cytokinesis, and spermatogenesis, 143:659
Polo kinase, and determination of cell division sites, regulates Mid1p, and spatial/temporal coordination of mitosis and cytokinesis, 143:1603
Polo-like kinases, role in eukaryotic cells, 143:659
Polycomb group complex, association with pericentromeric heterochromatin, and formation of novel nuclear domain, inheritance by daughter cells, 142:887
Polycomb-group proteins, distribution during cell division/development, 141:469
Polyglutamine, mediates protein recruitment in aggregation, role in mediating recruitment, 143:1457
Polymerase I transcription, unrelated to de novo nucleolar building, 142:1167
Polymeric Ig receptors
internalize to endosome compartment, 141:611
transcytotic pathway followed by, 143:81
Polymerization, of septins in budding yeast, 143:737
Polysialic acid, regulation of synthesis, 140:1177
Polyunsaturated fatty acids, alter detergent-resistant membrane domains, inhibit T cell activation, 143:637
Pom152p, and spindle pole body duplication defect, 143:1789
Potassium channels, modulated by cell cycle, 143:767
p42/p44 MAPK, and MAPK nuclear translocation, 142:625
PP2A, isoform regulates endosome sorting, 142:1399
Pre-ribosomal RNAs, and organization of nucleolar domain, 142:1167
Presenilin, degradation of, and proteasome inhibition, and aggresome formation, 143:1883
Presynaptic cytoskeleton, novel component of, 142:499
Prevacuolar compartment, retrieval of late-Golgi membrane proteins from, Grd19p localizes to, 140:577
Prevacuolar/endosomal compartment, and vacuole–*trans*-Golgi retrograde traffic, 142:651
Procathespin, ERGIC-53 and secretion of, 142:377
Process formation, and microtubular polarity in podocytes established by CHO1/MKLP1, 143:1961
p160ROCK (Rho-associated protein kinase), and neurite modeling, 141:1625
Progenitor basal cells, K16 expressed in, 142:1035
Programmed cell death, components involved in lens fiber differentiation, 140:153
Prohormone convertase 2, and homotypic fusion of immature secretory granules, 143:1831
Proliferation, suppressed by E-cadherin, 142:557
Proliferation disruptor protein, heterochromatic binding of, moves from high affinity sites in euchromatin, 140:1297
Prophase, checkpoint control during early stage of, reversal of, 142:1013
Protease, and morphogenic responses during yeast cell fusion, 142:1473
Proteasomes, and aggresome formation, 143:1883
Protein 4.1
CASK/LIN-2 binds, 142:129
FKBP13 interacts with novel homologue of, 141:143
Protein aggregation, as general cellular response to, 143:1883
Protein crowding, and solute movement, 140:821
Protein cycling, of Golgi-resident proteins, through endoplasmic reticulum, and nocodazole-induced Golgi scattering, 143:1505
Protein evolution, of La proteins, 143:887
Protein folding, role for Scj1p in, 143:921
Protein glucosylation, in *Schizosaccharomyces pombe*, 143:625
Protein import
in chloroplasts, Tic20 and Tic22 as components of, 143:991
and nuclear pore subcomplexes, 143:577
peroxisomal, PTS2 pathway peroxins and, 143:1859
Protein kinase, regulated by a centrin, 143:751
Protein kinase A
AKAP100 colocalizes with type II regulatory subunit, type I and II regulatory subunits distribution in myocytes, 142:511
and organelle transport regulation, and melanosome dispersion, 142:803
Protein kinase C
adducin as in vivo substrate for, 142:485
association with INAD signaling complex, 142:545
fatty acids and translocation of subspecies, 143:511
and organelle transport regulation, and melanosome dispersion, 142:803
regulates actin cytoskeleton, 143:1661
Protein kinase Cα
causes macrophage development, gives differentiation signal for hematopoietic progenitor cells, 140:1511
targeting to caveolae, protein component of binding of, 141:601
Protein phosphatase-1, isoform-specific subcellular localization of, distinct roles for each isoform, 141:1207
Protein phosphatase 2A, and organelle transport regulation, mediates melanosome aggregation, 142:803
Protein phosphorylation, in recruitment of proteins to transcription sites, 143:297
Protein recycling, syntaxin 13 and, 143:957
Protein sorting
ceramide and sphingolipid metabolism in, 143:1167
regulation of (within *trans*-Golgi network/endosomal system), 142:1399
Protein targeting
cytoplasm–vacuole, Vac8p functions in, 140:1063
interactions with signal recognition particle during, 142:341
Protein trafficking, and gap junctional intercellular communication, 143:1735
Protein transport, microtubule stability and, 142:153
Protein turnover, in sympathetic neurons, 142:1313
Protein tyrosine kinases
coexpression enhances ZAP-70 translocation, 143:613
removal from detergent-resistant membrane domains, 143:637
Protein tyrosine phosphatase 1B
binds to cytoplasmic domain of N-cadherin, regulates cadherin–actin linkage, dephosphorylates β-catenin, 143:523
as regulatory component of integrin signaling pathways, 143:861
Protein tyrosine phosphate zeta, involved in neuronal migration, as neuronal receptor of pleiotropin, 142:203
Protein–protein interaction, signal sequences recognized by, 142:355
Proteins
degradation–synthesis coupling, 142:1313
Golgi–endoplasmic reticulum transport of, 140:1
misfolded, aggresomes as cellular response to, 143:1883
targeting in *Toxoplasma gondii*, 141:1323
Proteolipid protein, disrupted trafficking in Pelizaeus-Merzbacher disease, 140:925
Proteolysis, Ste24p and, 142:635
Proteolytic activity (intracellular), induces growth cone formation and neuritogenesis, 140:223

Prothrombin, as ligand for integrin $\alpha_v\beta_3$, 143:2081
*psbA*, 5′ untranslated region mRNA processing correlates with ribosome association, 143:1145
P-selectin
cytoplasmic domain of, association with clathrin-coated pits, 142:859
cytoplasmic domain of, storage pools in endothelial cells, regulated secretion of, different sorting mechanisms for, role in granular targeting and early inflammatory responses, 143:1129
dimerization of P-selectin glycoprotein ligand-1 essential for functional recognition of, 142:263
as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 142:1381
P-selectin glycoprotein ligand-1, dimerization essential for functional recognition of P-selectin, 142:263
PtdIns(3)P 5-kinase, Fab1p essential for activity of, and recycling/turnover of vacuolar membranes, 143:65
PTEN, inhibits MAP kinase signaling pathways, inhibits Ras activity, inhibits cell spreading, 143:1375
PTPμ, association with cadherins, association with cadherin–catenin complexes, 141:287
Purkinje cells, ankyrin$_G$ and firing properties of, ankyrin$_G$ and neurofascin targeting to, 143:1295
rab7, role in lysosome biogenesis, and localization/targeting of cathepsin D, and localization/targeting of cation-independent mannose 6–phosphate receptor, 140:1075
rab17, regulates traffic through apical recycling endosome, in polarized sorting in epithelial cells, 140:1039
Rab3D, and adrenocorticotropin secretion, and dense core granule distribution, 140:305
Rac
phosphatidylinositol 3-kinase acts upstream of, promotes E-cadherin–mediated cell–cell adhesion, promotes cell migration, 143:1385
regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 142:573
role in chemotaxis-induced macrophage migration, 141:1147
Rac1
involved in development of epithelial cell polarity, 142:85
regulates epithelial tight junction structure/function, 142:101
racE, role in cortical tension and cytokinesis, 141:483
Radial growth (of axons), without neurofilament heavy subunit, 143:171
Radixin, function in developing neurons, 143:443
Raft domains, in plasma membrane of nonpolarized cells, 141:929
Ran
mediates nuclear import of nuclear factor of activated T cells, 141:863
regulates centrosomal function through RanBPM, 143:1041
RanBPM
as novel centrosomal protein, Ran regulates centrosomal function through, involvement in microtubule nucleation, 143:1041
overexpression induces microtubule nucleation, 143:1041
RanGAP1
link between SUMO-1 and, and nuclear protein import, reversible modification of, 140:259
and SUMO-1 modification, and targeting to nuclear pore complex, nuclear localization signal in, 140:499
Ras, and myogenic differentiation, 143:403
Rat, small espin in intestines and kidneys, 143:107
Rb, and regulation of G1, 141:503
RB47, and translation of chloroplast *psbA* mRNA, 142:435
rDNA, and organization/localization of nucleolus, 143:23
Reactive oxygen species, extracellular $Ca^{2+}$ influx regulates production, generated from mitochondrial electron transport chain, high levels require ICE protease activity and early gene expression, 141:1423
Receptor clustering, complements affinity modulation in $\alpha_{IIb}\beta_3$, 141:1685
Receptor tyrosine kinases, and elevation of p27, 142:557
Receptor–ligand binding, EGF membrane-anchoring domain restricts location of, 143:1317
Recombination, synaptonemal complex protein 3 and regulation of, 142:331
Recruitment (of proteins to transcription sites), protein phosphorylation in, 143:297
Recycling vesicles, targeted to plasma membrane by ADP-ribosylation factor, 140:603
Red blood cells, cell membrane fluctuations in, 141:1551
Redox potential, and removal of membrane proteins from endoplasmic reticulum, 142:365
Renal epithelium, cell adhesion molecule L1 developmentally regulated in, 143:2067
Replication, karyomeres as independent units of, 142:1159
Replication sites, spatial and temporal dynamics of, 143:1415
Replication timing, of early S-phase–replicated DNA, 143:1415
Replicon clusters, and activation/propagation of S phase, 140:1285
RET-GDNF pathway, stimulates epithelial cell, migration/chemoattraction, cellular responses to activation of, 142:1337
Retinal bipolar cells, actin dynamics in synaptic terminal of, 143:1661
Retinal pigment epithelium, suppresses basolateral signal recognition, 142:697
Retinoblastoma family, essential for neuronal determination, 140:1497
Retrograde intraflagellar transport, distinct mutants of, functions of different components, 143:1591
Retrograde transport
from Golgi, mediated by Erd2p, 143:601
from Golgi to endoplasmic reticulum, 140:1
from Golgi to endoplasmic reticulum, reconstitution of, 143:589
of toxins through secretory pathway, 140:733
Retromer complex, role in endosome–Golgi retrieval, 142:665
Rho
activation regulated by fibronectin matrix, 143:267
and formation of paxillin-rich focal adhesions, actin stress fiber formation stimulated by, 143:1981
as key regulator for apoptotic blebbing, 140:627
inhibition blocks fibronectin matrix assembly, 141:539
mediates microtubule stability, 141:175
regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 142:573
role in chemotaxis-induced macrophage migration, 141:1147
Rho family, novel proteins of, 141:187
Rho family GTPases, regulate integrin signaling, and cytoskeletal organization, morphological changes regulated by, regulate cell spreading, 142:573
Rho targets, relationship with moesin, 141:409
RhoA
involved in development of epithelial cell polarity, 142:85
regulates epithelial tight junction structure/function, 142:101
Rho-associated kinase
phosphorylates ezrin/radixin/moesin proteins, regulates ezrin/radixin/moesin protein head-to-tail association, 140:647
role in cytokinesis, essential for actomyosin regulation, and segregation of glial filaments, 143:1249
Rhodospin
association with INAD signaling complex, 142:545
targeted to apical plasma membrane, cytoplasmic tail contains apical sorting signal, 142:1245
Rho-like GTPases, activator protein-1 required for activation of, 143:1087
Ribonucleoprotein export, behavior of heterogeneous ribonucleoproteins during, 142:1181
Ribosomal protein S3a, involved in apoptosis, 141:741
Ribosome binding sequence, and *psbA* mRNA processing, 143:1145
Ribosome synthesis, repressed by *ncl-1*, 140:1321
Ricin, toxicity and transport to Golgi apparatus inhibited, 140:553
Ripped pocket (novel *Drosophila* protein), expressed in early development and mechanosensory neurons, 140:143
RNA metabolism, perinucleolar compartment involved in, 143:35
RNA polymerases I and II, and organization/localization of nucleolus, 143:23
RNA splicing, SR protein kinases and regulation of, 140:737
RNA-binding proteins
in *Chlamydomonas reinhardtii* chloroplasts, 140:101
import and evolution of, 143:887
Rvs161p, interaction with Fus2p required for cell fusion, 141:567
Ryanodine receptor
and assembly of calcium release units, and formation of dihydropyridine receptor tetrads, 140:831
developmental role during myofibrillogenesis, 141:1349
myogenic cell line lacking skeletal isoform of, and $Ca^{2+}$ channel function, 140:843
13S condensin complex, pEg7 as novel component of, 143:1437
S phase
activation/propagation in human cells, 140:1285
average number of replication sites in, 143:1415
double-minute chromosomes removed from nucleus during, 140:1307
initiation of DNA replication during, 140:271

*Saccharomyces*, analysis of spindle pole of, 141:967
*Saccharomyces cerevisiae*
actomyosin contractile ring in, cytokinesis in, 142:1301
AP-3–dependent sorting in, 142:913
cell fusion in, 141:567
centromere clustering in, 141:21
Cyk2 distribution/function in, 143:1947
cytokinetic arrest in, 143:1617
*DJP1* gene in, 142:421
Dnm1p controls mitochondrial morphology in, 143:333
Gin4p coassembles with septins in, 143:719
glycoprotein degradation in, 142:1223
identification of Kel1p in, 143:375
localization and function of ZPR1 in, 143:1471
M1c1p as a light chain for Myo2p in, 142:711
mating differentiation of, 140:461
maturation of **a**-factor precursor in, 142:635
novel connection between nuclear pore complexes and spindle pole bodies in, 143:1789
novel spindle proteins in, 143:1029
Pex17p of, 140:49
prephase nuclear positioning in, 143:135
PTS2 pathway peroxins in, 143:1859
retrieval of late-Golgi membrane proteins from, 140:577
septin polymerization in, 143:737
spatial regulation of exocytosis in, 142:609
spore formation in, 140:29
*SRP1-2*–encoded protein in, 142:341
structure and localization of nucleolus in, 143:23
*Saccharomyces cerevisiae* **a**-factor receptor, ubiquitination/endocytosis/vacuolar degradation of, 142:949
SAPK2/p38, membrane blebbing mediated by, 143:1361
Saponin, mitochondria in myofibers permeabilized with, 140:1091
α-Sarcoglycan, and limb-girdle muscular dystrophies, 142:1461
γ-Sarcoglycan, deficiency leads to muscular dystrophy, deficiency with normal dystrophin content/localization, dystrophin–dystroglycan–laminin link unaffected by deficiency of, 142:1279
Sarcoglycan complex, molecular organization of, 143:2033
Sarcoglycan–sarcospan complex, and association of α-dystroglycan with sarcolemma, 142:1461
Sarcolemma, α-dystroglycan stably associated with, 142:1461
Sarcomere
assembly regulated by titin filaments, 143:1013
relation of length to passive force, 140:853
Sarcoplasmic reticulum, cross-talk between mitochondria and, focal release of calcium by, 142:975
Sar1p, and Golgi glycosylation enzyme cycling through endoplasmic reticulum, 143:1505
SATB1 (special AT-rich sequence-binding protein 1), binds to base of chromatin loops, 141:335
SCAR, suppresses receptor defects in *Dictyostelium* development, as conserved negative regulator of G protein–coupled signaling, role in actin cytoskeleton organization, 142:1325
*Schizosaccharomyces pombe*
Bub1 as mitotic centrosome protein in, 143:1775
new component of actin ring in, 143:415
polo kinase and cleavage plane positioning in, 143:1603
protein glucosylation in, 143:625
regulation of cell polarity in, 142:457
Schwann cells, gap junctions in, 142:1095
*Sciara* embryos, spindle assembly and mitosis without centrosomes in, 141:1383
SCIP (suppressed cAMP-inducible POU protein), function during peripheral nerve regeneration, 141:493
Scj1p, cooperation with Kar2p in protein folding, partially overlapping function with Jem1p, 143:921
*scully*, homology to vertebrate type II L-3-hydroxyacyl-CoA dehydrogenase/ERAB, mutations of, role in germline formation, 141:1009
Sdr (serum deprivation response protein), as protein kinase Cα–binding protein, 141:601
Sea urchin (zygote), centrosome reproduction in, 140:1417
*SEC* mutations, genetic interaction between *SMY1* and, 140:873
Sec61β, facilitates cotranslational protein transport, interacts with signal peptide during translocation, 141:887
Sec61 complex, β subunit of, 141:887
Sec35p, required for endoplasmic reticulum–Golgi vesicle docking, 141:1107
Secretion
of antigenic peptides, 140:17
Golgi to plasma membrane, kinetics of, 143:1485
role of ERGIC-53 in, 142:377
in yeast, polarized by actin cables, 143:1931
Secretogranin, and homotypic fusion of immature secretory granules, 143:1831
Secretory granules (immature)
homotypic fusion of, 143:1831
mannose 6–phosphate receptors colocalize with adaptor protein-1 on, vesicle budding from, 141:359
sorting of chromogranin B to, 140:1331
Secretory pathway
apolipoprotein B-100 in, 141:585
microtubules and, 140:1277
retrograde transport of toxins through, 140:733
tropoelastin binds FKBP65 in, 140:295
vacuolar ATPase transported through, 142:39
Secretory vesicles, interaptin and trafficking of, 142:735
SecY homologue, required for elaboration of chloroplast thylakoid membrane, required for normal chloroplast gene expression, 141:385
Semliki Forest virus, cholesterol requirement for fusion and exit, 140:91
Sensory neurons
ciliary assembly in, 141:993
neurofilament heavy subunit and efficiency/survival of, 143:171
Septate junction, Coracle and neurexin localization to, 140:1463
Septation, in fission yeast, role of imp2 in, 143:415
Septins
cooperative role with Cdc15p in cytokinesis, 143:1617
Cyk2 regulates distribution of, 143:1947
as major component of neck filaments, polymerization of, organized filament arrays and function of, 143:737
required for Gin4 kinase activation, 143:709
required for yeast cytokinesis, 142:1301
role of Gin4p in assembly of, relationship between assembly and function, cytokinesis unaffected by reorganization of, 143:719
SERCA2 isoforms, differential $Ca^{2+}$ wave properties of, sensitivity to calreticulin modulation, functional differences between, 142:963
Serine 19, myosin II phosphorylated at, 140:119
Serine phosphorylation, of SR proteins, and recruitment of SR proteins to transcription sites, 143:297
sf-fibers, novel 95-kD protein as component of, 140:1149
SH3 domain
of phospholipase Cγ1, essential for truncated c-kit–induced egg activation, 142:1063
of yeast type I myosin, critical for Myo5p patch polarization, required for Myo5p-dependent actin organization, verprolin as likely binding partner for, 141:1357
Shiga toxin B-fragment, transported from early endosome to Golgi, 143:973
*Shigella*, invasion inhibited by interferon α, 143:1003
α2-3 Sialylation, and apical targeting of brush border membrane glycoproteins, and mucus secretion, 141:1311
Signal peptidase, Sec61β interacts with, 141:887
Signal recognition particle receptor, GTPase domain in β-subunit of, as regulatory switch, association with endoplasmic reticulum, 142:341
Signal sequence recognition, in cotranslational translocation, endoplasmic reticulum and, 142:355
Signal transduction (T cell), inhibited by polyunsaturated fatty acids, 143:637
Signaling, role of COOH terminus in regulation of, 140:183
$\alpha_5\beta_1$ signaling pathways, interaction with separate regions of fibronectin molecule, 141:241
Simpson-Golabi-Behmel Syndrome, and OCI-5/GPC3–induced apoptosis, 141:1407
Sindbis virus, apoptosis induced by, 141:1479
Single-particle fluorescence imaging, and detection of dimers of dimers of human leukocyte antigen-DR, 140:71
Sister centromere separation, coordinated by mitotic centromere–associated kinesin, 142:787
Skeletal muscle
assembly of calcium release units in, 140:831
distinct roles of myosin heavy chains IIa and IId in development/function of, 141:943
distribution of GLUT4 in, glucose transport in, 142:1429
distributions of α-dystrobrevin in, 142:1269
β-spectrin colocalizes with voltage-gated sodium channels and ankyrin$_G$ at, 140:675
Skeletal muscle cells
Bcl-2 and development of, 142:537
differentiation regulated by FGF receptor–1 intracellular domain, FGF receptor–1 intracellular domain insufficient to support proliferation of, 142:241
Skin, K16 delays maturation of, 142:1035
Skin morphogenesis, keratin 17 expression during, revised model for, 143:469
Small espin, as actin-bundling protein, in brush border microvilli, 143:107

Small heat shock proteins, novel family member, 140:1113
SMC (structural maintenance of chromosomes) proteins, symmetrical structure of, coiled coils in, 142:1595
Smooth muscle (vascular), calcium current modulation in, 143:241
Smooth muscle cells, prothrombin as ligand for $\alpha_v\beta_3$ on, 143:2081
Smooth muscle–like cells, 10T1/2 cells differentiate into, 141:805
*SMY1*, genetic interaction between *SEC* mutations, 140:873
Smy1p (kinesin-related protein), does not require microtubules, acts in late secretory pathway, 140:873
SNARE complex, modulates $Ca^{2+}$ sensitivity of fusion, 143:1845
SNAREs
  involved in apical transport, 141:1503
  localization, dynamics, and interactions among, 141:1489
Sodium channels, voltage-gated, ankyrin$_G$ and clustering of, 143:1295
Solutes, diffusion in mitochondrial matrix, movement unaffected by protein crowding, 140:821
Somatic pairing, disruption during S phase, 143:13
SPC98 gene, human homologue of, 141:689
*spc72* mutation, and spindle pole body morphology defects, effect on microtubule assembly/function, 141:1169
Spc72p, interacts with Stu2p, required for proper microtubule assembly, essential component of spindle pole body, 141:1169
Spc97p
  human expressed sequence tag of, 141:689
  mammalian γ-tubulin complex contains homologues of, relation to Spc98p, 141:663
Spc98p
  human expressed sequence tag of, required for nucleation reaction, concentration in centrosome, 141:689
  mammalian γ-tubulin complex contains homologues of, relation to Spc97p, 141:663
Spectrin
  annexin VI–mediated loss of, 142:937
  recruited to actin filaments, 142:485
β-Spectrin, at neuromuscular junctions, colocalizes with voltage-gated sodium channels and ankyrin$_G$, 140:675
Spectrin-binding domains, and ankyrin$_G$–neurofascin complexes, 142:1571
Sperm, control of $Ca^{2+}$ entry into, cyclic nucleotide-gated channels in, motility of, 142:473
Spermatogenesis
  centrosomin function in, 141:455
  *polo* and, 143:659
  vascular endothelial growth factor and, 143:1705
Spermatozoa, truncated c-kit in, 142:1063
*Spermatozopsis similis*, novel 95-kD protein in, 140:1149
Spheroids, multicellular, integration of endothelial cells in, 143:1341
Sphingolipids
  and protein sorting, and trafficking of secretory vesicles in yeast, 143:1167
  sorting in sub-apical compartments, polarized distribution in HepG2 cells, 142:683
Sphingomyelin, induces endocytosis, 140:39
Sphingosine-1-phosphate, as ligand for cell surface receptor, regulates cell proliferation and survival, 142:229
Spinal motor neurons, dendritic arborization of, 140:1167
Spindle
  inner centromere protein targeted to, 143:1763
  novel proteins involved in function of, 143:1029
Spindle assembly, in absence of centrosomes, 141:1383
Spindle checkpoint
  Bub1 essential for, 143:1775
  as component of timing mechanism for mitosis, 141:1193
  Xmad1 and establishment/maintenance of, 143:283
Spindle midzone, hBUBR1 and regulation of, 143:49
Spindle pathway, Clb5 activity early in, 143:135
Spindle pole assembly, centriolar function in, 143:1575
Spindle pole bodies
  Cdc31p required for duplication of, 143:751
  shared component of nuclear pore complexes and, Pom152p and duplication defect in, 143:1789
  yeast, Spc72p associates with preexisting, Stu2p in, Spc72p as essential component of, affected by *spc72* mutation, 141:1169
Spindle poles
  localization of Xklp2 to, 143:673
  yeast, novel components of, analysis by matrix-assisted laser desorption/ionization, 141:967
  ZYG-9 as component of, 141:1159
Spores, formation in yeast, 140:29
SR protein kinase family, novel member cloned and characterized, members uniquely regulated and targeted, contribute to RNA splicing regulation, 140:737
SR proteins, serine phosphorylation of, and recruitment to transcription sites, 143:297
Src, and *Shigella* invasion of epithelial cells, 143:1003
Src family kinases
  control keratinocyte cell–cell adhesion, 141:1449
  removal from detergent-resistant membrane domains, 143:637
Src family tyrosine kinase, regulates intracellular pH in cardiomyocytes, 141:1637
Src pathway, cell migration correlates with activation of, 141:1647
Src tyrosine kinase pathway, and inhibition of cell–cell communication, 140:1199
STE3 sequence, endocytosis/ubiquitination signal defined by, 142:949
Ste2p (phosphorylation of), promotes downregulation, regulates ubiquitination and internalization, SINNDAKSS sequence of, 141:349
Ste24p
  dual roles in **a**-factor activation, isolation of human homologue, 142:635
  human, complements yeast double mutant strain, mediates proteolytic events, 142:635
STOP proteins, and microtubule stabilization in neurons, required for normal neurite formation, increased expression during neuronal cell differentiation, 142:167
Striated filaments, novel protein as major component of, formation in vitro, 140:1149
Stromal cell–derived factor-1, cell migration induced by (ZAP-70– and LFA-1–independent), 142:1371
Stromelysin-3, and epithelial cell malignancy, as target for matrix metalloproteinase inhibitors, paracrine function requires extracellular matrix–associated growth factors, 140:1535
Stu2p, in spindle pole body, interacts with Spc72p, 141:1169
Sub-apical compartments, sphingolipid sorting in HepG2 cells, 142:683
α Subunit cytoplasmic domain, controls integrin adhesion, 141:1073
SUMO-1
  link between RanGAP1 and, modification of RanGAP1 with, 140:259
  modification specified by a RanGAP1 domain, modification targets RanGAP1 to nuclear pore complex, 140:499
Swe1p, cell cycle delay dependent on, 142:1487
Sympathetic neurons, p53 and developmental death of, 143:1691
Synapse, regulated neurotransmitter release at, 140:685
Synapses, CASK–syndecan interaction and overlapping distribution in, 142:139
Synapsis, synaptonemal complex protein 3 and regulation of, 142:331
Synaptic plasma membranes, paralemmin associated with, 143:795
Synaptic terminal, of retinal bipolar cells, actin dynamics in, 143:1661
Synaptic vesicle precursor, KIF1A motor protein mediates transport of, 141:431
Synaptic vesicle proteins, transport in living axons, 140:659
Synaptic vesicles
  clathrin-dependent formation, clathrin-independent formation, 143:947
  Thy-1 as component of, 140:685
Synaptonemal complex, lateral elements of, 142:331
Synaptonemal complex protein 3, as filament-forming protein, and regulation of synaptic and recombination processes, 142:331
Synaptophysin, Bassoon colocalizes with Piccolo and, 142:499
Syndecan, interaction with CASK in neuronal synapses, potential role in adhesion/signaling at neuronal synapses, CASK/LIN-2 binds to, 142:139
Syndecan-2, CASK/LIN-2 binds, 142:129
Syntaxin 6, removal from immature granules, 141:359
Syntaxin 13, mediates endosomal recycling, proteins interacting with, 143:957
T cell migration, ZAP-70 required for (LFA-dependent), independent of ZAP-70 and LFA-1 (stromal cell–derived factor-1–induced), 142:1371
T cell receptor
  and adhesion strengthening, 140:699
  interaction with major histocompatibility complex, 140:71
  mediates T cell polarization, 140:861
T cell receptor ζ, association of ZAP-70 with, 143:613
T cells
  activation suppressed by polyunsaturated fatty acids, 143:637
  polarization regulated by immunoreceptor tyrosine-based activation motif, 140:861
  selective regulation of epithelial V-like antigen by maturation of, 141:1061

10T1/2, endothelial cell–induced recruitment of, differentiation into smooth muscle–like cells, 141:805
T cell–specific gene regulation, chromatin loop domain structure involved in, 141:335
*t* haplotypes (mouse), flagellar dyneins involved in meiotic drive of, 140:1137
Talin
novel functions for head domain, layilin as membrane-docking site for, and focal adhesion kinase binding, 143:429
role in cell–matrix interaction, and β1 integrin expression, and focal adhesion assembly, 142:1121
TAP/p115, role in membrane transport, association with peripheral vesicular tubular cluster, Golgi dynamics of, binds to GM130, 143:319
Tau protein, role in intracellular transport, effects of overexpression, 143:777
Taxol, reduces tension at kinetochores, induces mitotic arrest, 141:1181
TCR α chain, dislocation from endoplasmic reticulum inhibited, 142:365
Tctex1, in flagellar inner arm I1, *t*-specific mutations in, 140:1137
Tectal cells, neurofascin and attachment/neurite formation of, 142:1083
Telophase, in absence of centrosomes, 141:1383
Temperature-sensitive mutants, of flagellar assembly, 143:1591
Tenascin-R, interaction between neurofascin and, and neurite growth of tectal cells, and neurite growth of tectal cells, 142:1083
Tendon, *kakapo* expression in, cell differentiation of, 143:1259
Tetraspan molecules (CD81/TAPA-1 and CD151/PETA-3), at endothelial cell junctions, interaction with α3β1 integrin, role in endothelial cell motility, 141:791
Tetraspanin molecules, metastasis-associated, 141:267
TGF-β, oligomeric structure of type I and II receptors, regulation of signaling, type I and II receptor homodimer formation, 140:767
TGN38, transport to *trans*-Golgi network, 142:923
Thiabendazole, and microtubule-regulated cell polarity, 142:457
Thiolase, Pex20p and oligomerization of, Pex20p and peroxisomal import of, 142:403
Thrombospondin 2, function in cell adhesion and cell migration, 140:419
*tht1*$^+$, required for nuclear fusion, 140:247
Thy-1, as component of synaptic vesicles, role in regulated secretion at synapse, 140:685
Thylakoid membrane, SecY homologue and biogenesis of, 141:385
Thylakoids, in *Chlamydomonas reinhardtii* chloroplasts, 140:101
Thymus, epithelial V-like antigen and organogenesis of, 141:1061
Thyrocytes, cyclin-dependent kinase 4 required for proliferation of, 140:1427
Tiam1, phosphatidylinositol 3-kinase acts upstream of, 143:1385
Tic20, primary structure of, as component of chloroplast protein import, 143:991
Tic22, primary structure of, as component of chloroplast protein import, 143:991
Tight junction strands, reconstituted in fibroblasts, 143:391
Tight junctions
atypical protein kinase C associates with ASIP in, 143:95
claudin-1 and -2 localize at, molecular architecture of, 141:1539
junctional adhesion molecule codistributes with components of, 142:117
molecular architecture of, other integral membrane protein(s) of, in occludin-deficient epithelial cells, 141:397
*Tight skin* mice, mutant fibrillin-1 production in, abnormal microfibrils in, 140:1159
Tissue, NF-κB and remodeling of, 140:709
Tissue factor, cell adhesion mediated by, cytoplasmic domain interacts with actin-binding protein 280, and tumor cell metastasis, and vascular remodeling, 140:1241
Tissue-type plasminogen activator, and laminin-5 processing, 141:255
Titin
as chromosomal protein, 141:321
extensibility in situ, 140:853
and sarcomeric integrity, role in Z-disc structure, protein ligand of $NH_2$-terminal region of, binding sites for α-actinin, 143:1013
Titin-cap, and sarcomeric integrity, 143:1013
Toc34 (chloroplastic outer envelope protein), topology of transmembrane protein, functionality of transmembrane protein, 141:895
Topoisomerase II, colocalization with DNA polymerase β, 143:911
Toxins, retrograde transport through secretory pathway, 140:733
*Toxoplasma gondii*, protein targeting in, 141:1323
Tpr
as major binding site for importin β, 141:31
role in mRNA transport, association with nuclear pore complex, localization to nuclear interior (aside from nuclear pore complex), 143:1801
Transcription
and perinucleolar compartment, 143:35
recruitment of SR proteins to sites of, 143:297
Transcription factor TFIIS, novel nuclear import pathway for, 143:1447
Transcription sites, relationship with chromosome territories in wheat root tissue, 143:5
Transcytosis, of membrane proteins to apical surface, 142:153
Transcytotic pathway, sorting mechanism operating along, 143:81
Transduction, phosphatidylinositol 3′-kinases and, 143:1647
Transendothelial migration, of monocytes, 142:595
Transferrin receptor
basolateral distribution of, 141:611
GLUT4 sorted from, distinct endocytic pathway followed by, 140:565
Transforming growth factor-β, role in islet of Langerhans morphogenesis, controls matrix metalloproteinase 2 activity, 143:827
Transforming growth factor-β1, myofibroblastic phenotype induction by, 142:873
Transgenic mice
elevated heparin-binding growth-associated molecule expression increases bone volume in, 143:1113
K16 delays skin maturation in, 142:1035
keratin phosphorylation in, 143:2023
vascular endothelial growth factor causes infertility in, 143:1705
*trans*-Golgi network
annexin XIIIb localized to, 142:1413
caveolin sorting in, 140:795
dyamin-2 and vesicle budding from, 143:1871
retrograde traffic into, 142:651
TGN38 trafficking to, 142:923
transport of newly synthesized proteins from, 140:659
*trans*-Golgi network residual proteins, transport in living axons, 140:659
*trans*-Golgi network–apical transport, uses SNARE machinery elements, 141:1503
*trans*-Golgi network/endosomal system, regulation of protein sorting within, 142:1399
Translation, processing of *psbA* mRNA and, 143:1145
Translation elongation factor-1α, interaction with ZPR1, translocation to nucleus, 143:1471
Translational regulation, in chloroplast, 142:435
Translocation
of protein kinase C subspecies, distinct effects of fatty acids on, 143:511
Sec61β interacts with signal peptide during, 141:887
Transmembrane domain, apical sorting signal in, mutations in middle of, 142:51
Transmembrane GTPases, and mitochondrial fusion, 143:359
Transmission ratio distortion, of mouse *t* haplotypes, flagellar dyneins in, 140:1137
Transport
to distinct Golgi cisternae, compartment specific and ARF independent, 140:511
intracellular, role of tau protein in, 143:777
Transport intermediates, and Golgi–plasma membrane trafficking, 143:1485
Transporter associated with antigen processing, peptide secretion dependent on, 140:17
Treadmilling, as important mechanism of microtubule turnover, 142:1519
Triadic proteins, in excitation–contraction coupling, 140:843
Triadin, targeting to junctional regions, 140:831
Tropoelastin, as ligand for FKBP65, folding of, 140:295
Tropomyosin
essential for actin cable stability, 143:1931
excludes cofilin from cytoplasmic cables, 142:1289
Troponin C, interaction with troponin I, 143:1201
Troponin I, interaction with troponin C, 143:1201
Troponin T, mutation causes muscle dysfunction, 143:1201
TRPL, binds to INAD, 142:545
Truncated c-kit, activates phospholipase Cγ1, egg activation induced by, 142:1063
t-SNARE protein, adaptor protein–specific sorting signal in, 142:913
Tubular filaments, β-filagenin and formation of, 140:347
Tubulin, and centriolar microtubule stability, 143:1575
γ-Tubulin
forms lattice with pericentrin, as component of protein complex in *Xenopus* eggs, 141:163
human homologue of Spc98p associated with, 141:689

and RanBPM overexpression, 143:1041
recruitment to centrosome, Xgrip109 interacts with, 141:675
Xgrip109 interacts with, 141:675
γ-Tubulin complex (mammalian), composition in mammalian cells, 141:663
γ-Tubulin ring complex
recruitment of, required for microtubule nucleation at the centrosome, 142:775
role of Xgrip109 in assembly of, 141:675
Tumor cell metastasis, novel function for tissue factor function in, 140:1241
Tumor invasion, and αvβ3 integrin activation, 142:1145
Tumor necrosis factor, membrane retention of, modulates TNF/LT-α resistance, 143:2057
Tumors
CAS/Crk assembly contributes to invasiveness of, 140:961
*p21* and *Rb* mutations and development of, 141:503
Twinfillin, regulates actin cortical cytoskeleton, forms molar complex with actin, 142:723
Tyrosinase, cAMP stimulates expression of, 142:827
Tyrosine kinases
protein tyrosine phosphatase 1B and regulation of, 143:861
regulate intracelluar pH in cardiomyoctes, 141:1637
Tyrosine phosphatase, activated by synaptic stimulation, role in acetylcholine receptor cluster dispersal/formation, 141:1613
Tyrosine phosphorylation
controls keratinocyte cell–cell adhesion, 141:1449
reversible, and regulation of cadherin function, 141:287
Tyrosine residues, of β1A integrin, 141:527
Ubiquitin
directs endocytosis, 142:949
and protein degradation, and aggresome formation, 143:1883
Ubiquitination, directed by STE3 sequence, 142:949
Ubiquitin-conjugating enzyme (giant), related to inhibitor of apoptosis proteins, 141:1415
UDP-Glc:glycoprotein glucosyltransferase, essential for *Schizosaccharomyces pombe* viability, 143:625
Ultraviolet irradiation, chromatin assembly factor I and, 143:563
UNC-45/CRO1/She4p (UCS) protein family, and myosin assembly, common mechanism for function of, 143:1215
Urokinase receptor, targeted by mannose 6-phosphate receptor/insulin-like growth factor–II receptor, 141:815
Urokinase-type plasminogen activator, role in vascular wound healing, and plasmin proteolysis, and matrix metalloproteinase proteolysis, 140:233
Uso1p, and endoplasmic reticulum–Golgi vesicle docking, 141:1107
Utrophin, regulated pairing of α-dystrobrevins with, 142:1269
UV light, directly stimulates CD95, activates CD95 pathway to induce apoptosis, affects plasma membrane targets, 140:171
*VAC7*, and vacuole–*trans*-Golgi network retrograde traffic, 142:651
Vac7p, functions with Fab1p to regulate vacuolar membrane recycling/turnover, 143:65
Vac8p, in vacuole inheritance and protein targeting, 140:1063
Vacuolar ATPase, assembly in endoplasmic reticulum, and Vma12p/Vma22p assembly complex, transport through secretory pathway, 142:39
Vacuolar membranes (recycling/turnover of), regulated by Fab1p and Vac7p, and Ptd-Ins(3,5)$P_2$ production, 143:65
Vacuolar space, *Toxoplasma gondii*, targets proteins to, 141:1323
Vacuolar v–t-SNARE complex, disassembly and activation for docking and fusion, 140:61
Vacuole
membrane proteins follow two separate pathways to, 143:1183
retrograde traffic out of, alternate route to, 142:651
trafficking of Vam3p to, 142:913
vacuolar ATPase transported to, 142:39
Vacuole inheritance, Vac8p functions in, 140:1063
Vam3p, sorting requires di-leucine sequence, transport to vacuole through AP-3 pathway, 142:913
Vascular cell adhesion molecule-1
activated by interferon regulatory factor-2 in muscle, and leukocyte recruitment of leukocytes to sites of myogenic regeneration, expressed on satellite cells and newly forming myotubes, 140:1265
as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 142:1381
Vascular endothelial cells, prothrombin as ligand for $\alpha_v\beta_3$ on, 143:2081
Vascular endothelial growth factor
induces endothelial fenestration in vitro, 140:947
mediates fibroblast growth factor-2–induced angiogenesis, 141:1659
nonendothelial targets for, overexpression causes infertility in transgenic mice, 143:1705
Vascular remodeling, novel function for tissue factor function in, 140:1241
Vascular smooth muscle, calcium current modulation in, 143:241
Vascular wound healing, role of urokinase-type plasminogen activator in, 140:233
Vault particles, interaction with estrogen receptor in MCF-7 breast cancer cells, 141:1301
VEGF, endothelial cell responsiveness to, 143:1341
Vein, kakapo essential for localization of, activates epidermal growth factor receptor pathway, 143:1259
Verprolin, as binding partner for SH3 domain of yeast myosin I proteins, 141:1357
Vertebral column, collagen II and development of, 143:1399
Vesicle budding, from maturing secretory granules, 141:359
Vesicle cycling, actin and, 143:1661
Vesicle docking, Sec35p required for, 141:1107
Vesicle-associated membrane protein, sorted by two pathways, 143:947
Vesicles, trafficking inhibited by overexpression of tau protein, 143:777
Vesicular carriers, annexin XIIIb localized to, 142:1413
Vesicular stomatitis virus G protein
fused to green fluorescent protein, Golgi–plasma membrane trafficking of, 143:1485
targeting during myogenesis of L6 muscle cells, 140:1101
Vesicular system, BRUCE associated with, 141:1415
Vesicular trafficking role of phosphatidylinositol 3′-kinases in, 143:1647
Vesicular transport, syntaxin 13 and, 143:957
Vesicular tubular cluster, TAP/p115 associated with, 143:319
Video microscopy, and analysis of intraflagellar transport, 143:1591
Vid24p, localizes to fructose-1,6-bisphosphatase–containing vesicles, regulates fructose-1,6-bisphosphatase vesicle–vacuole targeting, 140:1347
Vimentin, rapid movements are kinesin dependent, 143:159
Vimentin intermediate filaments
motile properties of, 143:147
novel mechanism involved in cytoskeleton of, 143:159
Vinculin
β-catenin complexes with, 141:1433
interaction with αE-catenin, 142:847
as part of cadherin–catenin junctional complex, complex formation between α-catenin and, ligand-binding activity of, 141:755
recruitment to focal adhesions, 143:1981
Viral fusion, assembly of multiprotein complexes in, inhibition of, 143:1155
Virus, cholesterol requirement for fusion and exit, 140:91
Vma12p/Vma22p assembly complex, interaction with $V_o$ subunits of endoplasmic reticulum, required for assembly of vacuolar ATPase, 142:39
Voltage-dependent L-type $Ca^{2+}$ channels, in cardiomyogenesis, 143:2045
Voltage-gated sodium channels, β-spectrin colocalizes with, mechanism for clustering of, interactions with β-spectrin and ankyrin$_G$, 140:675
Vpr protein, nuclear import of, two distinct nuclear targeting signals, accesses nuclear pore complex, 143:875
Vps10 receptor, endosome–Golgi transport of, 142:665
v-SNARE
exocytosis independent of, 143:1167
and retrograde transport out of vacuole, 142:651
unique roles in Golgi–endoplasmic reticulum transport, 143:589
Vti1p, and retrograde transport out of vacuole, 142:651
WASP, and actin cytoskeleton organization, proteins related to, 142:1325
Wheat nuclei, transcription sites not correlated with chromosome territories in, 143:5
WIF-B hepatocytes (polarized), subapical compartment in, 141:115
Wound healing, regulation of keratinocyte adhesion/migration during, 142:1357
Wound repair
integrin ligands and, 143:241
relationship between epidermal development and, 143:469
X inactivation, and Xist RNA localization, 142:13
Xchk1 (recombinant *Xenopus* Chk1), role in checkpoint control, caffeine disrupts function of, 142:1559
*Xenopus*, myosin thick filament assembly in, 141:1349
*Xenopus* egg extracts, actin assembly in, 140:1125
*Xenopus* eggs, pericentrin and γ-tubulin as part of protein complex in, 141:163

*Xenopus laevis*
chromosome condensation in egg extracts, 143:1437
genome dynamics during development of, 142:1159
organization of nucleoli during development of, 142:1167
*Xenopus* melanophores, kinesin II responsible for pigment dispersion in, 143:1547
*Xenopus* oocytes
cystic fibrosis transmembrane conductance regulator controls ATP release in, 143:645
modulation of r-eag $K^+$ channel permeability in, 143:767
Xgrip109, role in γ tubulin ring complex assembly, role in centrosome function, 141:675
Xist RNA, localization uncoupled from stabilization, and X inactivation, 142:13
Xklp2, localization to microtubule minus ends, 143:673
Xklp3, role in endoplasmic reticulum–Golgi trafficking, 143:1559
Xmad1, recruits Xmad2 to unattached kinetochores, and establishment/maintenance of spindle checkpoint, 143:283
Xmad2, recruited by Xmad1 to unattached kinetochores, 143:283
*Yarrowia lipolytica*, *pex20-1* mutant strain of, 142:403
Yeast
actin cables polarize secretion in, 143:1931
actin organization checkpoint in, 142:1487
actomyosin contractile ring in, cytokinesis in, 142:1301
assembly/function of actin cytoskeleton in, 142:1501
centromere clustering in, 141:21
Cyk2 distribution/function in, 143:1947
cytoplasmic microtubule orientation in, 140:377
determination of cell division sites in, 143:1603
Dnm1p controls mitochondrial morphology in, 143:333
endosome–Golgi retrograde transport in, 142:665
Fzo1p required for mitochondrial fusion in, 143:359
glycoprotein degradation in, 142:1223
mitochondria–actin cytoskeleton interaction in, 141:1371
mitotic roles for kinesins in, 143:687
morphogenesis and cell fusion in, 142:1473
myosin I function and localization to, 141:1357
novel nuclear pore complex– spindle pole body connection in, 143:1789
novel spindle proteins in, 143:1029
nuclear pore complex of, 143:577
protein Nmd5p functions as karyopherin, 143:1447
rapid actin dynamics in, 142:1289
regulation of cortical actin cytoskeleton in, 142:723
septin assembly and function in, 143:719
shared cell polarity mechanism between *Drosophila* and, 142:1209
spore formation in, 140:29
vacuole–*trans*-Golgi network retrograde traffic in, 142:651
v-SNARE–independent exocytosis in, 143:1167
Yeast, budding
role of septins in, and Gin4 kinase regulation, 143:709
septin polymerization in, 143:737
Yeast mating
and Kel1p, 143:375
pheromone-regulated genes and, 140:461
ZAP-70, association with T cell receptor ζ, mobility of, 143:613
ZAP-70 tyrosine kinase, required for invasion and metastasis, required for LFA-1–dependent migration, not involved in LFA-1–independent migration, 142:1371
Z-disc, molecular layout of titin within, 143:1013
Zinc finger protein ZPR1, interaction with translation elongation factor-1α, essential for cell viability, translocation to nucleus, 143:1471
ZO-1, ZO-3 interacts with, 141:199
ZO-3, interacts with ZO-1 and occludin, localizes to the tight junction, 141:199
Zona occludens-1, concentration in occludin-deficient epithelial cells, 141:397
zVAD-fmk, apoptotic pathway independent of, 140:637
ZW10, recruits dynactin and dynein to kinetochore, 142:763
*zyg-9*, molecular characterization of, 141:1159
ZYG-9, required for microtubule organization/function, as component of meiotic and mitotic spindle poles, as transient component of central spindle, 141:1159
Zygotes, sorting of mitochondrial DNA/mitochondrial proteins in, 142:613